

CYBAES Literature Citations

Listing all references to Cyprus, in alphabetical order. Count of citations: 1370 (30 September 2006)

Abelson, M., Baer, G. & Agnon, A. (2001) Evidence from gabbro of the Troodos Ophiolite for lateral magma transport along a slow-spreading mid-ocean ridge. *Nature*, 409: 72-75.

Abelson, M., Baer, G. & Agnon, A. (2002) Fossil ridge-transform intersection in the Troodos Ophiolite: new perspectives from rock magnetism in the gabbro suite and fracture mechanics analysis. *Geochemistry Geophysics Geosystems*, 3: 1046 doi:10.1029/2001GC000245.

Abrahamsen, N. & Schonharting, G. (1987) Paleomagnetic timing of the rotation and translation of Cyprus. *Earth and Planetary Science Letters*, 81: 409-418.

Acik, S., Murina, G. V., Cinar, M. E. & Ergen, Z. (2005) Sipunculans from the coast of northern Cyprus (eastern Mediterranean Sea). *Zootaxa*, 1077: 1-23.

Adamides, N. (1979) Excursion J - Kalavassos mining district, in Pantazis, T. M. (Ed.) Field excursion guidebook: International Ophiolite Symposium, Nicosia, Cyprus, 1-8 April, 1979. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 80-93.

Adamides, N. (1987) Diverse modes of occurrence of Cyprus sulphide deposits and comparison with recent analogues, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a. Geological Survey of Canada, Ottawa, Ontario, Canada, 153-168.

Adamides, N. G. (1975) Geological history of the Limni concession, Cyprus, in the light of the plate tectonics hypothesis. *Transactions of the Institution of Mining and Metallurgy, Section B: Applied Earth Science*, 84: B17-B23.

Adamides, N. G. (1980) The form and environment of formation of the Kalavassos ore deposits, Cyprus, in Panayiotou, A. (Ed.) Ophiolites: Proceedings of the International Ophiolite Symposium, Cyprus 1979. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 117-127.

Adamides, N. G. (1990) Hydrothermal circulation and ore deposition in the Troodos Ophiolite, Cyprus, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) Ophiolites: oceanic crustal analogues. Proceedings of the symposium "Troodos 1987". Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 685-704.

Adams, C. G. (1959) Geological distribution of *Discospirina* (Foraminifera) and occurrence of *D. italica* in the Miocene of Cyprus. *Palaeontology*, 1, Part 4: 364-368.

Admou, H. & Juteau, T. (1998) Discovery of a fossil oceanic hydrothermal system in the Late Precambrian Khzama ophiolite (Siroua massif, Anti-Atlas range, Morocco). *Comptes Rendus de l'Academie des Sciences, Serie II, Fascicule A: Sciences de la Terre et des Planetes*, 327: 335-340.

Afrodisis, S. (1980) The hydrogeology of the island of Cyprus, in Hopkinson, E. G. & Beavington, C. F. (Eds.) Special Liaison Report, Commonwealth Geological Liaison Office, No. 4. Commonwealth Geological Liaison Office, London, U.K., 27-51.

Agar, S. M. (1994) Rheological evolution of the ocean crust: a microstructural view. *Journal of Geophysical Research - Solid Earth*, 99: 3175-3200.

Agar, S. M. & Klitgord, K. D. (1995) A mechanism for decoupling within the oceanic lithosphere revealed in the Troodos Ophiolite. *Nature*, 374: 232-238.

Agiorgitis, G. & Becker, R. (1979) The geochemical distribution of gold in some rocks and minerals of the Troodos Complex, Cyprus. *Neues Jahrbuch für Mineralogie - Monatshefte*, 1979 7: 316-320.

Agiorgitis, G., Becker, R. & Wolf, R. (1979) Aspects of platinum elements distribution in some ultramafic and related rocks. *Physics and Chemistry of the Earth*, 11: 233-238.

Aksu, A. E., Calon, T. J., Hall, J., Mansfield, S. & Yasar, D. (2005a) The Cilicia-Adana basin complex, eastern Mediterranean: Neogene evolution of an active fore-arc basin in an obliquely convergent margin. *Marine Geology*, 221: 121-159.

Aksu, A. E., Calon, T. J., Piper, D. J. W., Turgut, S. & Izdar, E. (1992) Architecture of Late Orogenic Quaternary basins in northeastern Mediterranean Sea. *Tectonophysics*, 210: 191-213.

Aksu, A. E., Hall, J. & Yaltirak, C. (2005b) Miocene to Recent tectonic evolution of the eastern Mediterranean: New pieces of the old Mediterranean puzzle. *Marine Geology*, 221: 1-13.

Al-Riyami, K. & Robertson, A. (2002) Mesozoic sedimentary and magmatic evolution of the Arabian continental margin, northern Syria: evidence from the Baer-Bassit Melange. *Geological Magazine*, 139: 395-420.

Al-Riyami, K., Robertson, A., Dixon, J. & Xenophontos, C. (2002a) Origin and emplacement of the Late Cretaceous Baer-Bassit ophiolite and its metamorphic sole in NW Syria. *Lithos*, 65: 225-260.

Al-Riyami, K., Robertson, A. H. F., Xenophontos, C., Danelian, T. & Dixon, J. E. (2000) Tectonic evolution of the Mesozoic Arabian passive continental margin and related ophiolite in Baer-Bassit region (NW Syria), in Panayides, I., Xenophontos, C. & Malpas, J. (Eds.) *Proceedings of the Third International Conference on the Geology of the Eastern Mediterranean*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 61-81.

Al-Riyami, K. K., Danelian, T. & Robertson, A. H. F. (2002b) Radiolarian biochronology of Mesozoic deep-water successions in NW Syria and Cyprus: implications for south-Tethyan evolution. *Terra Nova*, 14: 271-280.

Al-Tarazi, E. A. (1999) Regional seismic hazard study for the eastern Mediterranean (Trans-Jordan, Levant and Antakia) and Sinai region. *Journal of African Earth Sciences*, 28: 743-750.

Alexandersson, E. T. (1975) Marks of unknown carbonate-decomposing organelles in cyanophyte borings. *Nature*, 254: 237-238.

Alexandersson, T. (1972) Mediterranean beachrock cementation: marine precipitation of Mg-calcite, in Stanley, D. J. (Ed.) *The Mediterranean Sea: a Natural Sedimentation Laboratory*. Dowden, Hutchinson and Ross, Stroudsburg, Pennsylvania, U.S.A., 203-223.

Ali, H. M. & Nassief, M. O. (1989) Geochemical characteristics and petrogenesis of the Ophiolite sequence rocks from drill hole CY-4, Troodos complex, Cyprus, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) *Cyprus Crustal Study Project: initial report, hole CY-4*. Geological Survey of Canada, Ottawa, Ontario, Canada, 187-191.

Allerton, S. & Gomez, B. (1989) Structural geomorphology of southeast Troodos, in the vicinity of Pano-Lefkara, Cyprus. *Geografiska Annaler Series A-Physical Geography*, 71: 221-231.

Allerton, S. & Vine, F. J. (1987) Spreading structure of the Troodos Ophiolite, Cyprus: some paleomagnetic constraints. *Geology*, 15: 593-597.

Allerton, S. & Vine, F. J. (1990) Palaeomagnetic and structural studies of the southeastern part of the Troodos Complex, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) *Ophiolites: oceanic crustal analogues. Proceedings of the symposium "Troodos 1987"*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 99-111.

Allerton, S. & Vine, F. J. (1991) Spreading evolution of the Troodos Ophiolite, Cyprus. *Geology*, 19: 637-640.

Allison, R. J. & Bristow, G. E. (1999) The effects of fire on rock weathering: Some further considerations of laboratory experimental simulation. *Earth Surface Processes and Landforms*, 24: 707-713.

Alpert, P., Ben-Gai, T., Baharad, A., Benjamini, Y., Yekutieli, D., Colacino, M., Diodato, L., Ramis, C., Homar, V., Romero, R., Michaelides, S. & Manes, A. (2002) The paradoxical increase of Mediterranean extreme daily rainfall in spite of decrease in total values. *Geophysical Research Letters*, 29: 1536, doi:10.1029/2001GL013554.

Alpert, P., Neeman, B. U. & Shay-El, Y. (1990) Climatological analysis of Mediterranean cyclones using ECMWF data. *Tellus, Series A: Dynamic Meteorology and Oceanography*, 42A: 65-77.

Alpert, P., Osetinsky, I., Ziv, B. & Shafir, H. (2004) Semi-objective classification for daily synoptic systems: Application to the Eastern Mediterranean climate change. *International Journal of Climatology*, 24: 1001-1011.

Alpert, P., Stein, U. & Tsidulko, M. (1995) Role of sea fluxes and topography in eastern Mediterranean cyclogenesis. *Global Atmosphere and Ocean System*, 3: 55-79.

Alt, J. C. (1994) A sulfur isotopic profile through the Troodos Ophiolite, Cyprus - primary composition and the effects of seawater hydrothermal alteration. *Geochimica et Cosmochimica Acta*, 58: 1825-1840.

Altaratz, O., Levin, Z., Yair, Y. & Ziv, B. (2003) Lightning activity over land and sea on the eastern coast of the Mediterranean. *Monthly Weather Review*, 131: 2060-2070.

Ambraseys, N. N. (1965) The seismic history of Cyprus. *Revue de l'Union Internationale de Secours*, 3: 25-48.

Ambraseys, N. N. & Adams, R. D. (1993) Seismicity of the Cyprus region. *Terra Nova*, 5: 85-94.

Anagnostou, E. N., Chronis, T. & Lalas, D. P. (2002) New receiver network advances long-range lightning monitoring. *EOS, Transactions of the American Geophysical Union*, 83: 589-594.

Anastasakis, G. & Kelling, G. (1991) Tectonic connection of the Hellenic and Cyprus arcs and related geotectonic elements. *Marine Geology*, 97: 261-277.

Anastasiou, T., Tsertos, H., Christofides, S. & Christodoulides, G. (2003) Indoor radon (Rn-222) concentration measurements in Cyprus using high-sensitivity portable detectors. *Journal of Environmental Radioactivity*, 68: 159-169.

Angelakis, A. N., Do Monte, M., Bontoux, L. & Asano, T. (1999) The status of wastewater reuse practice in the Mediterranean basin: Need for guidelines. *Water Research*, 33: 2201-2217.

Anonymous (1972) Origin of the Troodos Massif of Cyprus. *Nature - Physical Science*, 239: 17-18.

Anonymous (1983) On Cyprus: Crustal study drills and maps extrusives. *Geotimes*, 28: 19-19.

Anonymous (1992) Major Element and Trace Element Analytical Data: Cyprus Crustal Study Project Holes CY-1 and CY-1a, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) *Cyprus Crustal Study Project: Initial Report, Holes CY -1 and 1a*. Geological Survey of Canada, Ottawa, Ontario, Canada, 263-283.

Anonymous (1998) Loggerhead nesting on Akrotiri Peninsula, Cyprus. *Marine Turtle Newsletter*: 23-24.

Argyrou, M., Demetropoulos, A. & Hadjichristophorou, M. (1999) Expansion of the macroalga *Caulerpa racemosa* and changes in softbottom macrofaunal assemblages in Moni Bay, Cyprus. *Oceanologica Acta*, 22: 517-528.

Argyrou, M. (2000) The "Cladophora" phenomenon in the coastal waters of Cyprus, in RAC/SPA (Ed.) *Proceedings of the first Mediterranean symposium on marine vegetation (Ajaccio, 3-4 October 2000)*. Regional Activity Centre for Specially Protected Areas (RAC/SPA), Tunis, Tunisia, 69-73.

Arvidsson, R., Ben-Avraham, Z., Ekstrom, G. & Wdowinski, S. (1998) Plate tectonic framework for the October 9, 1996, Cyprus earthquake. *Geophysical Research Letters*, 25: 2241-2244.

Asaf, L., Nativ, R., Hassan, M. A., Shain, D., Geyer, S. & Ziv, B. (2005) Influence of small- and large-scale variables on the chemical and isotopic compositions of urban rainwater, as illustrated by a case study in Ashdod, Israel. *Journal of Geophysical Research - Atmospheres*, 110: D11307, doi:10.1029/2004JD005414.

Ash, C. H. (1990) Development and subsequent demise of an oceanic spreading center: The Troodos Ophiolite, Cyprus. M.Sc. Thesis, Memorial University of Newfoundland, Canada.

Atasoylu, E., Taneri, U. & Salihoglu, I. (1999) An inevitable episode: Salination of Gonyeli pond (dam). *Fresenius Environmental Bulletin*, 8: 133-139.

Athersuch, J. (1979a) On *Heterocythereis voraginosa* Athersuch sp. nov. *Stereo-Atlas of Ostracod Shells*, 6: 125-132.

Athersuch, J. (1979b) The ecology and distribution of the littoral ostracods of Cyprus. *Journal of Natural History*, 13: 135-160.

Athersuch, J. (1981) On *Hemicytherura videns* (Mueller). *Stereo-Atlas of Ostracod Shells*, 8: 19-26.

Athersuch, J. & Ruggieri, G. (1975) On *Urocythereis phantastica* Athersuch and Ruggieri sp. nov. *Stereo-Atlas of Ostracod Shells*, 2: 4.

Atun, A. & Ünsalan, D. (2003) Estimation of Bay of Famagusta fish stock based on recorded catch of trawl fishing, in Phillips, B., Megrey, B. A. & Zhou, Y. (Eds.) *Proceedings of the Third World fisheries Congress: Feeding the World with Fish in the Next Millenium - The Balance Between Production and Environment*. American Fisheries Society Symposium, Vol. 38. American Fisheries Society, Bethesda, Maryland, U.S.A., 709-715.

Aubert, M. & Baroz, F. (1974) Structure profonde de la chaine du Pentadaktylos et de la Mesaoria (Chypre) [Deep structure of the Pentadaktylos Range and Mesaoria (Cyprus)]. *Revue de l'Institut Francais du Petrole et Annales des Combustibles Liquides*, 29: 361-374.

Auclair, F. & Ludden, J. N. (1987) Cyclic geochemical variation in the Troodos pillow lavas: evidence from the CY-2a drill hole, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) *Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a*. Geological Survey of Canada, Ottawa, Ontario, Canada, 221-235.

Auden, J. B. & Robertson, A. H. F. (1978) Discussion on the Moni Melange, Cyprus, an olistostrome formed at a destructive plate margin; with reply. *Journal of the Geological Society*, 135: 349-351.

Auerbach, S. T. & Bleil, U. (1987) Magnetic study of a fossil oceanic hydrothermal system in the Troodos ophiolite (Cyprus), in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) *Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a*. Geological Survey of Canada, Ottawa, Ontario, Canada, 267-281.

Bada, J. L., Man, E. H., Katz, B. J. & Hsü, K. J. (1978) Racemization of isoleucine in foraminifer tests from Leg 42A, sites 372 and 376, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) *Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I*. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 489-491.

Bagnall, P. S. (1964) Wrench faulting in Cyprus. *Journal of Geology*, 72: 327-345.

Bailey, D. G. (1984) Stratigraphy and geochemistry of the Troodos Ophiolite extrusive sequence in the Margi area, Cyprus. M.Sc. Thesis, Dalhousie University, Canada.

Bailey, D. G., Langdon, G. S., Malpas, J. & Robinson, P. T. (1992) Ultramafic and related lavas from the Margi area, Troodos Ophiolite, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY -1 and 1a. Geological Survey of Canada, Ottawa, Ontario, Canada, 187-202.

Bailey, W. R., Holdsworth, R. E. & Swarbrick, R. E. (2000) Kinematic history of a reactivated oceanic suture: the Mamonia Complex Suture Zone, SW Cyprus. *Journal of the Geological Society*, 157: 1107-1126.

Baragar, W. R. A., Lambert, M. B., Baglow, N. & Gibson, I. (1987) Sheeted Dykes of the Troodos Ophiolite, Cyprus, in Halls, H. C. & Fahrig, W. F. (Eds.) Mafic Dyke Swarms. Geological Association of Canada, Toronto, Ontario, Canada, 257-272.

Baragar, W. R. A., Lambert, M. B., Baglow, N. & Gibson, I. L. (1989) Sheeted dykes from CY-4 and surface sections: Troodos Ophiolite, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) Cyprus Crustal Study Project: initial report, hole CY-4. Geological Survey of Canada, Ottawa, Ontario, Canada, 69-106.

Baragar, W. R. A., Lambert, M. B., Baglow, N. & Gibson, I. L. (1990) The sheeted dyke zone in the Troodos Ophiolite, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) Ophiolites: oceanic crustal analogues. Proceedings of the symposium "Troodos 1987". Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 37-51.

Baragar, W. R. A., Ludden, J. N. & Auclair, F. (1992) Alteration Effects in Pillow Lavas From the CY-1 Drillhole, Upper Volcanic Sequence, Troodos Ophiolite, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY -1 and 1a. Geological Survey of Canada, Ottawa, Ontario, Canada, 117-131.

Barash, A. & Danin, Z. (1977) Polyplacophora (Mollusca) from the Eastern Mediterranean. *Journal de Conchyliologie*, 114: 3-28.

Barash, A. & Danin, Z. (1989) Contribution to the knowledge of Opisthobranchia of Cyprus. *Bollettino Malacologico*, 24: 243-260.

Baroz, F. (1968) Sur la presence de la formation de Mamonia (trias) dans la chane de Kyrenia (Chypre) [The Triassic Mamonia formation in the Kyrenia mountains, Cyprus]. *Comptes Rendus Hebdomadaires des Seances de l'Academie des Sciences, Serie IV: Sciences Naturelles*, 267: 25-27.

Baroz, F. (1970) Observations nouvelles sur l'eocene de la chane de Kyrenia (Chypre) [Eocene of the Kyrenia mountains, Cyprus]. *Comptes Rendus Hebdomadaires des Seances de l'Academie des Sciences, Serie IV: Sciences Naturelles*, 270: 1205-1208.

Baroz, F. (1976) Caracteres petrographiques et geochimiques des deux series volcaniques potassiques du Pentadaktylos (Chypre) [Petrographic and geochemical characteristics of two potassic volcanic series of Pentadaktylos (Cyprus)]. *Sciences de la Terre*, 20: 295-332.

Baroz, F. (1977) Lithologie et sedimentologie des depots oligo-miocenes de la partie septentrionale de l'ile de Chypre [Lithology and sedimentology of the Oligo-Miocene deposits in northern Cyprus]. *Sciences de la Terre*, 21: 207-236.

Baroz, F. (1980) Volcanism and continent-island arc collision in the Pentadaktylos Range, Cyprus, in Panayiotou, A. (Ed.) Ophiolites: Proceedings of the International Ophiolite Symposium, Cyprus 1979. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 73-85.

Baroz, F., Bernoulli, D., Biju-Duval, B., Bizon, G., Bizon, J. J. & Letouzey, J. (1978a) Correlations of the Neogene formations of the Florence Rise and of northern Cyprus: paleogeographic and structural implications, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 903-926.

Baroz, F. & Bizon, G. (1974) Le Neogene de la chaine du Pentadaktylos et de la partie nord de la Mesaoria (Chypre): etude stratigraphique et micropaleontologique. [The Neogene of the Pentadaktylos Range and northern Mesaoria, Cyprus: stratigraphy and micropaleontology]. *Revue de l'Institut Francais du Petrole et Annales des Combustibles Liquides*, 29: 327-360.

Baroz, F. & Bizon, G. (1977) La couverture tertiaire du flanc nord du massif du Troodos et de la partie meridionale de la Mesaoria: etude stratigraphique et micropaleontologique [The Tertiary sediments of the northern flank of the Troodos Massif and the southern part of Mesaoria: stratigraphic and micropaleontological study]. *Revue de l'Institut Francais du Petrole et Annales des Combustibles Liquides*, 32: 719-760.

Baroz, F., Bizon, G., Bizon, J.-J., Heimann, K. O., Mallet, J.-P., Muller, C., Orszag-Sperber, F., Rouchy, J.-M. & Weisgerber, F. (1978b) Le Miocene terminal et le Pliocene dans la region de Polemi (Chypre Ouest): milieux de depot.

[The terminal Miocene and the Pliocene in the Polemi region (western Cyprus): depositional environments]. *Comptes Rendus Hebdomadaires des Seances de l'Academie des Sciences, Serie IV: Sciences Naturelles*, 286: 1771-1774.

Baroz, F., Desmet, A. & Lapiere, H. (1976) Les traits dominants de la geologie de Chypre [The dominant characteristics of the geology of Cyprus]. *Bulletin de la Société Géologique de France*, 18: 419-427.

Batanova, V. G. & Sobolev, A. V. (2000) Compositional heterogeneity in subduction-related mantle peridotites, Troodos massif, Cyprus. *Geology*, 28: 55-58.

Batanova, V. G., Sobolev, A. V. & Schmincke, H. U. (1996) Parental melts of the intrusive cumulates of the Troodos massif, cyprus: A study of clinopyroxenes and melt inclusions in plagioclase. *Petrology*, 4: 255-264.

Bath, H. (1972) [*Blennius nigriceps cypriaceps cypricus* subsp.n. from Cyprus (Pisces: Blennioidei: Blenniidae)]. *Senckenbergiana Biologica*, 53: 343-348.

Bath, H. (1973) [Redescription and new record of *Tripterygion melanurus* Guichenot (Pisces: Blennioidea: Tripterygiidae)]. *Senckenbergiana Biologica*, 54: 47-56.

Baumbach, G., Pfeiffer, H., Saeachaga-Ruiz, L., Kleanthous, S., Poulida, O. & Beyaz, E. (2006) Determination of the spatial air pollutants distribution by combination of diffusive sampling and statistical modelling [Bestimmung der räumlichen Verteilung von Luftverunreinigungen durch Kombination von Passivsammlermessungen und statistischer Modellierung]. *Gefahrstoffe - Reinhaltung der Luft*, 66: 54-57.

Baumgartner, J., Rummel, F., Haimson, B. C. & Lee, M. Y. (1989) In situ stress measurements and natural fracture logging in drill hole CY-4, the Troodos Ophiolite, Cyprus, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) *Cyprus Crustal Study Project: initial report, hole CY-4*. Geological Survey of Canada, Ottawa, Ontario, Canada, 315-330.

Bear, L. M. (1963) The mineral resources and mining industry of Cyprus. *Bulletin of the Geological Survey Department of Cyprus*, 1: 1-208.

Becker, R. & Agiorgitis, G. (1978) Iridium, osmium and palladium distribution in rocks of the Troodos Complex, Cyprus. *Chemie der Erde*, 37: 302-306.

Becker, R. & Agiorgitis, G. (1979) Ir, Os, Ru und Pd in gesteinsbildenden Mineralen des Troodos-Komplexes, Zypern [Iridium, osmium, ruthenium and palladium in rock-building minerals of Troodos Complex, Cyprus]. *Chemie der Erde*, 38: 59-63.

Bednarz, U., Brace, T., Cann, J. R., Herzig, P. M., Jamieson, H. E., Lydon, J. W. & Malpas, J. (1987a) Major element and trace element analytical data: Cyprus crustal study project hole CY-2 and CY-2a, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) *Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a*. Geological Survey of Canada, Ottawa, Ontario, Canada, 353-381.

Bednarz, U., Gotte, P. & Schmincke, H.-U. (1992) The Petrography of Altered Submarine Lavas and Major Element Mobility in Drillholes CY-1 and CY-1a, Cyprus, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) *Cyprus Crustal Study Project: Initial Report, Holes CY -1 and 1a*. Geological Survey of Canada, Ottawa, Ontario, Canada, 95-115.

Bednarz, U. & Schmincke, H. U. (1989) Mass transfer during sub-seafloor alteration of the upper Troodos Crust (Cyprus). *Contributions to Mineralogy and Petrology*, 102: 93-101.

Bednarz, U. & Schmincke, H. U. (1990) Chemical patterns of seawater and hydrothermal alteration in the northeastern Troodos extrusive series and sheeted dyke complex, Cyprus, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) *Ophiolites: oceanic crustal analogues. Proceedings of the symposium "Troodos 1987"*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 639-653.

Bednarz, U. & Schmincke, H. U. (1994) Petrological and chemical evolution of the northeastern Troodos extrusive series, Cyprus. *Journal of Petrology*, 35: 489-523.

Bednarz, U., Sunkel, G. & Schmincke, H.-U. (1987b) The basaltic andesite-andesite and the andesite-dacite series from the ICRDG drill holes CY-2 and CY-2a. I. lithology, petrology and geochemistry, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) *Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a*. Geological Survey of Canada, Ottawa, Ontario, Canada, 183-204.

Bellaiche, G., Loncke, L., Gaullier, V., Mascle, J., Courp, T., Moreau, A., Radan, S. & Sardou, O. (2001) The Nile Cone and its channel system: new results after the Fanil cruise. *Comptes Rendus de l'Academie des Sciences, Serie II, Fascicule A: Sciences de la Terre et des Planetes*, 333: 399-404.

Belousov, V. V. & Sholpo, V. N. (1976) Geodynamics of the eastern part of the Mediterranean Alpine Belt. *Tectonophysics*, 35: 27-43.

Belyanina, T. N. (1995) Ichthyoplankton of Syrian surface waters (from a fall survey 1993). *Journal of Ichthyology (Voprosy Ikhtiologii)*, 35: 800-805.

- Ben-Avraham, Z., Ginzburg, A., Makris, J. & Eppelbaum, L. (2002) Crustal structure of the Levant Basin, eastern Mediterranean. *Tectonophysics*, 346: 23-43.
- Ben-Avraham, Z., Tibor, G., Limonov, A. F., Leybov, M. B., Ivanov, M. K., Tokarev, M. Y. & Woodside, J. M. (1995) Structure and tectonics of the eastern Cyprian Arc. *Marine and Petroleum Geology*, 12: 263-271.
- Ben-Avraham, Z. & Ginzburg, A. (1990) Displaced terranes and crustal evolution of the Levant and the eastern Mediterranean. *Tectonics*, 9: 613-622.
- Ben-Eliahu, M. N. (1972) Littoral polychaeta from Cyprus. *Tethys*, 4: 85-93.
- Ben-Eliahu, M. N. (1989) Serpulid tubeworms of Red Sea origin in the eastern Mediterranean. *Israel Journal of Zoology*, 35: 84.
- Benkhelil, J., Bayerly, M., Branchoux, S., Courp, T., Gonthier, E., Hubscher, C., Maillard, A. & Tahchi, E. (2005) The Cyprus Arc eastern bend: Morphostructural characteristics at plates boundary from data of the BLAC survey (2003). *Comptes Rendus Geoscience*, 337: 1075-1083.
- Benn, K. & Laurent, R. (1987) Intrusive suite documented in the Troodos Ophiolite Plutonic Complex, Cyprus. *Geology*, 15: 821-824.
- Benson, R. H. (1978) The paleoecology of the ostracodes of DSDP Leg 42A, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 777-787.
- Bergougnan, H., Brunn, J. H., Fourquin, C., de Graciansky, P. C., Gutnic, M., Marcoux, J., Monod, O. & Poisson, A. (1978) The alpine folded chains of Asia Minor, in Lemoine, M. (Ed.) Geological atlas of Alpine Europe and adjoining Alpine areas. Elsevier Scientific Publishing Company, Amsterdam, Netherlands, 509-544.
- Bettison-Varga, L. (1991) Petrogenetic studies of epidotes and mixed-layered chlorite/smectite in submarine hydrothermal systems. Ph.D. Dissertation, University of California Davis, U.S.A.
- Bettison-Varga, L., Schiffman, P. & Janecky, D. R. (1995) Fluid-rock interaction in the hydrothermal upflow zone of the Solea graben, Troodos ophiolite, Cyprus, in Schiffman, P. & Day, H. D. (Eds.) Low-grade Metamorphism of Mafic Rocks. Geological Society of America Special Paper 296. Geological Society of America, Boulder, Colorado, U.S.A., 81-100.
- Bettison-Varga, L., Varga, R. J. & Schiffman, P. (1992) Relation between ore-forming hydrothermal systems and extensional deformation in the Solea-Graben spreading center, Troodos ophiolite, Cyprus. *Geology*, 20: 987-990.
- Bianchi, T. S., Argyrou, M. & Chippett, H. F. (1999) Contribution of vascular-plant carbon to surface sediments across the coastal margin of Cyprus (eastern Mediterranean). *Organic Geochemistry*, 30: 287-297.
- Bianchi, T. S., Demetropoulos, A., Hadjichristophorou, M., Argyrou, M., Baskaran, M. & Lambert, C. (1996) Plant pigments as biomarkers of organic matter sources in sediments and coastal waters of Cyprus (eastern Mediterranean). *Estuarine, Coastal and Shelf Science*, 42: 103-115.
- Bickle, M. J. & Teagle, D. A. H. (1992) Strontium alteration in the Troodos Ophiolite: implications for fluid fluxes and geochemical transport in midocean ridge hydrothermal systems. *Earth and Planetary Science Letters*, 113: 219-237.
- Bickle, M. J., Teagle, D. A. H., Beynon, J. & Chapman, H. J. (1998) The structure and controls on fluid-rock interactions in ocean ridge hydrothermal systems: constraints from the Troodos Ophiolite, in Mills, R. A. & Harrison, K. (Eds.) Modern ocean floor processes and the geological record. Geological Society Special Publication 148. Geological Society of London, London, U.K., 127-152.
- Bie, S. W. & Beckett, P. H. T. (1973) Comparison of four independent soil surveys by air-photo interpretation, Paphos area (Cyprus). *Photogrammetria*, 29: 189-202.
- Biju-Duval, B., Lapierre, B. & Letouzey, J. (1976) Is the Troodos Massif (Cyprus) allochthonous? *Bulletin de la Société Géologique de France*, 18: 1347-1356.
- Biju-Duval, B., Lapierre, H. & Letouzey, J. (1977) Reponse aux commentaires de MM. J.-H. Brunn et al. a propos de la note "Is the Troodos Massif (Cyprus) allochthonous? [Response to the commentaries of Brunn et al. on the note "Is the Troodos Massif allochthonous?"]. *Bulletin de la Société Géologique de France*, 19: 346-347.
- Biju-Duval, B., Letouzey, J. & Montadert, L. (1978) Structure and evolution of the Mediterranean basins, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 951-984.

Biju-Duval, B., Letouzey, J., Montadert, L., Courrier, P., Mugniot, J. F. & Sancho, J. (1974) Geology of the Mediterranean Sea basins, in Burk, C. A. & Drake, C. L. (Eds.) *The geology of continental margins*. Springer-Verlag, New York, U.S.A., 695-721.

Bilal, A. & Touret, J. L. R. (2001) [Mantle xenoliths in recent volcanism from Syrian rift (Trans. from French)]. *Bulletin de la Société Géologique de France*, 172: 3-16.

Bilbao, J., Miguel, A., Franco, J. A. & Ayuso, A. (2004) Test reference year generation and evaluation methods in the continental Mediterranean area. *Journal of Applied Meteorology*, 43: 390-400.

Bilsel, H. (2003) Characterization of the hydraulic properties of marine soils of Cyprus. *Iranian Journal of Science and Technology*, 27: 123-128.

Bilsel, H. (2004) Hydraulic properties of soils derived from marine sediments of Cyprus. *Journal of Arid Environments*, 56: 27-41.

Bishopp, D. W. (1952) The Troodos massif, Cyprus. *Nature*, 169: 489-490.

Bishopp, D. W. (1960) Ultrabasic pillow lavas from Cyprus. *Geological Magazine*, 97: 82-84.

Bitan, A. & Saaroni, H. (1990) The unusual rain spell of October 1986. *Israel Journal of Earth Sciences*, 39: 33-46.

Bizon, G., Cita, M. B., Müller, C. & Wright, R. C. (1978) DSDP Leg 42A biostratigraphic range charts, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) *Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I*. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 1095-1138.

Bizon, G. & Müller, C. (1978) Remarks on the determination of the Pliocene/Pleistocene boundary in the Mediterranean, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) *Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I*. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 847-853.

Blagoveshchensky, D. V., Lester, M., Kornienko, V. A., Shagimuratov, I., Stocker, A. J. & Warrington, E. M. (2005) Observations by the CUTLASS radar, HF Doppler, oblique ionospheric sounding, and TEC from GPS during a magnetic storm. *Annales Geophysicae*, 23: 1697-1709.

Blanc-Valleron, M.-M., Rouchy, J.-M., Pierre, C., Badaut-Trauth, D. & Schuler, M. (1998) Evidence of Messinian nonmarine deposition at Site 968 (Cyprus lower slope), in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I*. Ocean Drilling Program, College Station, Texas, U.S.A., 437-446.

Blome, C. D. & Irwin, W. P. (1985) Equivalent radiolarian ages from ophiolitic terranes of Cyprus and Oman. *Geology*, 13: 401-404.

Bode, G. W. (1978) Geophysical profiling, DSDP 42A, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) *Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I*. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 1171-1195.

Bode, G. W. & Sotelo, V. S. (1978) Interstitial water results, Leg 42A, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) *Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I*. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 1207-1209.

Boeschoten, G. J. & Sondaar, P. Y. (1972a) On the fossil Mammalia of Cyprus, I. *Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen, Series B: Palaeontology, Geology, Physics and Chemistry*, 75: 306-325.

Boeschoten, G. J. & Sondaar, P. Y. (1972b) On the fossil Mammalia of Cyprus, II. *Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen, Series B: Palaeontology, Geology, Physics and Chemistry*, 75: 326-338.

Bogdanov, N. A., Khain, V. E., Chekhovich, V. D., Koronovsky, N. V. & Lomize, M. G. (1994) Explanatory notes for the Tectonic Map of the Mediterranean Sea (scale 1:5,000,000). *Institute of the Lithosphere, Russian Academy of Sciences, Moscow, Russia*, pp. 66.

Bogi, C., Cianfanelli, S. & Talenti, E. (1989) Malacofauna of the island of Cyprus [La malacofauna dell' isola di Cipro], in Nofroni, I. (Ed.) *Atti prima giornata di studi malacologici CISMA*. Centro Italiano di Studi Malacologici, Roma, Italy, 187-214.

Bonhommet, N., Roperch, P. & Calza, F. (1988) Paleomagnetic arguments for block rotations along the Arakapas Fault (Cyprus). *Geology*, 16: 422-425.

Booij, E., Bettison-Varga, L., Farthing, D. & Staudigel, H. (2000) Pb-isotope systematics of a fossil hydrothermal system from the Troodos Ophiolite, Cyprus: Evidence for a polyphased alteration history. *Geochimica et Cosmochimica Acta*, 64: 3559-3569.

Boronina, A., Balderer, W., Renard, P. & Stichler, W. (2005a) Study of stable isotopes in the Kouris catchment (Cyprus) for the description of the regional groundwater flow. *Journal of Hydrology*, 308: 214-226.

Boronina, A., Golubev, S. & Balderer, W. (2005b) Estimation of actual evapotranspiration from an alluvial aquifer of the Kouris catchment (Cyprus) using continuous streamflow records. *Hydrological Processes*, 19: 4055-4068.

Boronina, A., Renard, P., Balderer, W. & Christodoulides, A. (2003) Groundwater resources in the Kouris catchment (Cyprus): data analysis and numerical modelling. *Journal of Hydrology*, 271: 130-149.

Boronina, A., Renard, P., Balderer, W. & Stichler, W. (2005c) Application of tritium in precipitation and in groundwater of the Kouris catchment (Cyprus) for description of the regional groundwater flow. *Applied Geochemistry*, 20: 1292-1308.

Boronina, A. V. (2004) Application of numerical modelling, isotope studies and streamflow observations for quantitative description of hydrogeology of the Kouris catchment (Cyprus). Ph.D. Dissertation, Eidgenössische Technische Hochschule Zürich, Switzerland.

Borradaile, G. J. (2001) Paleomagnetic vectors and tilted dikes. *Tectonophysics*, 333: 417-426.

Borradaile, G. J. & Almqvist, B. S. (2006) Installation age of limestone masonry determined from its viscous remagnetization. *Geoarchaeology*, 21: 29-60.

Borradaile, G. J. & Gauthier, D. (2001) AMS-detection of inverse fabrics without AARM, in ophiolite dikes. *Geophysical Research Letters*, 28: 3517-3520.

Borradaile, G. J. & Gauthier, D. (2003) Tectonics of the Akamas and Mamonia ophiolites, Western Cyprus: magnetic petrofabrics and paleomagnetism. *Journal of Structural Geology*, 25: 2053-2076.

Borradaile, G. J. & Gauthier, D. (2006) Magnetic studies of magma-supply and sea-floor metamorphism: Troodos ophiolite dikes. *Tectonophysics*, 418: 75-92.

Borradaile, G. J. & Hamilton, T. (2004) Magnetic fabrics may proxy as neotectonic stress trajectories, Polis rift, Cyprus. *Tectonics*, 23: TC1001, doi:10.1029/2002TC001434.

Borradaile, G. J. & Lagroix, F. (2001) Magnetic fabrics reveal Upper Mantle flow fabrics in the Troodos Ophiolite Complex, Cyprus. *Journal of Structural Geology*, 23: 1299-1317.

Borradaile, G. J. & Lucas, K. (2003) Interpreting anomalous magnetic fabrics in ophiolite dikes. *Journal of Structural Geology*, 25: 171-182.

Borradaile, G. J. & Lucas, K. (2005) Reply to: Comment on: "Tectonics of the Akamas and Mamonia ophiolites, Western Cyprus: magnetic petrofabrics and paleomagnetism" by G.J. Borradaile and K. Lucas. *Journal of Structural Geology*, 27: 175-178.

Bortolotti, V., Lapiere, H. & Piccardo, G. B. (1976) Tectonics of the Troodos Massif (Cyprus); preliminary results. *Tectonophysics*, 35: T1-T5.

Bosch, H.-J., Sinninghe Damsté, J. S. & de Leeuw, J. W. (1998) Molecular paleontology of eastern Mediterranean sapropels: evidence for photic zone euxinia, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program, College Station, Texas, U.S.A.*, 285-296.

Böttcher, M. E., Brumsack, H.-J. & De Lange, G. J. (1998a) Sulfate reduction and related stable isotope (^{34}S , ^{18}O) variations in interstitial waters from the Eastern Mediterranean, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program, College Station, Texas, U.S.A.*, 365-374.

Böttcher, M. E., Mart, Y. & Brumsack, H.-J. (1998b) Data report: Geochemistry of Pliocene and Miocene carbonates from the Eratosthenes Seamount (Site 965), in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program, College Station, Texas, U.S.A.*, 447-452.

Boudier, F. (1991) Olivine xenocrysts in picritic magmas: an experimental and microstructural study. *Contributions to Mineralogy and Petrology*, 109: 114-123.

Bouloubassi, I., Guehenneux, G. & Rullkötter, J. (1998) Biological marker significance of organic matter origin in sapropels from the Mediterranean Ridge, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program, College Station, Texas, U.S.A.*, 261-270.

Boyle, J. F. (1990) The composition and origin of oxide metalliferous sediments from the Troodos Ophiolite, Cyprus, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) *Ophiolites: oceanic crustal analogues. Proceedings of the symposium "Troodos 1987"*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 705-717.

Bragin, N., Bragina, L., Tunoglu, C. & Tekin, U. K. (2001) The cenomanian (Late Cretaceous) radiolarians from the Tomalar Formation, Central Pontides, northern Turkey. *Geologica Carpathica*, 52: 349-360.

Bragin, N. Y., Bragina, L. G. & Krylov, K. A. (2000) Albian-Cenomanian deposits of the Mamonia Complex, southwestern Cyprus, in Panayides, I., Xenophontos, C. & Malpas, J. (Eds.) *Proceedings of the Third International Conference on the Geology of the Eastern Mediterranean*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 309-315.

Bragin, N. Y. & Krylov, K. A. (1996) Stratigraphy and lithology of the upper Triassic deposits of southwestern Cyprus (Vlambouros formation). *Stratigraphy and Geological Correlation*, 4: 132-140.

Bragin, N. Y. & Krylov, K. A. (1997) Early Norian Radiolaria from Cyprus. *Geodiversitas*, 21: 539-569.

Bragin, N. Y. & Krylov, K. A. (1999) Stratigraphy and formation conditions of the Jurassic siliceous and terrigenous deposits in southwestern Cyprus. *Stratigraphy and Geological Correlation*, 7: 333-342.

Bragina, L. G. & Bragin, N. Y. (1995) Radiolarians and stratigraphy of the Campanian-Maestrichtian deposits in southwestern Cyprus. *Stratigraphy and Geological Correlation*, 3: 147-155.

Bragina, L. G. & Bragin, N. Y. (1996) Stratigraphy and radiolarians from the type section of Perapedhi Formation (Upper Cretaceous of Cyprus). *Stratigraphy and Geological Correlation*, 4: 246-253.

Brenner, S. (1989) Structure and evolution of warm core eddies in the eastern Mediterranean Levantine Basin. *Journal of Geophysical Research - Oceans*, 94: 12593-12692.

Brenner, S. (1993) Long-term evolution and dynamics of a persistent warm-core eddy in the Eastern Mediterranean-Sea. *Deep-Sea Research II*, 40: 1193-1206.

Brenner, S., Rozentraub, Z., Bishop, J. & Krom, M. (1991) The mixed-layer thermocline cycle of a persistent warm core eddy in the eastern Mediterranean. *Dynamics of Atmospheres and Oceans*, 15: 457-476.

Bridge, C., Calon, T. J., Hall, J. & Aksu, A. E. (2005) Salt tectonics in two convergent-margin basins of the Cyprus arc, Northeastern Mediterranean. *Marine Geology*, 221: 223-259.

Broderick, A. C., Glen, F., Godley, B. J. & Hays, G. C. (2002) Estimating the number of green and loggerhead turtles nesting annually in the Mediterranean. *Oryx*, 36: 227-235.

Broderick, A. C., Glen, F., Godley, B. J. & Hays, G. C. (2003) Variation in reproductive output of marine turtles. *Journal of Experimental Marine Biology and Ecology*, 288: 95-109.

Broderick, A. C. & Godley, B. J. (1999) Effect of tagging marine turtles on nesting behaviour and reproductive success. *Animal Behaviour*, 58: 587-591.

Broderick, A. C., Godley, B. J. & Hays, G. C. (2001) Trophic status drives interannual variability in nesting numbers of marine turtles. *Proceedings of the Royal Society of London, Series B: Biological Sciences*, 268: 1481-1487.

Broderick, A. C., Godley, B. J., Reece, S. & Downie, J. R. (2000) Incubation periods and sex ratios of green turtles: highly female biased hatchling production in the eastern Mediterranean. *Marine Ecology Progress Series*, 202: 273-281.

Brown, A. J. (1988) Use of soft rockfill at Evretou Dam, Cyprus. *Geotechnique*, 38: 333-354.

Brown, A. J. & Bruggemann, D. A. (2002) Arminou Dam, Cyprus, and construction joints in diaphragm cut-off walls. *Geotechnique*, 52: 3-13.

Browning, P., Roberts, S. & Alabaster, T. (1989) Fine-scale modal layering and cyclic units in ultramafic cumulates from the CY-4 borehole, Troodos Ophiolite: evidence for an open system magma chamber, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) *Cyprus Crustal Study Project: initial report, hole CY-4*. Geological Survey of Canada, Ottawa, Ontario, Canada, 193-220.

Brydie, J. R. (1996) Geology and geochemistry of magnesite occurrences, Akamas area, northwest Cyprus. M.Sc. Thesis, Memorial University of Newfoundland, Canada.

Brydie, J. R., Fallick, A. E., Ilich, M., Maliotis, G. & Russell, M. J. (1993) Stable isotopic study of magnesite deposits in Akamas area, northwest Cyprus. *Transactions of the Institution of Mining and Metallurgy, Section B: Applied Earth Science*, 102: B50-B53.

Büchl, A., Brugmann, G. & Batanova, V. G. (2004a) Formation of podiform chromitite deposits: implications from PGE abundances and Os isotopic compositions of chromites from the Troodos complex, Cyprus. *Chemical Geology*, 208: 217-232.

Büchl, A., Brugmann, G., Batanova, V. G., Munker, C. & Hofmann, A. W. (2002) Melt percolation monitored by Os isotopes and HSE abundances: a case study from the mantle section of the Troodos Ophiolite. *Earth and Planetary Science Letters*, 204: 385-402.

Büchl, A., Brugmann, G. E., Batanova, V. G. & Hofmann, A. W. (2004b) Os mobilization during melt percolation: the evolution of Os isotope heterogeneities in the mantle sequence of the Troodos Ophiolite, Cyprus. *Geochimica et Cosmochimica Acta*, 68: 3397-3408.

Buckley, H. A., Johnson, L. R., Shackleton, N. J. & Blow, R. A. (1982) Late Glacial to Recent cores from the eastern Mediterranean. *Deep-Sea Research*, 29: 739-766.

Bullard, E. (1974) Minerals from the deep sea. *Endeavour*, 119: 80-85.

Burdon, D. J. (1954) Groundwater in the island of Cyprus, Association Internationale d'Hydrologie Scientifique, Assemblée Générale de Rome 1954: Tome II - Comptes Rendus et Rapports de la Commission des Eaux Souterraines. Publication no. 37 de l'Association Internationale d'Hydrologie. Association Internationale d'Hydrologie Scientifique, Louvain, France, 315-323.

Burton, S. & King, R. (1982) Land fragmentation and consolidation in Cyprus: a descriptive evaluation. *Agricultural Administration*, 11: 183-200.

Busby, J., Khan, M. A. & Maliotis, G. (1983) Induced polarization applied to mineral exploration in Cyprus. *Transactions of the Institution of Mining and Metallurgy, Section B: Applied Earth Science*, 92: B201-B208.

Butler, R. W. H., Spencer, S. & Griffiths, H. M. (1997) Transcurrent fault activity on the Dead Sea Transform in Lebanon and its implications for plate tectonics and seismic hazard. *Journal of the Geological Society*, 154: 757-760.

Cachia, C. (1996) *Mangelia callosa* (Nordsieck, 1977) - a replacement name for *Cythara derelicta callosa* Nordsieck, 1977. *Bollettino Malacologico*, 31: 195-197.

Callaghan, E. (1966) Emplacement of massive cupreous pyrite orebody, Skouriotissa, Cyprus, *Geological Society of America Special Paper 87*. Geological Society of America, Boulder, Colorado, U.S.A., 25-26.

Calon, T. J., Aksu, A. E. & Hall, J. (2005a) The Oligocene-Recent evolution of the Mesaoria Basin (Cyprus) and its western marine extension, eastern Mediterranean. *Marine Geology*, 221: 95-120.

Calon, T. J., Aksu, A. E. & Hall, J. (2005b) The Neogene evolution of the Outer Latakia Basin and its extension into the eastern Mesaoria Basin (Cyprus), eastern Mediterranean. *Marine Geology*, 221: 61-94.

Calvo, R. & Hall, J. K. (2005) Appendix E: Geo-referenced and mosaicked geological map sets of Syria, Jordan, Lebanon, Israel, and Cyprus, in Hall, J. K., Krasheninnikov, V. A., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) *Geological framework of the Levant, Volume II: the Levantine Basin and Israel*. Historical Productions-Hall, Jerusalem, Israel, 769-800.

Cameron, W. E. (1985) Petrology and origin of primitive lavas from the Troodos Ophiolite, Cyprus. *Contributions to Mineralogy and Petrology*, 89: 239-255.

Cann, J. R. (2003) The Troodos ophiolite and the upper ocean crust: a reciprocal traffic in scientific concepts, in Dilek, Y. & Newcomb, S. (Eds.) *Ophiolite Concept and the Evolution of Geological Thought*. Geological Society of America Special Paper 373. Geological Society of America, Boulder, Colorado, U.S.A., 309-321.

Cann, J. R. & Gillis, K. M. (2004) Hydrothermal insights from the Troodos Ophiolite, Cyprus, in Elderfield, H. & Davis, E. (Eds.) *Hydrogeology of the oceanic lithosphere*. Cambridge University Press, New York, New York, U.S.A., 274-310.

Cann, J. R., Oakley, P. J., Richards, H. G. & Richardson, C. J. (1987) Geochemistry of hydrothermally altered rocks from Cyprus drill holes CY-2 and CY-2a compared with other Cyprus stockworks, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) *Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a*. Geological Survey of Canada, Ottawa, Ontario, Canada, 87-102.

Cann, J. R., Prichard, H. M., Malpas, J. G. & Xenophontos, C. (2001) Oceanic inside corner detachments of the Limassol Forest area, Troodos Ophiolite, Cyprus. *Journal of the Geological Society*, 158: 757-767.

Capotondi, L., Morigi, C., Turi, B. & Brilli, M. (2000) Biological and oxygen isotope records in late Quaternary sediments from the eastern Mediterranean Sea. *Rendiconti dell'Istituto Lombardo, Accademia di Scienze e Lettere, Sezione A: Scienze Matematiche, Fisiche, Chimiche e Geologiche*, 134: 169-183.

Carbo, P., Krom, M. D., Homoky, W. B., Benning, L. G. & Herut, B. (2005) Impact of atmospheric deposition on N and P geochemistry in the southeastern Levantine basin. *Deep-Sea Research II*, 52: 3041-3053.

Cariou-Le Gall, V., Rosell-Mele, A. & Maxwell, J. R. (1998) Data Report: Characterization of distributions of photosynthetic pigments in sapropel from Holes 966D and 969C, in Robertson, A. H. F., Emeis, K.-C., Richter, C. &

Camerlenghi, A. (Eds.) Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program, College Station, Texas, U.S.A., 297-302.

Casale, P., Gerosa, G. & Yerli, S. V. (2000) Female-biased primary sex ratio of the green turtle, *Chelonia mydas*, estimated through sand temperatures at Akyatan, Turkey. *Zoology in the Middle East*, 20: 37-46.

Castradori, D. (1998) Calcareous nannofossils in the basal Zanclean of the Eastern Mediterranean Sea: remarks on paleoceanography and sapropel formation, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program, College Station, Texas, U.S.A., 113-124.

Cecalupo, A. & Quadri, P. (1994) Contributo alla conoscenza malacologica per il nord dell' isola di Cipro [Contribution to the malacological knowledge of the north of the island of Cyprus]. *Bollettino Malacologico*, 30: 5-16.

Cecalupo, A. & Quadri, P. (1995) Contributo alla conoscenza malacologica per il nord dell' isola di Cipro (parte II) [Contribution to the malacological knowledge of the north of the island of Cyprus (part II)]. *Bollettino Malacologico*, 30: 269-276.

Cecalupo, A. & Quadri, P. (1996) Contributo alla conoscenza malacologica per il nord dell' isola di Cipro (parte III) [Contribution to the malacological knowledge of the north of the island of Cyprus (part III)]. *Bollettino Malacologico*, 31: 95-118.

Chamley, H. & d'Argoud, G. G. (1978) Clay mineralogy in volcanogenic sediments, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 395-397.

Chamley, H., Mélières, F. & de Segonzac, G. D. (1978) Special mineralogical studies: Clay minerals in Messinian sediments of the Mediterranean Area, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 389-395.

Chapman, H. J. & Spooner, E. T. C. (1977) 87Sr enrichment of ophiolitic sulphide deposits in Cyprus confirms ore formation by circulating seawater. *Earth and Planetary Science Letters*, 35: 71-78.

Charalambides, A., Petrides, G. & Pashalidis, I. (2003) Rainwater characteristics over an old sulphide mine refuse in Sha, Cyprus. *Atmospheric Environment*, 37: 1921-1926.

Chester, R., Baxter, G. G., Behainy, A. K. A., Connor, K., Cross, D., Elderfield, H. & Padgham, R. C. (1976) Soil-sized eolian dusts from the lower troposphere of the eastern Mediterranean Sea. *Marine Geology*, 24: 201-217.

Christensen, N. I. & Salisbury, M. H. (1989) Velocity structure of the Troodos massif, an arc-derived Ophiolite, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) Cyprus Crustal Study Project: initial report, hole CY-4. Geological Survey of Canada, Ottawa, Ontario, Canada, 351-369.

Christensen, N. I., Wepfer, W. W. & Salisbury, M. H. (1987) Seismic properties of samples from the volcanic section of the Troodos ophiolite, hole CY-2a, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a. Geological Survey of Canada, Ottawa, Ontario, Canada, 307-315.

Christidis, G. E. (2006) Genesis and compositional heterogeneity of smectites. Part III: Alteration of basic pyroclastic rocks - a case study from the Troodos Ophiolite Complex, Cyprus. *American Mineralogist*, 91: 685-701.

Christodoulidou, M., Loizou, E., Piera, P. & Canna-Michaelidou, S. (2001) Sediments in reservoirs in Cyprus - A sink of recent and historical pollution. *Fresenius Environmental Bulletin*, 10: 442-444.

Christodoulou, D. (1959) The evolution of the rural land use pattern in Cyprus. *The World Land Use Survey Monograph 2: Cyprus*. Geographical Publications Limited (for the International Geographical Union), Bude, Cornwall, U.K., pp. 230.

Christodoulou, E. (1979) Excursion M - Aredhiou-Palekhoru-Alona area, in Pantazis, T. M. (Ed.) Field excursion guidebook: International Ophiolite Symposium, Nicosia, Cyprus, 1-8 April, 1979. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 114-118.

Christofides, C. & Galanis, N. (1988) Production of electricity from the wind: a preliminary evaluation for the Island of Cyprus. *Wind Engineering*, 12: 271-282.

Christofides, S. & Christodoulides, G. (1993) Airborne Rn-222 concentration in Cypriot houses. *Health Physics*, 64: 392-396.

Chudayev, O. V., Kurnosov, V. B., Petrachenko, E. D., Kholodkevich, I. V. & Robinson, P. T. (1992) Secondary minerals in the Ccsp Drillholes CY-1 and CY-1a, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.)

Cyprus Crustal Study Project: Initial Report, Holes CY -1 and 1a. Geological Survey of Canada, Ottawa, Ontario, Canada, 61-80.

Ciesla, W. M. (2004) Forests and forest protection in Cyprus. *Forestry Chronicle*, 80: 107-113.

CIESM (2003) *Mare Incognitum? Exploring Mediterranean deep-sea biology*. CIESM Workshop Monographs no. 23. CIESM, Monaco, pp. 128, <www.ciesm.org/publications/Heraklion03.pdf>.

CIESM (2002) Alien marine organisms introduced by ships in the Mediterranean and Black seas. CIESM Workshop Monographs no. 20. CIESM, Monaco, pp. 136, <www.ciesm.org/publications/Istanbul02.pdf>.

Cihan, M., Sarac, G. & Gokce, O. (2003) Insights into biaxial extensional tectonics: an example from the Sandikli Graben, West Anatolia, Turkey. *Geological Journal*, 38: 47-66.

Cinar, M. E. (2003) Ecology of syllidae (annelida: polychaeta) from northern Cyprus (eastern Mediterranean Sea). *Bulletin of Marine Science*, 72: 795-811.

Cinar, M. E. (2005) Polychaetes from the coast of northern Cyprus (eastern Mediterranean Sea). *Cahiers de Biologie Marine*, 46: 143-159.

Cinar, M. E. & Ergen, Z. (2003) Eusyllinae and Syllinae (annelida: polychaeta) from northern Cyprus (eastern Mediterranean Sea) with a checklist of species reported from the Levant Sea. *Bulletin of Marine Science*, 72: 769-793.

Cinar, M. E., Ergen, Z. & Benli, H. A. (2003) Autolytinae and Exogoninae (polychaeta: syllidae) from northern Cyprus (eastern Mediterranean sea) with a checklist of species reported from the Levant Sea. *Bulletin of Marine Science*, 72: 741-767.

Cirik, S., Aysel, V., Benli, H. A., Cihangir, B. & Unluoglu, A. (2000) Preliminary studies on the marine vegetation of northern Cyprus. *Turkish Journal of Marine Sciences*, 6: 31-40.

Cita, M. B., Colalongo, M. L., d'Onofrio, S., Iaccarino, S. & Salvatorini, G. (1978a) Biostratigraphy of Miocene deep sea sediments (sites 372 and 375), with special reference to the Messinian/pre-Messinian interval, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) *Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I*. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 671-685.

Cita, M. B., Ryan, W. B. F. & Kidd, R. B. (1978b) Sedimentation rates in Neogene deep-sea sediments from the Mediterranean and geodynamic implications of their changes, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) *Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I*. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 991-1002.

Cita, M. B., Wright, R. C., Ryan, W. B. F. & Longinelli, A. (1978c) Messinian paleoenvironments, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) *Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I*. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 1003-1035.

Cleintuar, M. R., Knox, G. J. & Ealey, P. J. (1977) The geology of Cyprus and its place in the East-Mediterranean framework. *Geologie en Mijnbouw*, 56: 66-82.

Clube, T. M., Creer, K. M. & Robertson, A. H. F. (1985a) Paleomagnetic studies in Cyprus and Southern Turkey. *Geophysical Journal of The Royal Astronomical Society*, 81: 324-324.

Clube, T. M. M., Creer, K. M. & Robertson, A. H. F. (1984) Paleomagnetic studies on Cyprus. *Geophysical Journal of The Royal Astronomical Society*, 77: 305-305.

Clube, T. M. M., Creer, K. M. & Robertson, A. H. F. (1985b) Paleorotation of the Troodos microplate, Cyprus. *Nature*, 317: 522-525.

Clube, T. M. M. & Robertson, A. H. F. (1986) The paleorotation of the Troodos Microplate, Cyprus, in the Late Mesozoic-Early Cenozoic plate tectonic framework of the eastern Mediterranean. *Surveys in Geophysics*, 8: 375-437.

Cockbain, A. E. (1961) Foraminiferal faunas from the Lapithos group of Cyprus. *Geological Magazine*, 98: 177-194.

Coleman, R. G. & Peterman, Z. E. (1975) Oceanic Plagiogranite. *Journal of Geophysical Research*, 80: 1099-1108.

Constantinides, C. C., Kingston, G. A. & Fisher, P. C. (1980) The occurrence of platinum group minerals in the chromitites of the Kokkinorotsos chrome mine, Cyprus, in Panayiotou, A. (Ed.) *Ophiolites: Proceedings of the International Ophiolite Symposium, Cyprus 1979*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 93-101.

Constantinou, G. (1975) Idaite from the Skouriotissa massive sulfide orebody, Cyprus; its composition and conditions of formation. *American Mineralogist*, 60: 1013-1018.

Constantinou, G. (1976) Genesis of the conglomerate structure, porosity and collomorphic textures of the massive sulphide ores of Cyprus. Special Paper - Geological Association of Canada, 14: 187-210.

Constantinou, G. (1979a) Excursion B - Massive sulphide deposits and umbers, in Pantazis, T. M. (Ed.) Field excursion guidebook: International Ophiolite Symposium, Nicosia, Cyprus, 1-8 April, 1979. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 19-27.

Constantinou, G. (1979b) Excursion I - The Tamassos mining area and Skouriotissa Pit, in Pantazis, T. M. (Ed.) Field excursion guidebook: International Ophiolite Symposium, Nicosia, Cyprus, 1-8 April, 1979. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 71-79.

Constantinou, G. (1980) Metallogenesis associated with the Troodos Ophiolite, in Panayiotou, A. (Ed.) Ophiolites: Proceedings of the International Ophiolite Symposium, Cyprus 1979. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 663-674.

Constantinou, G. (1981) Annual report for the year 1980. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, pp. 61.

Constantinou, G. (1982) Annual report for the year 1981. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, pp. 58.

Constantinou, G. & Govett, G. J. S. (1972) Genesis of sulphide deposits, ochre and umber of Cyprus. Transactions of the Institution of Mining and Metallurgy, Section B: Applied Earth Science, 81: B34-B46.

Constantinou, G. & Govett, G. J. S. (1973a) Genesis of sulphide deposits, ochre and umber of Cyprus [discussion]. Transactions of the Institution of Mining and Metallurgy, Section B: Applied Earth Science, 82: B68-B75.

Constantinou, G. & Govett, G. J. S. (1973b) Geology, geochemistry, and genesis of Cyprus sulfide deposits. Economic Geology and the Bulletin of the Society of Economic Geologists, 68: 843-858.

Coogan, L. A., Banks, G. J., Gillis, K. M., MacLeod, C. J. & Pearce, J. A. (2003) Hidden melting signatures recorded in the Troodos Ophiolite plutonic suite: evidence for widespread generation of depleted melts and intra-crustal melt aggregation. Contributions to Mineralogy and Petrology, 144: 484-505.

Cook, P. G., Edmunds, W. M. & Gaye, C. B. (1992) Estimating paleorecharge and paleoclimate from unsaturated zone profiles. Water Resources Research, 28: 2721-2731.

Cooper, N. & Swift, R. (1995) The application of TEM to Cyprus-type massive sulfide exploration in Cyprus: reply. Geophysics, 60: 1584-1584.

Cooper, N. J. & Swift, R. (1994) The application of TEM to Cyprus-type massive sulfide exploration in Cyprus. Geophysics, 59: 202-214.

Corcoran, P. L. (2000) Recognizing distinct portions of seamounts using volcanic facies analysis: examples from the Archean Slave Province, NWT, Canada. Precambrian Research, 101: 237-261.

Coumes, F. & Boltenhagen, C. (1978) Trace element distribution in DSDP sites 372, 274, 275, and 376 in the Mediterranean Sea, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 493-506.

Croft, P. W. (2002) Game management in early prehistoric Cyprus. Zeitschrift für Jagdwissenschaft, 48: 172-179.

Currie, E. D. (1935) Report on Miocene echinoids from Cyprus collected by Dr. F. R. C. Reed. Journal of Natural History, 15: 31-37.

Dalsgaard, T. & Krause-Jensen, D. (2006) Monitoring nutrient release from fish farms with macroalgal and phytoplankton bioassays. Aquaculture, 256: 302-310.

Dann, J. C. (1997) Branching sheeted dikes and seafloor spreading within an Early Proterozoic intra-arc basin. Journal of Geophysical Research - Solid Earth, 102: 24917-24929.

Danovaro, R., Corinaldesi, C., La Rosa, T., Luna, G. M., Mazzola, A., Mirto, S., Vezzulli, L. & Fabiano, M. (2003) Aquaculture impact on benthic microbes and organic matter cycling in coastal Mediterranean sediments: a synthesis. Chemistry and Ecology, 19: 59-65.

Davidson, D. E. (1993) Deriving geologic information from satellite remote sensing for mineral exploration in a semi-arid environment: the Troodos Massif, Cyprus. M.A. Thesis, Carleton University, Canada.

Davies, Q. J. (2001) Climatic and tectonic controls on deep water sedimentary cyclicity: Evidence from the Miocene to Pleistocene of Cyprus. Ph.D. Dissertation, Open University, U.K.

de Boorder, H. (1975) The Sheeted intrusive complex of Troodos, Cyprus. Geologie en Mijnbouw, 54: 199-204.

de Jongh, J. P. & Koennen, G. P. (1976) Annular solar eclipse on a satellite picture. Weather, 31: 425-426.

de Miguel, A. & Bilbao, J. (2005) Test reference year generation from meteorological and simulated solar radiation data. *Solar Energy*, 78: 695-703.

de Wannemacker, G., Vanhaecke, F., Moens, L., Van Mele, A. & Thoen, H. (2000) Lead isotopic and elemental analysis of copper alloy statuettes by double focusing sector field ICP mass spectrometry. *Journal of Analytical Atomic Spectrometry*, 15: 323-327.

de Weerd, D. R. U. & Gittenberger, E. (2005) Towards a monophyletic genus *Albinaria* (Gastropoda, Pulmonata): the first molecular study into the phylogenetic position of eastern *Albinaria* species. *Zoological Journal of the Linnean Society*, 143: 531-542.

de Zio Grimaldi, S. & d' Addabbo, M. G. (2001) Further data on the Mediterranean Sea tardigrade fauna. *Zoologischer Anzeiger*, 240: 345-360.

Deckers, K., Sanderson, D. C. W. & Spencer, J. Q. (2005) Thermoluminescence screening of non-diagnostic sherds from stream sediments to obtain a preliminary alluvial chronology: an example from Cyprus. *Geoarchaeology*, 20: 67-77.

Delaloye, M., de Souza, H., Wagner, J. J. & Hedley, I. (1980a) Isotopic ages on ophiolites from the eastern Mediterranean, in Panayiotou, A. (Ed.) *Ophiolites: Proceedings of the International Ophiolite Symposium, Cyprus 1979*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 292-295.

Delaloye, M. & Desmet, A. (1979) Nouvelles donnees radiometriques sur les pillow-lavas du Troodos (Chypre) [New radiometric data on Troodos pillow lavas (Cyprus)]. *Comptes Rendus Hebdomadaires des Seances de l'Academie des Sciences, Serie IV: Sciences Naturelles*, 288: 461-464.

Delaloye, M., Desmet, A., Desmons, J., Gagny, C. & Rocci, G. (1980b) Geochronological interpretation of the Troodos sheeted dyke complex. *Ofioliti*, 5: 27-34.

Demetropoulos, A. (1969) Marine molluscs of Cyprus, Part A: Placophora, Gastropoda, Scaphopoda, Cephalopoda. *Fisheries Bulletin of the Department of Fisheries (Cyprus)*, 2: 1-15.

Demetropoulos, A. (1971a) A check list of the marine molluscs of Cyprus. *Fisheries Bulletin of the Department of Fisheries (Cyprus)*, 3: 18-24.

Demetropoulos, A. (1971b) Some additions to "Marine molluscs of Cyprus, Part A". *Fisheries Bulletin of the Department of Fisheries (Cyprus)*, 3: 15-17.

Demetropoulos, A. (1971c) Marine molluscs of Cyprus, Part B: Bivalvia (Lamellibranchiata). *Fisheries Bulletin of the Department of Fisheries (Cyprus)*, 3: 3-14.

Demetropoulos, A. (1975) Annual report on the Cyprus fisheries for the year 1974. Ministry of Agriculture and Natural Resources Department of Fisheries, Nicosia, Cyprus, pp. 30.

Demetropoulos, A. (1976) Annual report on the Cyprus fisheries for the year 1975. Ministry of Agriculture and Natural Resources Department of Fisheries, Nicosia, Cyprus, pp. 31.

Demetropoulos, A. (1977) Annual report on the Department of Fisheries and the Cyprus fisheries for the year 1976. Ministry of Agriculture and Natural Resources Department of Fisheries, Nicosia, Cyprus, pp. 75.

Demetropoulos, A. (1978) Annual report on the Department of Fisheries and the Cyprus fisheries for the year 1977. Ministry of Agriculture and Natural Resources Department of Fisheries, Nicosia, Cyprus, pp. 41.

Demetropoulos, A. (1979) Annual report on the Department of Fisheries and the Cyprus fisheries for the year 1978. Ministry of Agriculture and Natural Resources Department of Fisheries, Nicosia, Cyprus, pp. 80.

Demetropoulos, A. (1980) Annual report on the Department of Fisheries and the Cyprus fisheries for the year 1979. Ministry of Agriculture and Natural Resources Department of Fisheries, Nicosia, Cyprus, pp. 82.

Demetropoulos, A. (1981) Annual report on the Department of Fisheries and the Cyprus fisheries for the year 1980. Ministry of Agriculture and Natural Resources Department of Fisheries, Nicosia, Cyprus, pp.

Demetropoulos, A. (1982) Annual report on the Department of Fisheries and the Cyprus fisheries for the year 1981. Ministry of Agriculture and Natural Resources Department of Fisheries, Nicosia, Cyprus, pp.

Demetropoulos, A. (1983) Annual report on the Department of Fisheries and the Cyprus fisheries for the year 1982. Ministry of Agriculture and Natural Resources Department of Fisheries, Nicosia, Cyprus, pp.

Demetropoulos, A. (1984) Annual report on the Department of Fisheries and the Cyprus fisheries for the year 1983. Ministry of Agriculture and Natural Resources Department of Fisheries, Nicosia, Cyprus, pp.

Demetropoulos, A. (1985a) Annual report on the Department of Fisheries and the Cyprus fisheries for the year 1984. Ministry of Agriculture and Natural Resources Department of Fisheries, Nicosia, Cyprus, pp.

Demetropoulos, A. (1985b) Cyprus fisheries. *Marine Policy*, 9: 69-72.

- Demetropoulos, A. (1986) Annual report on the Department of Fisheries and the Cyprus fisheries for the year 1985. Ministry of Agriculture and Natural Resources Department of Fisheries, Nicosia, Cyprus, pp.
- Demetropoulos, A. (1987) Annual report on the Department of Fisheries and the Cyprus fisheries for the year 1986. Ministry of Agriculture and Natural Resources Department of Fisheries, Nicosia, Cyprus, pp.
- Demetropoulos, A. (1988) Annual report on the Department of Fisheries and the Cyprus fisheries for the year 1987. Ministry of Agriculture and Natural Resources Department of Fisheries, Nicosia, Cyprus, pp.
- Demetropoulos, A. (1989) Annual report on the Department of Fisheries and the Cyprus fisheries for the year 1988. Ministry of Agriculture and Natural Resources Department of Fisheries, Nicosia, Cyprus, pp.
- Demetropoulos, A. (1990) Annual report on the Department of Fisheries and the Cyprus fisheries for the year 1989. Ministry of Agriculture and Natural Resources Department of Fisheries, Nicosia, Cyprus, pp.
- Demetropoulos, A. & Hadjichristophorou, M. (1976a) Some additions to the knowledge of the Malacofauna of Cyprus. Fisheries Bulletin of the Department of Fisheries (Cyprus), 4: 75-82.
- Demetropoulos, A. & Hadjichristophorou, M. (1976b) Echinodermata of Cyprus - Crinoidea, Echinoidea, Asteroidea, Ophiuroidea. Fisheries Bulletin of the Department of Fisheries (Cyprus), 4: 7-74.
- Demetropoulos, A. & Neocleous, D. (1969) The fishes and crustaceans of Cyprus. Fisheries Bulletin of the Department of Fisheries (Cyprus), 1: 1-21.
- Department of Water Development of Cyprus (1978) Hydrological year-book of Cyprus 1973-1974. Department of Water Development, Ministry of Agriculture and Natural Resources, Republic of Cyprus, Nicosia, Cyprus, pp. 111.
- Department of Water Development of Cyprus (1982) Hydrological year-book of Cyprus 1974-1975. Department of Water Development, Ministry of Agriculture and Natural Resources, Republic of Cyprus, Nicosia, Cyprus, pp. 140.
- Department of Water Development of Cyprus (1983) Hydrological year-book of Cyprus 1975-1976. pp. 144.
- Deroo, G., Herbin, J. P. & Roucaché, J. (1978) Organic geochemistry of some neogene cores from sites 374, 375, 377, and 378: Leg 42A, Eastern Mediterranean Sea, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 465-472.
- Desmet, A., Gagny, C., Lapierre, H. & Rocci, G. (1980) Organisation spatio-temporelle du complexe filonien du Troodos: son enracinement dans la chambre magmatique [Spatial-temporal structure of the metallic vein complex of the Troodos Massif originating in a magma chamber], in Panayiotou, A. (Ed.) Ophiolites: Proceedings of the International Ophiolite Symposium, Cyprus 1979. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 66-72.
- Desmet, A. & Lapierre, H. (1977) Les manifestations magmatiques du Troodos et des nappes de Mamonia (Chypre): comparaison et discussion géotectonique [Magmatic manifestations of the Troodos Massif and the nappes of Mamonia (Cyprus): comparison and geotectonic discussion]. Sciences de la Terre, 21: 3-16.
- Desmet, A., Lapierre, H., Rocci, G., Gagny, C., Parrot, J. F. & Delaloye, M. (1978) Constitution and significance of the Troodos sheeted complex. Nature, 273: 527-530.
- Desmet, A. P. (1976) Evidence of co-genesis of the Troodos lavas, Cyprus. Geological Magazine, 113: 165-168.
- Desmons, J., Delaloye, M., Desmet, A., Gagny, C., Rocci, G. & Voldet, P. (1980) Trace and rare earth element abundances in Troodos lavas and sheeted dikes, Cyprus. Ofioliti, 5: 35-56.
- Desprairies, A. & Lapierre, H. (1973) Les argiles liées au volcanisme du massif du Troodos (Chypre) et leur remaniement dans sa couverture [The clays associated with the volcanism of the Troodos Massif (Cyprus) and their detrital products in the cover sediments]. Revue de Géographie Physique et de Géologie Dynamique, 15: 499-510.
- Desse, J. & Desse-Berset, N. (1999) Prehistory of the grouper. Marine Life, 9: 19-30.
- di Stefano, E., Cita, M. B., Spezzaferri, S. & Sprovieri, R. (1999) The Messinian-Zanclean Pissouri Section (Cyprus, eastern Mediterranean). Memorie della Società Geologica Italiana, 118: 133-144.
- Diamond, J. M. (1992) Paleontology: twilight of the pygmy hippos. Nature, 359: 15-15.
- Diester-Haass, L., Robert, C. & Chamley, H. (1998) Paleoproductivity and climate variations during sapropel deposition in the Eastern Mediterranean Sea, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program, College Station, Texas, U.S.A., 227-248.

Dilek, Y. (1989) Structure and petrology of selected Mesozoic ophiolite complexes in western North America and eastern Mediterranean: Tectonic significance of ophiolites in the Cordilleran and Alpine orogenic belts. Ph.D. Dissertation, University of California Davis, U.S.A.

Dilek, Y. & Eddy, C. A. (1992) The Troodos (Cyprus) and Kizildag (S Turkey) Ophiolites as structural models for slow-spreading ridge segments. *Journal of Geology*, 100: 305-322.

Dilek, Y. & Flower, M. F. J. (2004) Arc-trench rollback and forearc accretion: 2. A model template for ophiolites in Albania, Cyprus, and Oman, in Dilek, Y. & Robinson, P. T. (Eds.) *Ophiolites in Earth History*. Geological Society Special Publication 218. Geological Society of London, London, U.K., 43-68.

Dilek, Y. & Moores, E. M. (1990) Regional tectonics of the eastern Mediterranean ophiolites, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) *Ophiolites: oceanic crustal analogues*. Proceedings of the symposium "Troodos 1987". Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 295-309.

Dilek, Y. & Newcomb, S. (Eds.) (2003) *Ophiolite Concept and the Evolution of Geological Thought*. Geological Society of America Special Paper 373. Geological Society of America, Boulder, Colorado, U.S.A., pp. 512.

Dilek, Y. & Robinson, P. T. (Eds.) (2004) *Ophiolites in Earth History*. Geological Society Special Publication 218. Geological Society of London, London, U.K., pp. 720.

Dilek, Y., Thy, P., Moores, E. M. & Ramsden, T. W. (1992) Tectonic evolution of the Troodos Ophiolite within the Tethyan framework: Reply to Comment by MacLeod et al. (1992). *Tectonics*, 11: 916-923.

Dilek, Y., Thy, P., Moores, E. M. & Ramsden, T. W. (1990) Tectonic evolution of the Troodos Ophiolite within the Tethyan framework. *Tectonics*, 9: 811-823.

Dincyurek, O., Mallick, F. H. & Numan, I. (2003) Cultural and environmental values in the arcaded Mesaorian houses of Cyprus. *Building and Environment*, 38: 1463-1473.

Dittus, S. E. & Pelton, J. R. (1997) Seismic P-velocities in outcrops of the Troodos Ophiolite Complex, Cyprus. Technical Report BSU CGISS 97-04. Boise State University, Boise, Idaho, U.S.A., pp. 19.

Doe, B. R. (1982) The lead and strontium isotope geochemistry of metalliferous sediments associated with upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman - Discussion. *Canadian Journal of Earth Sciences/Revue Canadienne des Sciences de la Terre*, 19: 1720-1724.

Doe, R. (2003) Devastating tornadoes in Cyprus 27 January 2003. *Journal of Meteorology*, 28: 242-244.

Doehne, E. F. (1994) The weathering of dolomite marble on Thasos, Greece. Ph.D. Dissertation, University of California Davis, U.S.A.

Doglioni, C., Moretti, I. & Roure, F. (1991) Basal lithospheric detachment, eastward mantle flow and Mediterranean geodynamics: a discussion. *Journal of Geodynamics*, 13: 47-65.

Dornbos, S. Q. & Wilson, M. A. (1999) Paleocology of a Pliocene coral reef in Cyprus: Recovery of a marine community from the Messinian Salinity Crisis. *Neues Jahrbuch für Geologie und Palaontologie - Abhandlungen*, 213: 103-118.

Dougherty, M. E., Gillis, K. M. & Pelton, J. R. (1992) Heterogeneity and permeability structure of the upper oceanic crust, Troodos Ophiolite Complex, Cyprus, May-June 1992 Field Report. Technical Report BSU CGISS 92-05. Boise State University, Boise, Idaho, U.S.A., pp. 72.

Dreghorn, W. (1971a) Geomorphology of the coastline east of Kyrenia Castle. Cyprus Geographic Association, Nicosia, Cyprus, pp. 14.

Dreghorn, W. (1971b) The geomorphology of the Troulli area. Cyprus Geographic Association, Nicosia, Cyprus, pp. 26.

Drover, J. (1996) Imaging of sedimentation and salt tectonics in an active convergent margin: Eastern Mediterranean. *Atlantic Geology*, 32: 283 p.

Druyan, L. M. & Berger, H. (1984) A rain-snow discrimination study for Jerusalem. *Meteorological Magazine*, 113: 90-96.

Ducloz, C. (1968) Les formations quaternaires de la region de Klepini (Chypre) et leur place dans la chronologie du quaternaire mediterraneen. Quaternary formations in the Klepini area (Cyprus) and their place in the chronology of the Mediterranean Quaternary. *Archives des Sciences*, 20: 123-196.

Dunsworth, S. M. (1989) Multiple intrusion and deformation within the northwestern quadrant of the plutonic complex, Troodos Ophiolite, Cyprus. M.Sc. Thesis, Memorial University of Newfoundland, Canada.

Duplay, J., Desprairies, A., Paquet, H. & Millot, G. (1986) Celadonites and glauconites - double population of particles in the celadonite from Cyprus: Attempt on formation temperatures. *Comptes Rendus de l'Academie des Sciences, Serie II, Fascicule A: Sciences de la Terre et des Planetes*, 302: 181-186.

Durbin, W. G. (1984) Closure of the meteorological office at Paphos. *Meteorological Magazine*, 113: 370-373.

Eales, N. B. (1970) On the migration of tectibranch molluscs from the Red Sea to the eastern Mediterranean. *Proceedings of the Malacological Society of London*, 39: 217-220.

Ealey, P. J. & Knox, G. J. (1975) The pre-Tertiary rocks of SW Cyprus. *Geologie en Mijnbouw*, 54: 85-100.

Eaton, S. (1987) The sedimentology of mid to late Miocene carbonates and evaporites in southern Cyprus. Ph.D. Dissertation, The University of Edinburgh, U.K.

Eaton, S. & Robertson, A. (1993) The Miocene Pakhna Formation, southern Cyprus, and its relationship to the Neogene tectonic evolution of the eastern Mediterranean. *Sedimentary Geology*, 86: 273-296.

Eckdale, A. A. (1978) Trace fossils in Leg 42A cores, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 821-827.

Eckstein, Y. (1978) Review of heat flow data from the eastern Mediterranean region. *Pure and Applied Geophysics*, 117: 150-154.

Eddy, C. A., Dilek, Y., Hurst, S. & Moores, E. M. (1998) Seamount formation and associated caldera complex and hydrothermal mineralization in ancient oceanic crust, Troodos Ophiolite (Cyprus). *Tectonophysics*, 292: 189-210.

Ediger, V., Okyar, M. & Ergin, M. (1993) Seismic stratigraphy of the fault-controlled submarine canyon valley system on the shelf and upper slope of Anamur Bay, northeastern Mediterranean Sea. *Marine Geology*, 115: 129-142.

Edmunds, W. M. & Walton, N. R. G. (1980) Geochemical and isotopic approach to recharge evaluation in semiarid zones: past and present, Arid-zone hydrology: investigations with isotope techniques: Proceedings of the Advisory Group Meeting on the Application of Isotope Techniques in Arid Zones Hydrology, Vienna, Nov. 6-9, 1978. International Atomic Energy Agency, Vienna, Austria, 47-68.

Edwards, S. J., Pearce, J. A. & Freeman, J. (2001) New insights concerning the influence of water during the formation of podiform chromitite, in Nicolas, A., Elthon, D., Moores, E. & Dilek, Y. (Eds.) Ophiolites and Oceanic Crust: New Insights from Field Studies and the Ocean Drilling Program. Geological Society of America, Boulder, Colorado, U.S.A., 139-147.

Elderfield, H., Gass, I. G., Hammond, A. & Bear, L. M. (1972) The origin of ferromanganese sediments associated with the Troodos Massif of Cyprus. *Sedimentology*, 19: 1-19.

Eleftheriou, S. & Schoenharting, G. (1987) A seismic survey at the Agrokipia mine, Cyprus: the velocity structure of a hydrothermally altered extrusive section of the Troodos ophiolite, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a. Geological Survey of Canada, Ottawa, Ontario, Canada, 317-326.

Elkiran, G. & Ergil, M. (2006) The assessment of a water budget of north Cyprus. *Building and Environment*, 41: 1671-1677.

Elliott, G. & Dutton, R. (1963) Know your rocks: an introduction to geology in Cyprus. Zavallis Press, Nicosia, Cyprus, pp. 186.

Ellis, C. H. & Lohman, W. H. (1979) Neogene calcareous nannoplankton biostratigraphy in eastern Mediterranean deep-sea sediments (DSDP leg 42A, sites 375 and 376). *Marine Micropaleontology*, 4: 61-84.

Emeis, K.-C., Brumsack, H.-J., Kopf, A. & Rullkoetter, J. (1996) Kontinentkollisionen und Klimawechsel im Mittelmeer: Ergebnisse von Leg 160 des Internationalen Tiefseebohrprogramms (ODP) [Continent collisions and climate variation in the Mediterranean Sea: results from Leg 160 of the International Deep Sea Drilling Program, ODP]. *Geowissenschaften*, 14: 28-32.

Emeis, K.-C. & Sakamoto, T. (1998) The sapropel theme of Leg 160, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program, College Station, Texas, U.S.A., 29-36.

Emeis, K.-C., Schulz, H.-M., Struck, U., Sakamoto, T., Doose, H., Erlenkeuser, H., Howell, M., Kroon, D. & Paterne, M. (1998) Stable isotope and alkenone temperature records of sapropels from Sites 964 and 967: constraining the physical environment of sapropel formation in the Eastern Mediterranean Sea, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program, College Station, Texas, U.S.A., 309-332.

Emelyanov, E. M. (1994) Recent bottom sediments of the Levantine Sea: their composition and processes of formation, in Krasheninnikov, V. A. & Hall, J. K. (Eds.) Geological structure of the northeastern Mediterranean (Cruise 5 of the Research Vessel 'Akademik Nikolaj Strakhov'). Historical Productions-Hall, Jerusalem, Israel, 141-158.

Emelyanov, E. M., Shimkus, K. M. & Hsü, K. J. (1978) Heavy-mineral composition of the Mediterranean Neogene sediments, DSDP Leg 42A, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 401-419.

Emelyanov, E. M., Shimkus, K. M. & Kuprin, P. N. (2005) Explanatory notes to the IBCM-SED map series: Unconsolidated sediments of the Mediterranean Sea (Scale 1:1,000,000) and the Black Sea (Scale 1:2,000,000), in Hall, J. K., Krasheninnikov, V. A., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) Geological framework of the Levant, Volume II: the Levantine Basin and Israel. Historical Productions-Hall, Jerusalem, Israel, 183-214.

Emmermann, R., Erzinger, J. & Mandler, M. (1985) Alteration and mineralization of the bore-hole Cy-2a (Troodos Ophiolite, Cyprus). *Fortschritte der Mineralogie*, 63: 56-56.

Erel, Y., Dayan, U., Rabi, R., Rudich, Y. & Stein, M. (2006) Trans boundary transport of pollutants by atmospheric mineral dust. *Environmental Science and Technology*, 40: 2996-3005.

Eremin, N. I., Dergachev, A. L., Sergeeva, N. E. & Pozdnyakova, N. V. (2000) Types of volcanic-hosted massive sulfide deposits. *Geology of Ore Deposits*, 42: 160-171.

Eren, O. & Bahali, M. (2005) Some engineering properties of natural building cut stones of Cyprus. *Construction and Building Materials*, 19: 213-222.

Ergen, Z. & Cinar, M. E. (1997) Polychaeta of Antalya Bay (Mediterranean Coast of Turkey). *Israel Journal of Zoology*, 43: 229-241.

Ergil, M. E. (2000) The salination problem of the Guzelyurt aquifer, Cyprus. *Water Research*, 34: 1201-1214.

Ergun, M., Okay, S., Sari, C., Oral, E. Z., Ash, M., Hall, J. & Miller, H. (2005) Gravity anomalies of the Cyprus Arc and their tectonic implications. *Marine Geology*, 221: 349-358.

Erickson, A. J. (1978) Leg 42A physical properties data, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 1199-1206.

Erickson, A. J. & Von Herzen, R. P. (1978) Down-hole temperature measurements, Deep Sea Drilling Project, Leg 42A, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 857-871.

Erten, H. N. (1997) Radiochronology of lake sediments. *Pure and Applied Chemistry*, 69: 71-76.

Erzinger, J., Emmermann, R. & Mandler, M. (1992) Geochemistry of Altered Lavas of the Troodos Ophiolite, Cyprus Crustal Study Project, Hole CY-2a, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY -1 and 1a. Geological Survey of Canada, Ottawa, Ontario, Canada, 81-94.

Evans, G., Morgan, P., Evans, W. E. & Woodside, J. M. (1978) Faulting and halokinetics in the northeastern Mediterranean between Cyprus and Turkey. *Geology*, 6: 392-396.

Everard, C. E. (1963) Contrasts in the form and evolution of hill-side slopes in central Cyprus. *Transactions of the Institute of British Geographers*, 32: 31-47.

Fåhraeus, L. E. & Ryley, C. C. (1989) Multielement species of *Misikella Kozur* and *Mock*, 1974 and *Axiothea* n. gen. (Conodonts) from the Mamonia Complex (Upper Triassic), Cyprus. *Canadian Journal of Earth Sciences/Revue Canadienne des Sciences de la Terre*, 26: 1255-1263.

Faccenna, C., Bellier, O., Martinod, J., Piromallo, C. & Regard, V. (2006) Slab detachment beneath eastern Anatolia: a possible cause for the formation of the North Anatolian fault. *Earth and Planetary Science Letters*, 242: 85-97.

Farrell, S. G. & Eaton, S. (1988) Foliations developed during slump deformation of miocene marine sediments, Cyprus. *Journal of Structural Geology*, 10: 567-576.

Feliks, Y. (1991) Downwelling along the northeastern coasts of the eastern Mediterranean. *Journal of Physical Oceanography*, 21: 511-526.

Flaten, G. A. F., Skjoldal, E. F., Krom, M. D., Law, C. S., Mantoura, R. F. C., Pitta, P., Psarra, S., Tanaka, T., Tselepidis, A. & Woodward, E. M. S. (2005) Studies of the microbial P-cycle during a Lagrangian phosphate-addition experiment in the eastern Mediterranean. *Deep-Sea Research II*, 52: 2928-2943.

- Flecker, R. & Ellam, R. M. (2006) Identifying Late Miocene episodes of connection and isolation in the Mediterranean-Paratethyan realm using Sr isotopes. *Sedimentary Geology*, 188-189: 189-203.
- Flecker, R., Kopf, A. & Jurado-Rodríguez, M. J. (1998) Structural evidence for the nature of hiatal gaps in the Upper Cretaceous to Holocene succession recovered from the Eratosthenes Seamount, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program*, College Station, Texas, U.S.A., 517-526.
- Flecker, R., Poisson, A. & Robertson, A. H. F. (2005) Facies and palaeogeographic evidence for the Miocene evolution of the Isparta Angle in its regional eastern Mediterranean context. *Sedimentary Geology*, 173: 277-314.
- Flecker, R., Robertson, A. H. F., Poisson, A. & Muller, C. (1995) Facies and tectonic significance of 2 contrasting Miocene basins in south coastal Turkey. *Terra Nova*, 7: 221-232.
- Flemming, N. C. (1978) Holocene eustatic changes and coastal tectonics in the northeast Mediterranean: implications for models of crustal consumption. *Philosophical Transactions of the Royal Society of London, Series A: Mathematical and Physical Sciences*, 289: 404-458.
- Flocas, A. A. (1989) Temporal fluctuations of annual rainfall in Nicosia, Cyprus. *Journal of Meteorology*, 14: 37-42.
- Florides, G. A., Tassou, S. A., Kalogirou, S. A. & Wrobel, L. C. (2001) Evolution of domestic dwellings in Cyprus and energy analysis. *Renewable Energy*, 23: 219-234.
- Florou, H., Kritidis, P., Vosniakos, F., Trindafyllis, J., Delfanti, R., Papucci, C., Cigna, A., Polikarpov, G. G., Egorov, V. N., Bologna, A. S. & Patrascu, V. (2003) Caesium-137 in the Eastern Mediterranean - Impact sources and marine pathways. *Fresenius Environmental Bulletin*, 12: 3-9.
- Fluegel, E. (1960) *Heterastridium conglobatum conglobatum* Reuss, an upper Triassic hydrozoan from the Petra-tou-Roumiou limestone of Pendakomo, Cyprus. *Journal of Paleontology*, 34: 127-132.
- Follows, E. J. (1992) Patterns of reef sedimentation and diagenesis in the Miocene of Cyprus. *Sedimentary Geology*, 79: 225-253.
- Follows, E. J. & Robertson, A. H. F. (1990) Sedimentology and structural setting of Miocene reefal limestones in Cyprus, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) *Ophiolites: oceanic crustal analogues. Proceedings of the symposium "Troodos 1987"*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 207-216.
- Foote, M. P., Economou, M. & Panayiotou, A. (1985) Compositional and mineralogic constraints on the genesis of ophiolite hosted nickel mineralization in the Pevkos area, Limassol Forest, Cyprus. *Mineralium Deposita*, 20: 234-240.
- Friedrich, G., Herzig, P., Keyssner, S. & Maliotis, G. (1984) The distribution of Hg, Ba, Cu and Zn in the vicinity of cupriferous sulfide deposits, Troodos Complex, Cyprus. *Journal of Geochemical Exploration*, 21: 167-174.
- Frisch, J. (1998) A revision of some west Palaearctic species of *Scopaeus* Erichson (Coleoptera, Staphylinidae, Paederinae). *Revue Suisse de Zoologie*, 105: 89-124.
- Fryer, B. J. & Hutchinson, R. W. (1976) Generation of metal deposits on the sea floor. *Canadian Journal of Earth Sciences/Revue Canadienne des Sciences de la Terre*, 13: 126-135.
- Furnes, H., Muehlenbachs, K., Tumyr, O., Torsvik, T. & Xenophontos, C. (2001) Biogenic alteration of volcanic glass from the Troodos Ophiolite, Cyprus. *Journal of the Geological Society*, 158: 75-82.
- Fusi, N. & Kenyon, N. H. (1996) Distribution of mud diapirism and other geological structures from long-range sidescan sonar (GLORIA) data, in the Eastern Mediterranean Sea. *Marine Geology*, 132: 21-38.
- Gabella, M., Joss, J., Perona, G. & Michaelides, S. (2006) Range adjustment for ground-based radar, derived with the spaceborne TRMM precipitation radar. *IEEE Transactions on Geoscience and Remote Sensing*, 44: 126-133.
- Gabrielides, G. P., Golik, A., Loizides, L., Marino, M. G., Bingel, F. & Torregrossa, M. V. (1991) Man-made garbage pollution on the Mediterranean coastline. *Marine Pollution Bulletin*, 23: 437-441.
- Galanopoulos, A. G. & Delibasis, N. D. (1966) The seismic activity in the Cyprus area. *Praktika tis Akademias Athenon*, 40: 387-405.
- Gale, N. H. & Spooner, E. T. C. (1982) The lead and strontium isotope geochemistry of metalliferous sediments associated with upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman - Reply. *Canadian Journal of Earth Sciences/Revue Canadienne des Sciences de la Terre*, 19: 1724-1726.
- Gale, N. H., Spooner, E. T. C. & Potts, P. J. (1981) The lead and strontium isotope geochemistry of metalliferous sediments associated with upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman. *Canadian Journal of Earth Sciences/Revue Canadienne des Sciences de la Terre*, 18: 1290-1302.

- Galil, B. & Zibrowius, H. (1998) First benthos samples from Eratosthenes Seamount, Eastern Mediterranean. *Senckenbergiana Maritima*, 28: 111-121.
- Galil, B. S. (2004) The limit of the sea: the bathyal fauna of the Levantine Sea. *Scientia Marina*, 68: 63-72.
- Galindo-Zaldivar, J., Nieto, L. M., Robertson, A. H. F. & Woodside, J. M. (2001) Recent tectonics of Eratosthenes Seamount: an example of seamount deformation during incipient continental collision. *Geo-Marine Letters*, 20: 233-242.
- Gallahan III, W. E. (1996) Geochronology and geochemistry of low temperature hydrothermal alteration in oceanic crust; an investigation of celadonite in the Troodos Ophiolite, Cyprus. Ph.D. Dissertation, Oregon State University, U.S.A.
- Gallahan, W. E. & Duncan, R. A. (1994) Spatial and temporal variability in crystallization of celadonites within the Troodos Ophiolite, Cyprus: implications for low-temperature alteration of the oceanic crust. *Journal of Geophysical Research - Solid Earth*, 99: 3147-3161.
- Galley, A. G. (1993) Characteristics of semi-conformable alteration zones associated with volcanogenic massive sulfide districts. *Journal of Geochemical Exploration*, 48: 175-200.
- Gantenbein, B., Kropf, C., Largiader, C. R. & Scholl, A. (2000) Molecular and morphological evidence for the presence of a new Buthid taxon (Scorpiones: Buthidae) on the Island of Cyprus. *Revue Suisse de Zoologie*, 107: 213-232.
- Garcia, S. & Demetropoulos, A. (1986) Management of Cyprus fisheries. FAO Fisheries Technical Paper 250. Food and Agriculture Organization of the United Nations, Rome, Italy, pp. 40.
- Gardette, D. (1978) Une nouvelle espece de Diatomee marine du Miocene superieur de Chypre; *Bogorovia cypriata* [A new species of diatom, *Bogorovia cypriata*, from the upper Miocene of Cyprus]. *Geobios*, 11: 761-767.
- Garfunkel, Z. (1998) Constrains on the origin and history of the Eastern Mediterranean basin. *Tectonophysics*, 298: 5-35.
- Garrison, R. E., Schreiber, B. C., Bernoulli, D., Fabricius, F. H., Kidd, R. B. & Mélières, F. (1978) Sedimentary petrology and structures of Messinian evaporitic sediments in the Mediterranean Sea, Leg 42A, Deep Sea Drilling Project, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 571-611.
- Garzanti, E., Ando, S. & Scutella, N. (2000) Actualistic ophiolite provenance: The Cyprus case. *Journal of Geology*, 108: 199-218.
- Gass, I. G. (1958) Ultrabasic pillow lavas from Cyprus. *Geological Magazine*, 1955: 241-251.
- Gass, I. G. (1959) Ultrabasic pillow lavas from Cyprus. *Geological Magazine*, 1956: 169.
- Gass, I. G. (1967) The ultrabasic volcanic assemblage of the Troodos Massif, Cyprus, in Wyllie, P. J. (Ed.) *Ultramafic and related rocks*. John Wiley & Sons, New York, New York, U.S.A., 121-134.
- Gass, I. G. (1968) Is the Troodos massif of Cyprus a fragment of Mesozoic ocean floor? *Nature*, 220: 39-42.
- Gass, I. G. (1979a) Excursion C - The Margi area: ultramafic pillow lavas and other rock types at the top of the ophiolite sequence, in Pantazis, T. M. (Ed.) *Field excursion guidebook: International Ophiolite Symposium, Nicosia, Cyprus, 1-8 April, 1979*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 28-30.
- Gass, I. G. (1979b) The ultrabasic volcanic assemblage of the Troodos Massif, Cyprus, in Wyllie, P. J. (Ed.) *Ultramafic and related rocks*. 2nd ed. Robert E. Krieger Publishing Company, Huntington, New York, U.S.A., 121-134.
- Gass, I. G. (1980) The Troodos Massif: its role in the unravelling of the ophiolite problem and its significance in the understanding of constructive plate margin processes, in Panayiotou, A. (Ed.) *Ophiolites: Proceedings of the International Ophiolite Symposium, Cyprus 1979*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 23-35.
- Gass, I. G. (1989) Magmatic processes at and near constructive plate margins as deduced from the Troodos (Cyprus) and Semail Nappe (N Oman) ophiolites, in Saunders, A. D. & Norry, M. J. (Eds.) *Magmatism in the ocean basins*, Geological Society Special Publications, Vol. 42. Geological Society of London, Oxford, U.K., 1-15.
- Gass, I. G. (1990) Ophiolites and oceanic lithosphere, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) *Ophiolites: oceanic crustal analogues. Proceedings of the symposium "Troodos 1987"*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 1-10.
- Gass, I. G. & Cockbain, A. E. (1961) Notes on the occurrence of gypsum in Cyprus. *Overseas Geology and Mineral Resources*, 8: 279-287.

Gass, I. G., MacLeod, C. J., Murton, B. J., Panayiotou, A., Simonian, K. O. & Xenophontos, C. (1994) The geology of the southern Troodos transform fault zone. *Memoir - Geological Survey Department of Cyprus*, 9: 1-218.

Gass, I. G. & Masson-Smith, D. (1963) The geology and gravity anomalies of the Troodos Massif, Cyprus. *Philosophical Transactions of the Royal Society of London, Series A: Mathematical and Physical Sciences*, 255: 417-467.

Gass, I. G., Neary, C. R., Plant, J., Robertson, A. H. F., Simonian, K. O., Smewing, J. D., Spooner, E. T. C. & Wilson, R. A. M. (1975) Comments on "The Troodos ophiolitic complex was probably formed in an island arc", by A. Miyashiro and subsequent correspondence by A. Hynes and A. Miyashiro. *Earth and Planetary Science Letters*, 25: 236-238.

Gaudant, J., Barker, M. J., Courme, M. D., Di Stefano, A., Martill, D. M., Venec-Peyre, M. T., Zorn, I. & Panayides, I. (2000) Alassa: a new fossil fish fauna from the middle Miocene (Serravallian) of Cyprus, in Panayides, I., Xenophontos, C. & Malpas, J. (Eds.) *Proceedings of the Third International Conference on the Geology of the Eastern Mediterranean*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 327-337.

Gauthier, D. (2003) Magnetic fabrics from sheeted dikes reveal regional magma flow patterns, and the spacing and dimensions of ophiolite magma-chambers, Troodos ophiolite, Cyprus. M.Sc. Thesis, Lakehead University, Canada.

Gee, J., Varga, R., Gallet, Y. & Staudigel, H. (1993) Reversed-polarity overprint in dikes from the Troodos Ophiolite: implications for the timing of alteration and extension. *Geology*, 21: 849-852.

George, R. P., Jr. (1975) The internal structure of the Troodos ultramafic complex, Cyprus. Ph.D. Dissertation, State University of New York at Stony Brook, U.S.A.

George, R. P., Jr. (1978) Structural petrology of the Olympus ultramafic complex in the Troodos Ophiolite, Cyprus. *Geological Society of America Bulletin*, 89: 845-865.

Georgiou, E. & Xenophontos, C. (1990) Chromite occurrences and associated plutonic rocks in the Akapnou Forest, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) *Ophiolites: oceanic crustal analogues*. *Proceedings of the symposium "Troodos 1987"*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 585-592.

Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) (1989) *Cyprus Crustal Study Project: Initial Report, Hole CY-4*. Geological Survey of Canada, Ottawa, Ontario, Canada, pp. 393.

Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) (1992) *Cyprus Crustal Study Project: Initial Report, Holes CY -1 and 1a*. Geological Survey of Canada, Ottawa, Ontario, Canada, pp. 283.

Gibson, I. L., McGill, G. C. & Robinson, P. T. (1987) The geochemistry and nature of unusual glassy lavas from CCSP holes CY-2 and CY-2a, Troodos ophiolite, Cyprus, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) *Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a*. Geological Survey of Canada, Ottawa, Ontario, Canada, 79-85.

Gieringer, E. H. (1985) Copper trade and metallurgy involving the island of Cyprus and the eastern Mediterranean during the late Bronze Age. M.A. Thesis, Queen's University at Kingston, Canada.

Gifford, J. A. (1978) Paleogeography of archaeological sites of the Larnaca lowlands, southeastern Cyprus. Ph.D. Dissertation, University of Minnesota, U.S.A.

Gilat, E. & Gelman, A. (1984a) On the shark and fishes observed using underwater photography during a deep-water cruise in the eastern Mediterranean. *Fisheries Research*, 2: 257-271.

Gilat, E. & Gelman, A. (1984b) Shark populations in deep waters off the Israeli Mediterranean coast and Cyprus in the Levantine basin. *Fisheries and Fishbreeding in Israel*, 17: 3-15.

Gillis, K. M. (1987) Multistage alteration of the extrusive sequence, Troodos Ophiolite, Cyprus. Ph.D. Dissertation, Dalhousie University, Canada.

Gillis, K. M. (2002) The rootzone of an ancient hydrothermal system exposed in the Troodos Ophiolite, Cyprus. *Journal of Geology*, 110: 57-74.

Gillis, K. M. & Coogan, L. A. (2002) Anatectic migmatites from the roof of an ocean ridge magma chamber. *Journal of Petrology*, 43: 2075-2095.

Gillis, K. M., Ludden, J. N. & Smith, A. D. (1992) Mobilization of ree during crustal aging in the Troodos Ophiolite, Cyprus. *Chemical Geology*, 98: 71-86.

Gillis, K. M. & Roberts, M. D. (1999) Cracking at the magma-hydrothermal transition: evidence from the Troodos Ophiolite, Cyprus. *Earth and Planetary Science Letters*, 169: 227-244.

Gillis, K. M. & Robinson, P. T. (1985) Low-temperature alteration of the extrusive sequence, Troodos Ophiolite, Cyprus. *Canadian Mineralogist*, 23: 431-441.

Gillis, K. M. & Robinson, P. T. (1988) Distribution of alteration zones in the upper oceanic crust. *Geology*, 16: 262-266.

Gillis, K. M. & Robinson, P. T. (1990a) Multistage alteration in the extrusive sequence of the Troodos Ophiolite, Cyprus, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) *Ophiolites: oceanic crustal analogues. Proceedings of the symposium "Troodos 1987"*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 655-664.

Gillis, K. M. & Robinson, P. T. (1990b) Patterns and processes of alteration in the lavas and dykes of the Troodos Ophiolite, Cyprus. *Journal of Geophysical Research - Solid Earth and Planets*, 95: 21523-21548.

Gillis, K. M. & Robinson, P. T. (1992) Alteration of the Icrdg CY-1 and CY-1a Drill Cores, Troodos Ophiolite: Mineralogical and Geochemical Studies, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) *Cyprus Crustal Study Project: Initial Report, Holes CY -1 and 1a*. Geological Survey of Canada, Ottawa, Ontario, Canada, 41-60.

Gillis, K. M. & Sapp, K. (1997) Distribution of porosity in a section of upper oceanic crust exposed in the Troodos Ophiolite. *Journal of Geophysical Research - Solid Earth*, 102: 10133-10149.

Glen, F., Broderick, A. C., Godley, B. J. & Hays, G. C. (2003) Incubation environment affects phenotype of naturally incubated green turtle hatchlings. *Journal of the Marine Biological Association of the United Kingdom*, 83: 1183-1186.

Glen, F., Broderick, A. C., Godley, B. J. & Hays, G. C. (2005) Patterns in the emergence of green (*Chelonia mydas*) and loggerhead (*Caretta caretta*) turtle hatchlings from their nests. *Marine Biology*, 146: 1039-1049.

Glen, F., Broderick, A. C., Godley, B. J., Metcalfe, J. D. & Hays, G. C. (2001) Dive angles for a green turtle (*Chelonia mydas*). *Journal of the Marine Biological Association of the United Kingdom*, 81: 683-686.

Glover, C. & Robertson, A. (1998a) Neotectonic intersection of the Aegean and Cyprus tectonic arcs: extensional and strike-slip faulting in the Isparta Angle, SW Turkey. *Tectonophysics*, 298: 103-132.

Glover, C. P. & Robertson, A. H. F. (1998b) Role of regional extension and uplift in the Plio-Pleistocene evolution of the Aksu Basin, SW Turkey. *Journal of the Geological Society*, 155: 365-387.

Godley, B. J., Broderick, A. C., Downie, J. R., Glen, F., Houghton, J. D., Kirkwood, I., Reece, S. & Hays, G. C. (2001) Thermal conditions in nests of loggerhead turtles: further evidence suggesting female skewed sex ratios of hatchling production in the Mediterranean. *Journal of Experimental Marine Biology and Ecology*, 263: 45-63.

Godley, B. J., Broderick, A. C., Glen, F. & Hays, G. C. (2003) Post-nesting movements and submergence patterns of loggerhead marine turtles in the Mediterranean assessed by satellite tracking. *Journal of Experimental Marine Biology and Ecology*, 287: 119-134.

Godley, B. J., Broderick, A. C. & Moraghan, S. (1999) Short-term effectiveness of passive integrated transponder (PIT) tags used in the study of Mediterranean marine turtles. *Chelonian Conservation and Biology*, 3: 477-479.

Godley, B. J., Broderick, A. C. & Mrosovsky, N. (2001) Estimating hatchling sex ratios of loggerhead turtles in Cyprus from incubation durations. *Marine Ecology Progress Series*, 210: 195-201.

Godley, B. J., Ouerghi, A. & Coyne, M. S. (2001) Resources available to individuals and organisations involved with marine turtle research and conservation in the Mediterranean. *Zoology in the Middle East*, 24: 155-160.

Godley, B. J., Richardson, S., Broderick, A. C., Coyne, M. S., Glen, F. & Hays, G. C. (2002) Long-term satellite telemetry of the movements and habitat utilisation by green turtles in the Mediterranean. *Ecography*, 25: 352-362.

Godley, B. J., Thompson, D. R. & Furness, R. W. (1999) Do heavy metal concentrations pose a threat to marine turtles from the Mediterranean sea? *Marine Pollution Bulletin*, 38: 497-502.

Goedicke, T. & Sagebiel, S. (1973a) Shelf topography and submarine canyons of Cyprus and Rhodes, eastern Mediterranean [abstr.; with discussion]. *Rapports et Proces Verbaux des Reunions - Commission Internationale pour l'Exploration Scientifique de la Mer Mediterranee*, 22: 184-185.

Goedicke, T. & Sagebiel, S. (1973b) Shelf topography and submarine canyons of Cyprus and Rhodes, eastern Mediterranean. *Deltio tis Ellinikis Geologikis Etaerias*, 10: 79-80.

Gofas, S. & Zenetos, A. (2003) Exotic molluscs in the Mediterranean basin: current status and perspectives. *Oceanography and Marine Biology: an Annual Review*, 41: 237-277.

Gokcekus, H., Kabdasli, S., Kabdasli, I., Turker, U., Tunay, C. & Olmez, T. (2003) Pollution of coastal region impacted by acid mine drainage in Morphou bay, northern Cyprus. *Journal of Environmental Science and Health, Part A: Toxic/Hazardous Substances and Environmental Engineering*, 38: 1445-1457.

Golani, D. (2000) The Lessepsian migrant, the red-eye round herring, *Etrumeus teres* (DeKay, 1842), a new record from Cyprus. *Zoology in the Middle East*, 20: 61-64.

Golik, A., Weber, K., Salihoglu, I., Yilmaz, A. & Loizides, L. (1988) Pelagic tar in the Mediterranean Sea. *Marine Pollution Bulletin*, 19: 567-572.

Golovina, L. A., Kourenkova, V. G., Krashennnikov, V. A. & Pflaumann, U. (1994) Planktonic foraminifera and nannoplankton of the Late Quaternary sediments of the eastern Mediterranean (Levantine Sea) and position of the sapropel horizons, in Krashennnikov, V. A. & Hall, J. K. (Eds.) *Geological structure of the northeastern Mediterranean (Cruise 5 of the Research Vessel 'Akademik Nikolaj Strakhov')*. Historical Productions-Hall, Jerusalem, Israel, 163-184.

Golz, C., Einfalt, T. & Michaelides, S. C. (2006) Quality control of rainfall measurements in Cyprus. *Meteorological Applications*, 13: 197-201.

Govett, G. J. S. (1972) Interpretation of a rock geochemical exploration survey in Cyprus: statistical and graphical techniques. *Journal of Geochemical Exploration*, 1: 77-102.

Govett, G. J. S. & Pantazis, T. M. (1971) Distribution of Cu, Zn, Ni and Co in the Troodos Pillow Lava series, Cyprus. *Transactions of the Institution of Mining and Metallurgy, Section B: Applied Earth Science*, 80: 27-46.

Govett, G. J. S. & Pantazis, T. M. (1973) Distribution of Cu, Zn, Ni and Co in the Troodos Pillow Lava Series, Cyprus [discussion]. *Transactions of the Institution of Mining and Metallurgy, Section B: Applied Earth Science*, 82: B68-B75.

Granberg, I. G. (1999) Numerical simulation of possible extreme events due to orography at Cyprus. *Physics and Chemistry of the Earth, Part B: Hydrology, Oceans and Atmosphere*, 24: 649-652.

Grand, T., Lapierre, H., Mascle, G. H., Ohnenstetter, M. & Angelier, J. (1993) Superimposed tectonics of the Cyprus Ophiolitic Massifs. *Tectonics*, 12: 93-101.

Grazzini, C. V. (1978) Miocene and Pliocene oxygen and carbon isotopic changes at DSDP sites 372, 374, and 375: implications for the pre-Messinian history of the Mediterranean, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) *Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I*. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 829-836.

Greenbaum, D. (1972) Magmatic processes at ocean ridges: evidence from the Troodos Massif, Cyprus. *Nature - Physical Science*, 238: 18-21.

Greenbaum, D. (1973) The geology and evolution of the Troodos plutonic complex and associated chromite deposits, Cyprus. *Transactions of the Institution of Mining and Metallurgy, Section B: Applied Earth Science*, 82: B78.

Greenbaum, D. (1977) The chromitiferous rocks of the Troodos Ophiolite Complex, Cyprus. *Economic Geology and the Bulletin of the Society of Economic Geologists*, 72: 1175-1194.

Gribbin, J. (1973) Las montañas de Chipre pueden ser fondos oceánicos levantados [The mountains of Cyprus may be uplifted ocean floors]. *Revista de Geofísica*, 32: 259-264.

Grice, A. W. (1986a) The Cyprus tornado of 29 May 1985. *Meteorological Magazine*, 115: 143-149.

Grice, A. W. (1986b) Cyprus tornado of May 29, 1985. *Meteorological Magazine*, 115: 143-149.

Grichuk, D. V., Abramova, E. E. & Tutubalin, A. V. (1998) A thermodynamic model of a submarine massive sulfide formation in a convecting hydrothermal system. *Geology of Ore Deposits*, 40: 1-15.

Grishin, G. A., Bayankina, T. M., Kalinin, E. I. & Lundberg, M. M. (1991) Evolution of southern cyclones in the Black Sea and the Ukraine, from satellite and ground observations. *Soviet Journal of Remote Sensing*, 9: 484-493.

Groom, S., Herut, B., Brenner, S., Zodiatis, G., Psarra, S., Kress, N., Krom, M. D., Law, C. S. & Drakopoulos, P. (2005) Satellite-derived spatial and temporal biological variability in the Cyprus Eddy. *Deep-Sea Research II*, 52: 2990-3010.

Guillemot, D. & Nesteroff, W. D. (1980) Les dépôts métallifères crétacés de Chypre: comparaison avec leurs homologues actuels du Pacifique. [Cretaceous metalliferous deposits of Cyprus: comparison with those of the Pacific Ocean], in Panayiotou, A. (Ed.) *Ophiolites: Proceedings of the International Ophiolite Symposium, Cyprus 1979*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 139-146.

Gumbrecht, T. (1996a) Landscape interfaces and transparency to hydrological functions, in Kovar, K. & Nachtnebel, H. P. (Eds.) *Application of Geographic Information Systems in hydrology and water resources management: Proceedings of the HydroGIS '96 conference, Vienna, Austria, from 16 to 19 April 1996*. International Association of Hydrological Sciences Press, Wallingford, U.K., 115-121.

Gumbrecht, T. (1996b) Modelling water and vegetation reciprocity: A landscape synthesis in GIS. Ph.D. Dissertation, Kungliga Tekniska Högskolan, Sweden.

Gumbrecht, T., McCarthy, J. & Mahlander, C. (1996) Digital interpretation and management of land cover - a case study of Cyprus. *Ecological Engineering*, 6: 273-279.

Gürsoy, H., Tatar, O., Piper, J. D. A., Heimann, A. & Mesci, L. (2003) Neotectonic deformation linking the east Anatolian and Karataş-Osmaniye intracontinental transform fault zones in the Gulf of İskenderun, southern Turkey, deduced from paleomagnetic study of the Ceyhan-Osmaniye volcanics. *Tectonics*, 22: 1067, 10.1029/2003TC001524.

Hadjichristophorou, M., Argyrou, M., Demetropoulos, A. & Bianchi, T. S. (1997) A species list of the sublittoral soft-bottom macrobenthos of Cyprus. *Acta Adriatica*, 38: 3-32.

Hadjichristophorou, M. & Grove, D. J. (1983) A study of appetite, digestion and growth in juvenile green turtle (*Chelonia mydas* L.) fed on artificial diets. *Aquaculture*, 30: 191-202.

Hadjimitsis, D. G., Hadjimitsis, M. G., Clayton, C. & Clarke, B. A. (2006) Determination of turbidity in Kourris dam in Cyprus utilizing landsat TM remotely sensed data. *Water Resources Management*, 20: 449-465.

Hadjistavrinou, Y. (1972) Groundwater resources of the karstic regions of Cyprus. *Bulletin of the Geological Survey Department of Cyprus*, 5: 1-21.

Hadjistavrinou, Y. (1976) Annual report for the year 1975. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, pp. 42.

Hadjistavrinou, Y. & Afrodisis, S. (1977) Geology and hydrogeology of the Paphos region. *Bulletin of the Geological Survey Department of Cyprus*, 7: 1-44.

Hadjistavrinou, Y. & Constantinou, C. (1977) Hydrogeology of the Akrotiri Peninsula. *Bulletin of the Geological Survey Department of Cyprus*, 7: 45-74.

Hadjisterzkotis, E. & Charalambides, M. (2002) The first evidence for the breeding of the greater flamingo *Phoenicopterus ruber* on Cyprus. *Zeitschrift für Jagdwissenschaft*, 48: 72-76.

Haimson, B. C., Lee, M. Y., Baumgartner, J. & Rummel, F. (1990) Plate tectonics and structure inferences from in situ stress measurements and fracture logging in drillhole CY4, Troodos Ophiolite, Cyprus, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) *Ophiolites: oceanic crustal analogues. Proceedings of the symposium "Troodos 1987"*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 131-138.

Hall, J., Aksu, A. E., Calon, T. J. & Yasar, D. (2005a) Varying tectonic control on basin development at an active microplate margin: Latakia Basin, eastern Mediterranean. *Marine Geology*, 221: 15-60.

Hall, J., Calon, T. J., Aksu, A. E. & Meade, S. R. (2005b) Structural evolution of the Latakia Ridge and Cyprus Basin at the front of the Cyprus Arc, eastern Mediterranean Sea. *Marine Geology*, 221: 261-297.

Hall, J. K. (1994) Eastern Mediterranean regional bibliography: geology, geophysics, oceanology, and related subjects, in Krasheninnikov, V. A. & Hall, J. K. (Eds.) *Geological structure of the northeastern Mediterranean (Cruise 5 of the Research Vessel 'Akademik Nikolaj Strakhov')*. Historical Productions-Hall, Jerusalem, Israel, 307-394.

Hall, J. K. (2005a) Appendix B: The NES Akademik Nikolaj Strakhov and its eastern Mediterranean multi-beam swath sounding data on CD-ROM, in Hall, J. K., Krasheninnikov, V. A., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) *Geological framework of the Levant, Volume II: the Levantine Basin and Israel*. Historical Productions-Hall, Jerusalem, Israel, 739-744.

Hall, J. K. (2005b) Appendix A: Regional bibliographies on CD-ROM: Geology, geophysics, oceanology, and related subjects, in Hall, J. K., Krasheninnikov, V. A., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) *Geological framework of the Levant, Volume II: the Levantine Basin and Israel*. Historical Productions-Hall, Jerusalem, Israel, 733-738.

Hall, J. K. (2005c) Part III – The Levantine Basin: Introduction, in Hall, J. K., Krasheninnikov, V. A., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) *Geological framework of the Levant, Volume II: the Levantine Basin and Israel*. Historical Productions-Hall, Jerusalem, Israel, 1-20.

Hall, J. K. (2005d) Digital Terrain Model (DTM) of Cyprus: the island, its continental shelf, and the surrounding sea, in Hall, J. K., Krasheninnikov, V. A., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) *Geological framework of the Levant, Volume II: the Levantine Basin and Israel*. Historical Productions-Hall, Jerusalem, Israel, 135-148.

Hall, J. K. (2005e) Appendix G: shaded relief images of the IBCM bathymetry and geological-geophysical overlays, in Hall, J. K., Krasheninnikov, V. A., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) *Geological framework of the Levant, Volume II: the Levantine Basin and Israel*. Historical Productions-Hall, Jerusalem, Israel, 807-823.

Hall, J. K. (2005f) Bathymetry and topography of the Syria-Lebanon continental margin, in Hall, J. K., Krasheninnikov, V. A., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) *Geological framework of the Levant, Volume II: the Levantine Basin and Israel*. Historical Productions-Hall, Jerusalem, Israel, 149-180.

Hall, J. K., Hirsch, F. & Krasheninnikov, V. A. (2005c) Epilogue, in Hall, J. K., Krasheninnikov, V. A., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) Geological framework of the Levant, Volume II: the Levantine Basin and Israel. Historical Productions-Hall, Jerusalem, Israel, 700-700.

Hall, J. K., Krasheninnikov, V. A., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) (2005d) Geological framework of the Levant, Volume II: the Levantine Basin and Israel. Historical Productions-Hall, Jerusalem, Israel, pp. 826.

Hall, J. K. & Neev, D. (2005) Whole mantle convection as the cause of the spiraling global system of lithospheric geosutures: with special attention to the Central Plate (between the Pelusium Line and the Lut Vortex), in Hall, J. K., Krasheninnikov, V. A., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) Geological framework of the Levant, Volume II: the Levantine Basin and Israel. Historical Productions-Hall, Jerusalem, Israel, 579-686.

Hall, J. K., Udintsev, G. B. & Odinokov, Y. Y. (1994) The bottom relief of the Levantine Sea, in Krasheninnikov, V. A. & Hall, J. K. (Eds.) Geological structure of the northeastern Mediterranean (Cruise 5 of the Research Vessel 'Akademik Nikolaj Strakhov'). Historical Productions-Hall, Jerusalem, Israel, 5-31.

Hall, J. M. (1992) Interaction of submarine volcanic and high-temperature hydrothermal activity proposed for the formation of the Agropkipia, volcanic massive sulfide deposits of Cyprus. Canadian Journal of Earth Sciences/Revue Canadienne des Sciences de la Terre, 29: 1928-1936.

Hall, J. M. & Bostros, M. (1987) Evidence relevant to the hydrothermal discharge pattern during formation of the Agropkipia "B" ore deposit, Cyprus, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a. Geological Survey of Canada, Ottawa, Ontario, Canada, 29-38.

Hall, J. M., Fisher, B., Walls, C., Ward, T., Hall, L., Johnson, H. P. & Pariso, J. (1989) Oxygen and carbon isotope studies of hydrothermal alteration in the Troodos Ophiolite complex, Cyprus, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) Cyprus Crustal Study Project: initial report, hole CY-4. Geological Survey of Canada, Ottawa, Ontario, Canada, 235-278.

Hall, J. M. & Fisher, B. E. (1987) The characteristics and significance of secondary magnetite in a profile through the dike component of the Troodos, Cyprus, Ophiolite. Canadian Journal of Earth Sciences/Revue Canadienne des Sciences de la Terre, 24: 2141-2159.

Hall, J. M., Fisher, B. E., Walls, C. C., Ward, T., Hall, S. L., Johnson, H. P. & Pariso, J. (1992) Magnetic Properties, Oxide Petrography, and Alteration: Cyprus Crustal Study Project Drillholes CY-1 and CY-1a, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY -1 and 1a. Geological Survey of Canada, Ottawa, Ontario, Canada, 233-253.

Hall, J. M., Walls, C., Williamson, M. & Wang, B.-X. (1987a) Depth trends in magnetic properties in an area of prolonged cold seawater drawdown in uppermost Troodos-type oceanic crust. Canadian Journal of Earth Sciences/Revue Canadienne des Sciences de la Terre, 25: 941-952.

Hall, J. M., Walls, C. C. & Hall, S. L. (1995) Viscous magnetization at 300-K in a profile through Troodos type oceanic-crust. Physics of the Earth and Planetary Interiors, 88: 101-116.

Hall, J. M., Walls, C. C. & Yang, J.-S. (1989) Constructional features of the Troodos ophiolite and implications for the distribution of orebodies and the generation of oceanic crust. Canadian Journal of Earth Sciences/Revue Canadienne des Sciences de la Terre, 26: 1172-1184.

Hall, J. M., Walls, C. C., Yang, J. S., Hall, S. L. & Bakor, A. R. (1991) The magnetization of oceanic crust: contribution to knowledge from the Troodos, Cyprus, Ophiolite. Canadian Journal of Earth Sciences/Revue Canadienne des Sciences de la Terre, 28: 1812-1826.

Hall, J. M., Ward, T. & Fisher, B. E. (1987b) Rock magnetism, oxide petrography and alteration state in samples from CCSP hole CY-2a through the Agropkipia "B" ore body and stockwork, Cyprus, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a. Geological Survey of Canada, Ottawa, Ontario, Canada, 237-260.

Hall, J. M. & Yang, J. S. (1994) A preferred environment of preservation for volcanic massive sulfide deposits in the Troodos Ophiolite (Cyprus). Economic Geology and the Bulletin of the Society of Economic Geologists, 89: 851-857.

Hall, J. M. & Yang, J. S. (1995) Constructional features of Troodos-type oceanic crust: relationships between dike density, alteration, magnetization, and ore-body distribution and their implications for in-situ oceanic crust. Journal of Geophysical Research - Solid Earth, 100: 19973-19989.

Hall, R. (1980) Disrupted Tethyan ophiolites, in Panayiotou, A. (Ed.) Ophiolites: Proceedings of the International Ophiolite Symposium, Cyprus 1979. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 287-291.

Hamelin, B., Dupre, B., Brevart, O. & Allegre, C. J. (1988) Metallogenesis at paleo-spreading centers: Lead isotopes in sulfides, rocks and sediments from the Troodos Ophiolite (Cyprus). Chemical Geology, 68: 229-238.

Hamilton, N., Hailwood, E. A. & Kidd, R. B. (1978) Preliminary paleomagnetic chronology of Cenozoic sediments from DSDP sites 372, 374, and 376 of the Mediterranean Sea, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 873-880.

Hannesson, R. (1989) Optimum fishing effort and economic rent: a case study of Cyprus. FAO Fisheries Technical Paper 299. Food and Agriculture Organization of the United Nations, Rome, Italy, pp. 57.

Hannington, M. D. (1989) The geochemistry of gold in modern seafloor hydrothermal systems and implications for gold mineralization in ancient volcanogenic massive sulfides. Ph.D. Dissertation, University of Toronto, Canada.

Hannington, M. D., Herzig, P. M. & Alt, J. C. (1990) The distribution of gold in sub-sea-floor stockwork mineralization from DSDP hole 504b and the Agrokippia-B Deposit, Cyprus. Canadian Journal of Earth Sciences/Revue Canadienne des Sciences de la Terre, 27: 1409-1417.

Harding, R. J. & Stewart, J. B. (1986) Transpiration from coniferous forest in a Mediterranean environment, Proceedings of the Hellenic-British Climatological Congress, Athens, April 17-21, 1985. Hellenic Meteorological Society, Athens, Greece, 213-222.

Hardy, J. & Sagebiel, S. (1975) A benthic colonial dinoflagellate from the eastern Mediterranean Sea. Rapports et Proces Verbaux des Reunions - Commission Internationale pour l'Exploration Scientifique de la Mer Mediterranee, 23: 59-61.

Harris, D. C. & Vaughan, D. J. (1972) Two fibrous iron sulfides and valleriite from Cyprus with new data on valleriite. American Mineralogist, 57: 1037-1052.

Harrison, R. W., Newell, W. L., Batihanli, H., Panayides, I., McGeehin, J. P., Mahan, S. A., Ozgur, A., Tsiolakis, E. & Necdet, M. (2004) Tectonic framework and late Cenozoic tectonic history of the northern part of Cyprus: implications for earthquake hazards and regional tectonics. Journal of Asian Earth Sciences, 23: 191-210.

Hays, G. C., Ashworth, J. S., Barnsley, M. J., Broderick, A. C., Emery, D. R., Godley, B. J., Henwood, A. & Jones, E. L. (2001) The importance of sand albedo for the thermal conditions on sea turtle nesting beaches. Oikos, 93: 87-94.

Hays, G. C., Broderick, A. C., Glen, F., Godley, B. J., Houghton, J. D. R. & Metcalfe, J. D. (2002a) Water temperature and interesting intervals for loggerhead (*Caretta caretta*) and green (*Chelonia mydas*) sea turtles. Journal of Thermal Biology, 27: 429-432.

Hays, G. C., Glen, F., Broderick, A. C., Godley, B. J. & Metcalfe, J. D. (2002b) Behavioural plasticity in a large marine herbivore: contrasting patterns of depth utilisation between two green turtle (*Chelonia mydas*) populations. Marine Biology, 141: 985-990.

Hebert, R. & Laurent, R. (1990) Mineral chemistry of the plutonic section of the Troodos Ophiolite: new constraints for genesis of arc-related ophiolites, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) Ophiolites: oceanic crustal analogues. Proceedings of the symposium "Troodos 1987". Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 149-163.

Heft, K. L. (2002) The compositional variability of altered upper oceanic crust: insights from the Troodos Ophiolite. B.Sc. Thesis, University of Victoria, Canada.

Henson, F. R. S., Vernon Browne, R. & McGinty, J. (1949) A synopsis of the stratigraphy and geological history of Cyprus. Quarterly Journal of the Geological Society of London, 105, Part 1: 1-41.

Herut, B., Zohary, T., Krom, M. D., Mantoura, R. F. C., Pitta, P., Psarra, S., Rassoulzadegan, F., Tanaka, T. & Thingstad, T. F. (2005) Response of East Mediterranean surface water to Saharan dust: on-board microcosm experiment and field observations. Deep-Sea Research II, 52: 3024-3040.

Herzig, P. (1985) Mineralogy and chemistry of an ophiolite hosted sulfide deposit on Cyprus: results of research drilling in the Troodos Complex. Fortschritte der Mineralogie, 63: 96-96.

Herzig, P. M. (1991) Marine ore deposits, polymetallic sulfide mineralization at the ocean floor. Geowissenschaften, 9: 169-178.

Herzig, P. M. & Friedrich, G. H. (1987) Sulphide mineralization, hydrothermal alteration and chemistry in the drill hole CY-2a, Agrokippia, Cyprus, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a. Geological Survey of Canada, Ottawa, Ontario, Canada, 103-138.

Herzig, P. M., Hannington, M. D., Scott, S. D., Maliotis, G., Rona, P. A. & Thompson, G. (1991) Gold-rich sea-floor gossans in the Troodos Ophiolite and on the Mid-Atlantic Ridge. Economic Geology and the Bulletin of the Society of Economic Geologists, 86: 1747-1755.

Hessling, M. (1999) Hydrological modelling and a pair basin study of Mediterranean catchments. Physics and Chemistry of the Earth, Part B: Hydrology, Oceans and Atmosphere, 24: 59-63.

Hettelingh, J. P., Posch, M. & Potting, J. (2005) Country-dependent characterisation factors for acidification in Europe - a critical evaluation. *International Journal of Life Cycle Assessment*, 10: 177-183.

Hieke, W., Halbach, P., Türkay, M. & Weikert, H. (Eds.) (1994) METEOR-Berichte 94-3. Mittelmeer 1993. Cruise no. 25, 12 May-20 August 1993. Leitstelle METEOR, Institut für Meereskunde der Universität Hamburg, Hamburg, Germany, pp. 258.

Hochscheid, S., Godley, B. J., Broderick, A. C. & Wilson, R. P. (1999) Reptilian diving: highly variable dive patterns in the green turtle *Chelonia mydas*. *Marine Ecology Progress Series*, 185: 101-112.

Hofstetter, A. & Bock, G. (2004) Shear-wave velocity structure of the Sinai subplate from receiver function analysis. *Geophysical Journal International*, 158: 67-84.

Horne, L. & Xenophontos, C. (1987) Cyprus Crustal Study Project: Diagrammatic lithologic log of holes CY-2 and CY-2a, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a. Geological Survey of Canada, Ottawa, Ontario, Canada, 1 sheet.

Hoşsucu, H., Büyükkışık, B., Tokaç, A., Alpbaz, A., Özel, İ., Özden, O., Kınacıgil, H. T., Altunç, M. & İlkyaz, A. T. (1998) The management project of the Turkish Republic of Northern Cyprus coastal fisheries [Kuzey Kıbrıs Türk Cumhuriyeti Kıyı Balıkçılığı Projesi]. Ege Üniversitesi Su Ürünleri Fakültesi, Bornova, Izmir, Turkey, pp. 136.

Houart, R. (2000) New species of Muricidae (Gastropoda) from the northeastern Atlantic and the Mediterranean Sea. *Zoosystema*, 22: 459-469.

Houghton, J. D. R., Broderick, A. C., Godley, B. J., Metcalfe, J. D. & Hays, G. C. (2002) Diving behaviour during the interesting interval for loggerhead turtles *Caretta caretta* nesting in Cyprus. *Marine Ecology Progress Series*, 227: 63-70.

Houghton, S. D., Jenkins, D. G., Xenophontos, C. & Gass, I. G. (1990) Microfossil evidence for a latest Pliocene age for the Amathus and Khirokitia channel deposits, southern Cyprus and thereby the unroofing of the Troodos Massif, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) Ophiolites: oceanic crustal analogues. Proceedings of the symposium "Troodos 1987". Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 231-234.

Houminer, Z. & Soicher, H. (1996) Improved short-term predictions of $f(0)F(2)$ using GPS time delay measurements. *Radio Science*, 31: 1099-1108.

Houtekamer, J. L. & Sondaar, P. Y. (1979) Osteology of the fore limb of the Pleistocene dwarf hippopotamus from Cyprus with special reference to phylogeny and function. Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen, Series B: Palaeontology, Geology, Physics and Chemistry, 82: 411-448.

Hsü, K. J. (1983) The Mediterranean was a desert. Princeton University Press, Princeton, New Jersey, U.S.A., pp. 197.

Hsü, K. J. & Bernoulli, D. (1978) Genesis of the Tethys and the Mediterranean, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 943-949.

Hsü, K. J., Montadert, L., Bernoulli, D., Bizon, G., Cita, M. B., Erickson, A. J., Fabricius, F. H., Garrison, R. E., Kidd, R. B., Mélières, F., Müller, C. & Wright, R. C. (1978a) Sites 375 and 376: Florence Rise, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 219-304.

Hsü, K. J., Montadert, L., Bernoulli, D., Bizon, G., Cita, M. B., Erickson, A. J., Fabricius, F. H., Garrison, R. E., Kidd, R. B., Mélières, F., Müller, C. & Wright, R. C. (1978b) Introduction and explanatory notes, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 3-26.

Hsü, K. J., Montadert, L., Bernoulli, D., Cita, M. B., Erickson, A. J., Garrison, R. E., Kidd, R. B., Mélières, F., Müller, C. & Wright, R. C. (1978c) History of the Mediterranean salinity crisis, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 1053-1078.

Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) (1978d) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., pp. 1249.

Hsü, K. J., Montadert, L. & Kidd, R. B. (1978e) Summary of "Project DSDP 42A", in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 1139-1140.

Hudson-Edwards, K. A. & Edwards, S. J. (2005) Mineralogical controls on storage of As, Cu, Pb and Zn at the abandoned Mathiatis massive sulphide mine, Cyprus. *Mineralogical Magazine*, 69: 695-706.

Hudson, J. D. & Robertson, A. H. F. (1973) Sedimentation on Cretaceous Ocean ridge, Troodos Massif, Cyprus. *American Association of Petroleum Geologists Bulletin*, 57: 785.

Hulings, N. C. & Gray, J. S. (1976) Physical factors controlling abundance of meiofauna on tidal and atidal beaches. *Marine Biology*, 34: 77-83.

Humphris, S. E. & Cann, J. R. (2000) Constraints on the energy and chemical balances of the modern TAG and ancient Cyprus seafloor sulfide deposits. *Journal of Geophysical Research - Solid Earth*, 105: 28,477-28,488.

Huner, J. V. (1988) Overview of international and domestic freshwater crawfish production. *Journal of Shellfish Research*, 7: 209-210.

Hunting Geology And Geophysics Ltd (1969) An airborne magnetic and electromagnetic survey in Cyprus. *Bulletin of the Geological Survey Department of Cyprus*, 3: 1-76.

Hurst, S. D. (1991) The spreading structure of the Solea Graben, Troodos Ophiolite, Cyprus. Ph.D. Dissertation, University of California Davis, U.S.A.

Hurst, S. D., Karson, J. A. & Moores, E. M. (1990) Nodal basins at slow spreading ridge-transform intersections; a comparison to the central portion of the Troodos Ophiolite, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) *Ophiolites: oceanic crustal analogues. Proceedings of the symposium "Troodos 1987"*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 125-130.

Hurst, S. D., Karson, J. A. & Verosub, K. L. (1994a) Paleomagnetism of tilted dikes in fast spread oceanic-crust exposed in the Hess Deep Rift - Implications for spreading and rift propagation. *Tectonics*, 13: 789-802.

Hurst, S. D., Moores, E. M. & Varga, R. J. (1994b) Structural and geophysical expression of the Solea graben, Troodos Ophiolite, Cyprus. *Tectonics*, 13: 139-156.

Hurst, S. D., Verosub, K. L. & Moores, E. M. (1992) Paleomagnetic constraints on the formation of the Solea Graben, Troodos Ophiolite, Cyprus. *Tectonophysics*, 208: 431-445.

Husen, S. & Haslinger, F. (2001) Special issue: tomographic imaging of 3-D velocity structure and accurate earthquake location - proceedings of the PAPHOS '99 Workshop, Platres, Cyprus, 5th-9th July 1999 - Preface. *Physics of the Earth and Planetary Interiors*, 123: 85-87.

Hutchinson, R. W. (1965) Genesis of Canadian massive sulphides reconsidered by comparison to Cyprus deposits. *CIM Bulletin*, 58: 972-986.

Hvidt-Holmgren, V. (1995) Final report for the UN FAO and the Ministry of Agriculture, Natural Resources and Environment, Cyprus, on the design of a monitoring programme for the salt lakes of Cyprus. A proposal for action towards protecting Cyprus' wetlands. Food and Agriculture Organization of the United Nations, Rome, Italy, pp. 45.

Iacovou, N. G., Loizidou, X. I., Hulsbergen, C. H. & Hoozemans, F. M. J. (1995) Coastal zone management for Cyprus. Delft Hydraulics Publication no. 489. Waterloopkundig Laboratorium | Delft Hydraulics, Emmeloord, The Netherlands, pp. 12.

Ibrahim, D. (1995) Optimum tilt angle for solar collectors used in Cyprus. *Renewable Energy*, 6: 813-819.

Ilani, S., Rosenfeld, A. & Flexer, A. (2000) Manganese within the Maastrichtian to Eocene "Chalk Sea" in Cyprus and Israel; a guide to tectono-volcanic and erosional events, in Panayides, I., Xenophontos, C. & Malpas, J. (Eds.) *Proceedings of the Third International Conference on the Geology of the Eastern Mediterranean*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 249-253.

Ilgaz, C. & Baran, I. (2001) Reproduction biology of the marine turtle populations in northern Karpaz (Cyprus) and Dalyan (Turkey). *Zoology in the Middle East*, 24: 35-44.

Innocenti, F., Agostini, S., Di Vincenzo, G., Doglioni, C., Manetti, P., Savascin, M. Y. & Tonarini, S. (2005) Neogene and Quaternary volcanism in western Anatolia: magma sources and geodynamic evolution. *Marine Geology*, 221: 397-421.

Irwin, W. P., Murchey, B. L., Jones, D. L. & Kling, S. A. (1980) Mid-Cretaceous radiolarians in Perapedhi Formation, Cyprus. *Ophiolite*, 5: 265.

Isenmann, P. (1977) L'essor démographique et spatial de la mouette rieuse (*Larus ridibundus*) en Europe [The increase and expansion of the black-headed gull (*Larus ridibundus*) population in Europe]. *L'Oiseau et la Revue Française d'Ornithologie*, 47: 25-40.

Isler, F. I., Aksu, A. E., Hall, J., Calon, T. J. & Yasar, D. (2005) Neogene development of the Antalya Basin, eastern Mediterranean: an active forearc basin adjacent to an arc junction. *Marine Geology*, 221: 299-330.

Issar, A. (1969) The Thyrrenian in Israel, Lebanon and Cyprus. *Israel Journal of Earth Sciences*, 18: 162.

Ivanov, M. K., Limonov, A. F. & Woodside, J. M. (1992) Geological and geophysical investigations in the Mediterranean and Black Seas. Initial results of the 'Training through Research' cruise of RV *Gelendzhik* in the eastern Mediterranean and the Black Sea (June-July 1991). UNESCO Reports in Marine Science 56. United Nations Educational, Scientific and Cultural Organization, Paris, France, pp. 208.

Jacovides, C. P., Assimakopoulos, V. D., Tymvios, F. S., Theophilou, K. & Asimakopoulos, D. N. (2006) Solar global UV (280-380 nm) radiation and its relationship with solar global radiation measured on the island of Cyprus. *Energy*, 31: 2728-2738.

Jacovides, C. & Tselepidaki, H. (1979) Snowfalls in Cyprus. *Bulletin of the Hellenic Meteorological Society*, 4: 24-34.

Jacovides, C. P., Hadjioannou, L., Pashiardis, S. & Stefanou, L. (1996a) On the diffuse fraction of daily and monthly global radiation for the island of Cyprus. *Solar Energy*, 56: 565-572.

Jacovides, C. P., Theophilou, C., Tymvios, F. S. & Pashiardis, S. (2002) Wind statistics for coastal stations in Cyprus. *Theoretical and Applied Climatology*, 72: 259-263.

Jacovides, C. P., Timvios, F. S. & Giannourakos, G. P. (1996b) Recent measurements of broad-band turbidity parameters in the island of Cyprus. *Atmospheric Environment*, 30: 3391-3396.

Jacovides, C. P., Tymvios, F. S., Papaioannou, G., Asimakopoulos, D. N. & Theofilou, C. M. (2004) Ratio of PAR to broadband solar radiation measured in Cyprus. *Agricultural and Forest Meteorology*, 121: 135-140.

Jacovides, C. P., Tymvios, F. S., Asimakopoulos, D. N., Theofilou, K. M. & Pashiardis, S. (2003) Global photosynthetically active radiation and its relationship with global solar radiation in the Eastern Mediterranean basin. *Theoretical and Applied Climatology*, 74: 227-233.

Jacovides, C. P., Tymvios, F. S., Assimakopoulos, V. D. & Kaltsounides, N. A. (2006) Comparative study of various correlations in estimating hourly diffuse fraction of global solar radiation. *Renewable Energy*, 31: 2492-2504.

Jacovides, C. P. & Yonetani, T. (1990) An evaluation of stability indexes for thunderstorm prediction in greater Cyprus. *Weather and Forecasting*, 5: 559-569.

Jamieson, H. E. & Lydon, J. W. (1987) Geochemistry of a fossil ore-solution aquifer: chemical exchange between rock and hydrothermal fluid recorded in the lower portion of research drill hole CY-2a, Agrokipia, Cyprus, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) *Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a*. Geological Survey of Canada, Ottawa, Ontario, Canada, 139-152.

Jamieson, H. E., Lydon, J. W. & Lecheminant, G. M. (1987) Alteration mineralogy of a fossil ore-solution aquifer: petrography and mineral chemistry from the lower portion of research drill hole CY-2a, Agrokipia, Cyprus, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) *Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a*. Geological Survey of Canada, Ottawa, Ontario, Canada, 57-68.

Johansson, L., Xydas, C., Messios, N., Stoltz, E. & Greger, M. (2005) Growth and Cu accumulation by plants grown on Cu containing mine tailings in Cyprus. *Applied Geochemistry*, 20: 101-107.

Johnson, A. E. (1971) Textural and geochemical investigation of Cyprus pyrite deposits. Ph.D. Dissertation, The University of Western Ontario, Canada.

Johnson, H. P., Karsten, J. L., Vine, F. J., Smith, G. C. & Schonharting, G. (1982) A low-level magnetic survey over a massive sulfide ore-body in the Troodos Ophiolite Complex, Cyprus. *Marine Technology Society Journal*, 16: 76-80.

Johnson, H. P. & Pariso, J. E. (1987) The effects of hydrothermal alteration on the magnetic properties of oceanic crust: results from drill holes CY-2 and CY-2a, Cyprus crustal study project, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) *Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a*. Geological Survey of Canada, Ottawa, Ontario, Canada, 283-293.

Jolivet, L., Augier, R., Robin, C., Suc, J.-P. & Rouchy, J.-M. (2006) Lithospheric-scale geodynamic context of the Messinian salinity crisis. *Sedimentary Geology*, 188-189: 9-33.

Jones, R. R., Holdsworth, R. E. & Bailey, W. (1997) Lateral extrusion in transpression zones: the importance of boundary conditions. *Journal of Structural Geology*, 19: 1201-1217.

Juarez, M. T., Tauxe, L., Gee, J. S. & Pick, T. (1998) The intensity of the Earth's magnetic field over the past 160 million years. *Nature*, 394: 878-881.

Jurado-Rodríguez, M. J. & Brudy, M. (1998) Present-day stress indicators from a segment of the African-Eurasian plate boundary in the eastern Mediterranean Sea: results of formation microscanner data, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program*, College Station, Texas, U.S.A., 527-534.

Juteau, T., Lapierre, H., Nicolas, A., Parrot, J.-F., Ricou, L.-E., Rocci, G. & Rollet, M. (1974) Idées actuelles sur la constitution, l'origine et l'évolution des assemblages ophiolitiques mesogènes [Present ideas on the composition, genesis and evolution of Mesogean ophiolitic assemblages]. *Bulletin de la Société Géologique de France*, 15: 478-493.

Kabbara, N., Yan, X. H., Klemas, V. V. & Pan, J. (2002) Temporal and spatial variability of the surface temperature anomaly in the Levantine Basin of the Eastern Mediterranean. *International Journal of Remote Sensing*, 23: 3745-3761.

Kahler, G. (1994) Stratigraphy and sedimentology of the Lefkara Formation, Cyprus (Palaeogene to Early Neogene). Ph.D. Dissertation, University of Southampton, U.K.

Kahler, G. & Stow, D. A. V. (1998) Turbidites and contourites of the Palaeogene Lefkara Formation, southern Cyprus. *Sedimentary Geology*, 115: 215-231.

Kaleda, K. G. & Krylov, K. A. (1992) Composition and origin of the Cyprus umbers. *Doklady Akademii Nauk*, 326: 865-870.

Kaleda, K. G., Sokolova, A. I. & Pokrovskaya, E. V. (1994) Lithology and genesis of the iron-manganese rocks (umbers) of the Perapedhi Formation (southern Cyprus), in Krashennikov, V. A. & Hall, J. K. (Eds.) *Geological structure of the northeastern Mediterranean (Cruise 5 of the Research Vessel 'Akademik Nikolaj Strakhov')*. Historical Productions-Hall, Jerusalem, Israel, 185-194.

Kallos, G. & Metaxas, D. A. (1980) Synoptic processes for the formation of Cyprus lows. *Rivista di Meteorologia Aeronautica*, 40: 121-138.

Kalogeras, I., Stavrakakis, G. & Solomi, K. (1999) The October 9, 1996 earthquake in Cyprus: seismological, macroseismic and strong motion data. *Annali di Geofisica*, 42: 85-97.

Kalogirou, S. A. (2003) Generation of typical meteorological year (TMY-2) for Nicosia, Cyprus. *Renewable Energy*, 28: 2317-2334.

Kalogirou, S. A., Florides, G. & Tassou, S. (2002) Energy analysis of buildings employing thermal mass in Cyprus. *Renewable Energy*, 27: 353-368.

Kamel, M. S. (1999) Seasonal variability of surface current in the Eastern Mediterranean Sea. *Bulletin of the National Institute of Oceanography and Fisheries (Egypt)*, 25: 51-67.

Karabiyikoglu, M., Tuzcu, S., Ciner, A., Deynoux, M., Orcen, S. & Hakyemez, A. (2005) Facies and environmental setting of the Miocene coral reefs in the late-orogenic fill of the Antalya Basin, western Taurides, Turkey: implications for tectonic control and sea-level changes. *Sedimentary Geology*, 173: 345-371.

Karamata, S. (1980) Tethyan ophiolites: a short review and the main problems, in Panayiotou, A. (Ed.) *Ophiolites: Proceedings of the International Ophiolite Symposium, Cyprus 1979*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 257-260.

Karig, D. E. & Kozlu, H. (1990) Late Paleogene Neogene evolution of the Triple Junction region near Maras, south-central Turkey. *Journal of the Geological Society*, 147: 1023-1034.

Kaska, Y., Downie, R., Tippett, R. & Furness, R. W. (1998) Natural temperature regimes for loggerhead and green turtle nests in the eastern Mediterranean. *Canadian Journal of Zoology/Revue Canadienne de Zoologie*, 76: 723-729.

Kasperek, M. (2001) Organisations and institutions working on marine turtles in the Mediterranean: a preliminary overview. *Zoology in the Middle East*, 24: 143-154.

Kasperek, M., Godley, B. J. & Broderick, A. C. (2001) Nesting of the green turtle, *Chelonia mydas*, in the Mediterranean: a review of status and conservation needs. *Zoology in the Middle East*, 24: 45-74.

Kawahata, H., Kusakabe, M. & Scott, S. D. (1997) Sulfate in plagiogranites from the Troodos Ophiolite, Cyprus. *Geochemical Journal*, 31: 119-124.

Kawahata, H. & Scott, S. D. (1990) Strontium isotopes and water-rock interaction of the Agrokipia-B stockwork deposit in the Troodos Ophiolite, Cyprus: a fossil subseafloor ore-body. *Geochemical Journal*, 24: 349-356.

Kaya, M., Bilecenoglu, M. & Golani, D. (2000) New record of a Lessepsian migrant *Pteragogus pelycus* Randall, 1981 (Teleostei: Labridae) for northern Cyprus. *Zoology in the Middle East*, 20: 65-68.

Kelletat, D. & Schellmann, G. (2002) Tsunamis on Cyprus: field evidences and C-14 dating results. *Zeitschrift für Geomorphologie*, 46: 19-34.

Kelley, D. S. (1990) Fluid circulation in a submarine paleohydrothermal system, Troodos Ophiolite, Cyprus: Fluid inclusion evidence for deep-seated circulation of brines in the oceanic crust. Ph.D. Dissertation, Dalhousie University, Canada.

Kelley, D. S. & Robinson, P. T. (1990) Development of a brine-dominated hydrothermal system at temperatures of 400-500°C in the Upper Level Plutonic Sequence, Troodos Ophiolite, Cyprus. *Geochimica et Cosmochimica Acta*, 54: 653-661.

Kelley, D. S., Robinson, P. T. & Malpas, J. G. (1992) Processes of brine generation and circulation in the oceanic crust: fluid inclusion evidence from the Troodos Ophiolite, Cyprus. *Journal of Geophysical Research - Solid Earth*, 97: 9307-9322.

Kemp, A. E. S., Pearce, R. B., Pike, J. & Marshall, J. E. A. (1998) Microfabric and microcompositional studies of Pliocene and Quaternary sapropels from the Eastern Mediterranean, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program*, College Station, Texas, U.S.A., 333-348.

Kempler, D. (1994) An outline of northeastern Mediterranean tectonics in view of Cruise 5 of the Akademik Nikolaj Strakhov, in Krasheninnikov, V. A. & Hall, J. K. (Eds.) *Geological structure of the northeastern Mediterranean (Cruise 5 of the Research Vessel 'Akademik Nikolaj Strakhov')*. Historical Productions-Hall, Jerusalem, Israel, 277-293.

Kempler, D. (1998) Eratosthenes Seamount: the possible spearhead of incipient continental collision in the Eastern Mediterranean, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program*, College Station, Texas, U.S.A., 709-721.

Kempler, D. & Garfunkel, Z. (1994) Structures and kinematics in the northeastern Mediterranean - a study of an irregular plate boundary. *Tectonophysics*, 234: 19-32.

Kenyon, N., Belderson, R., Stride, A. & Cousteau, J. Y. (1977) Recent tectonic structures on the Calabrian, Hellenic and Cyprus, outer ridges. *Rapports et Proces Verbaux des Reunions - Commission Internationale pour l'Exploration Scientifique de la Mer Mediterranee*, 24: 137-139.

Khain, V. E. & Levin, L. E. (1980) Tectonic types of marginal and inner seas; their place in the development of the crust. *Tectonophysics*, 70: 237-260.

Khair, K. & Tsokas, G. N. (1999) Nature of the Levantine (eastern Mediterranean) crust from multiple-source Werner deconvolution of Bouguer gravity anomalies. *Journal of Geophysical Research - Solid Earth*, 104: 25469-25478.

Khan, M. A., Busby, J. P. & Maliotis, G. (1983) Time domain-induced polarization surveys in the search for sulfide ores in Cyprus. *Geophysical Journal of The Royal Astronomical Society*, 73: 302-302.

Khan, M. A. & Maliotis, G. (1981) The induced polarization method and its application to the search for sulfide mineralization in Cyprus. *Journal of the Geological Society*, 138: 499-499.

Khan, M. A., Summers, C., Bamford, S. A. D., Chroston, P. N., Poster, C. K. & Vine, F. J. (1972) Reversed Seismic Refraction Line on the Troodos Massif, Cyprus. *Nature - Physical Science*, 238: 134-136.

Khokhlova, I. E., Bragina, L. G. & Krasheninnikov, V. A. (1994) Zonal stratigraphy of the Upper Cretaceous and Paleogene deposits of the key Perapedhi Section (southern Cyprus) by means of radiolarians and correlation with the foraminiferal zones, in Krasheninnikov, V. A. & Hall, J. K. (Eds.) *Geological structure of the northeastern Mediterranean (Cruise 5 of the Research Vessel 'Akademik Nikolaj Strakhov')*. Historical Productions-Hall, Jerusalem, Israel, 219-249.

Kidd, R. B. (1978a) Carbon-carbonate measurements, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) *Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 1151-1156.*

Kidd, R. B. (1978b) Core discing and other drilling effects in DSDP Leg 42A Mediterranean sediment cores, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) *Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 1143-1149.*

Kidd, R. B. (1978c) Grain-size determinations, Leg 42A, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) *Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 1197-1198.*

Kidd, R. B., Bernoulli, D., Garrison, R. E., Fabricius, F. H. & Mélières, F. (1978a) Lithologic findings of DSDP Leg 42A, Mediterranean Sea, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 1079-1094.

Kidd, R. B., Cita, M. B. & Ryan, W. B. F. (1978b) Stratigraphy of Eastern Mediterranean sapropel sequences recovered during DSDP Leg 42A and their paleoenvironmental significance, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 421-443.

Kidd, R. G. W. & Cann, J. R. (1974) Chilling statistics indicate an ocean-floor spreading origin for the Troodos complex, Cyprus. *Earth and Planetary Science Letters*, 24: 151-155.

Kilinski, T. (1974) Organizacja i działalność służby hydrogeologicznej Cypru [Organization and activity of the hydrogeological survey of Cyprus]. *Przegląd Geologiczny*, 22: 629-631.

Kin, W. C. & Malpas, J. (2000) A case study of acid mine drainage, Sia, Cyprus; preliminary results, in Panayides, I., Xenophontos, C. & Malpas, J. (Eds.) Proceedings of the Third International Conference on the Geology of the Eastern Mediterranean. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 365-376.

Kitching, R. (1975) A mathematical model of the Akrotiri Plio-Pleistocene gravel aquifer, Cyprus. Report 75-2. Natural Environment Research Council, Institute of Geological Sciences, U.K., pp. 32.

Kitching, R., Edmunds, W. M., Shearer, T. R., Walton, N. R. G. & Jacovides, J. (1980) Assessment of recharge to aquifers. *Hydrological Sciences Bulletin*, 25: 217-235.

Klaeschen, D., Vidal, N., Kopf, A. J., von Huene, R. & Krasheninnikov, V. A. (2005) Reflection seismic processing and images of the eastern Mediterranean from Cruise 5 of the Research Vessel 'Akademik Nikolaj Strakhov', in Hall, J. K., Krasheninnikov, V. A., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) Geological framework of the Levant, Volume II: the Levantine Basin and Israel. Historical Productions-Hall, Jerusalem, Israel, 21-40.

Klein, S., Lahaye, Y., Brey, G. P. & Von Kaenel, H. M. (2004) The early Roman Imperial AES coinage II: Tracing the copper sources by analysis of lead and copper isotopes - Copper coins of Augustus and Tiberius. *Archaeometry*, 46: 469-480 Part 3.

Kluyver, H. M. (1969) Report on a regional geological mapping in Paphos District. *Bulletin of the Geological Survey Department of Cyprus*, 4: 21-36.

Knipper, A. L. & Sharaskin, A. Y. (1994) Tectonic evolution of the western part of the Peri-Arabian Ophiolite Arc, in Krasheninnikov, V. A. & Hall, J. K. (Eds.) Geological structure of the northeastern Mediterranean (Cruise 5 of the Research Vessel 'Akademik Nikolaj Strakhov'). Historical Productions-Hall, Jerusalem, Israel, 295-305.

Kocak, F., Balduzzi, A. & Benli, H. A. (2002) Epiphytic bryozoan community of *Posidonia oceanica* (L.) Delile meadow in the northern Cyprus (Eastern Mediterranean). *Indian Journal of Marine Sciences*, 31: 235-238.

Kocatas, A. (1981) Two new stomatopod species for the Turkish fauna: *Nannosquilloides occultus* (Giesbrecht) and *Meiosquilla desmaresti* (Risso). *Crustaceana*, 40: 213-215.

Kocatas, A., Katagan, T. & Benli, H. A. (2001) Contribution to the knowledge of the crustacean fauna of Cyprus. *Israel Journal of Zoology*, 47: 147-160.

Kocyigit, A. & Beyhan, A. (1998) A new intracontinental transcurrent structure: the Central Anatolian Fault Zone, Turkey. *Tectonophysics*, 284: 317-336.

Kogan, L. E. & Stenin, A. M. (1994) Multichannel MOV-OGT (CDP) seismic profiling during Cruise 5 of R/V Akademik Nikolaj Strakhov (preliminary results), in Krasheninnikov, V. A. & Hall, J. K. (Eds.) Geological structure of the northeastern Mediterranean (Cruise 5 of the Research Vessel 'Akademik Nikolaj Strakhov'). Historical Productions-Hall, Jerusalem, Israel, 99-112.

Kokkinofta, R., Petrakis, P. V., Mavromoustakos, T. & Theocharis, C. R. (2003) Authenticity of the traditional Cypriot spirit "zivania" on the basis of metal content using a combination of coupled plasma spectroscopy and statistical analysis. *Journal of Agricultural and Food Chemistry*, 51: 6233-6239.

Kontar, E. S. (2002) Quantitative evaluation of massive sulfide ore formation. *Geology of Ore Deposits*, 44: 474-485.

Konteatis, C. A. C. (1987) Groundwater recharge studies (Cyprus, Oman). Ph.D. Dissertation, The University of Nottingham, U.K.

Kopf, A., Clennell, M. B. & Flecker, R. (1998) Relationship between the variation of undrained shear strength, organic carbon content, and the origin and frequency of enigmatic normal faults in fine-grained sediments from advanced piston cores from the Eastern Mediterranean, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.)

Kopf, A. J., Vidal, N., Klaeschen, D., von Huene, R. & Krasheninnikov, V. A. (2005) Multi-channel seismic profiles across Eratosthenes Seamount and the Florence Rise reflecting the incipient collision between Africa and Eurasia near the island of Cyprus, eastern Mediterranean, in Hall, J. K., Krasheninnikov, V. A., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) Geological framework of the Levant, Volume II: the Levantine Basin and Israel. Historical Productions-Hall, Jerusalem, Israel, 57-72.

Koppelman, R. & Weikert, H. (2003) Deep-sea zooplankton ecology of the eastern Mediterranean: state-of-the-art and perspectives, in CIESM, Mare Incognitum? Exploring Mediterranean deep-sea biology. CIESM Workshop Monographs no. 23. CIESM, Monaco, 47-53, <www.ciesm.org/publications/Heraklion03.pdf>.

Koppelman, R., Weikert, H. & Lahajnar, N. (2003) Vertical distribution of mesozooplankton and its $\delta^{15}\text{N}$ -signature in the deep Levantine Basin (eastern Mediterranean) in April 1999. *Journal of Geophysical Research - Oceans*, 108: 8118, doi:10.1029/2002JC001351.

Koukouras, A., Dounas, C., Tuerkay, M. & Voultsiadou-Koukoura, E. (1992) Decapod crustacean fauna of the Aegean Sea: New information, check list, affinities. *Senckenbergiana Maritima*, 22: 217-244.

Koulakov, I. & Sobolev, S. V. (2006) Moho depth and three-dimensional P and S structure of the crust and uppermost mantle in the eastern Mediterranean and Middle East derived from tomographic inversion of local ISC data. *Geophysical Journal International*, 164: 218-235.

Koulakov, I., Tychkov, S., Bushenkova, N. & Vasilevsky, A. (2002) Structure and dynamics of the upper mantle beneath the Alpine-Himalayan orogenic belt, from teleseismic tomography. *Tectonophysics*, 358: 77-96.

Kouwenhoven, T. J., Morigi, C., Negri, A., Giunta, S., Krijgsman, W. & Rouchy, J.-M. (2006) Paleoenvironmental evolution of the eastern Mediterranean during the Messinian: Constraints from integrated microfossil data of the Pissouri Basin (Cyprus). *Marine Micropaleontology*, 60: 17-44.

Kovacic, M. & Golani, D. (2006) First record of the Roule's goby, *Gobius roulei* (Gobiidae), in the Levant. *Cybium*, 30: 189-190.

Kramvis, S. & Verosub, K. L. (1989) A gravity survey from Agrokipia to Papoutsia, Cyprus, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) Cyprus Crustal Study Project: initial report, hole CY-4. Geological Survey of Canada, Ottawa, Ontario, Canada, 371-379.

Kramvis, S. C. (1983) Application of geophysical methods in groundwater exploration in Cyprus. *Geophysical Journal of The Royal Astronomical Society*, 73: 302-302.

Krasheninnikov, V. A. (1994a) Stratigraphy of the Maastrichtian and Cenozoic deposits of the coastal part of northwestern Syria (neautochthon of the Bassit Ophiolite Massif), in Krasheninnikov, V. A. & Hall, J. K. (Eds.) Geological structure of the northeastern Mediterranean (Cruise 5 of the Research Vessel 'Akademik Nikolaj Strakhov'). Historical Productions-Hall, Jerusalem, Israel, 265-276.

Krasheninnikov, V. A. (1994b) Scientific goals of the cruise, in Krasheninnikov, V. A. & Hall, J. K. (Eds.) Geological structure of the northeastern Mediterranean (Cruise 5 of the Research Vessel 'Akademik Nikolaj Strakhov'). Historical Productions-Hall, Jerusalem, Israel, 1-4.

Krasheninnikov, V. A. & Hall, J. K. (Eds.) (1994a) Geological structure of the northeastern Mediterranean (Cruise 5 of the Research Vessel 'Akademik Nikolaj Strakhov'). Historical Productions-Hall, Jerusalem, Israel, pp. 396.

Krasheninnikov, V. A. & Hall, J. K. (1994b) Editors' concluding remarks, in Krasheninnikov, V. A. & Hall, J. K. (Eds.) Geological structure of the northeastern Mediterranean (Cruise 5 of the Research Vessel 'Akademik Nikolaj Strakhov'). Historical Productions-Hall, Jerusalem, Israel, 395-395.

Krasheninnikov, V. A., Hall, J. K., Bragin, N. Y., Klaeschen, D., Kopf, A. J., Silantsev, S. A., Vidal, N., von Huene, R. & Zverev, S. M. (2005a) Parts I & III: from south-western Cyprus to Eratosthenes, in Hall, J. K., Krasheninnikov, V. A., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) Geological framework of the Levant, Volume II: the Levantine Basin and Israel. Historical Productions-Hall, Jerusalem, Israel, 701-719.

Krasheninnikov, V. A., Hall, J. K., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) (2005b) Geological framework of the Levant, Volume I: Cyprus and Syria. Historical Productions-Hall, Jerusalem, Israel, pp. 498.

Krasheninnikov, V. A. & Kaleda, K. G. (1994) Stratigraphy and lithology of Upper Cretaceous and Cenozoic deposits of the key Perapedhi Section (neautochthon of southern Cyprus), in Krasheninnikov, V. A. & Hall, J. K. (Eds.) Geological structure of the northeastern Mediterranean (Cruise 5 of the Research Vessel 'Akademik Nikolaj Strakhov'). Historical Productions-Hall, Jerusalem, Israel, 195-218.

Krasheninnikov, V. A. & Kaleda, K. G. (2005) Stratigraphy and lithology of the neoautochthon, in Krasheninnikov, V. A., Hall, J. K., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) Geological framework of the Levant, Volume I: Cyprus and Syria. Historical Productions-Hall, Jerusalem, Israel, 101-126.

Krasheninnikov, V. A. & Silantsev, S. A. (2005) South-Western Cyprus: Introduction, in Krasheninnikov, V. A., Hall, J. K., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) Geological framework of the Levant, Volume I: Cyprus and Syria. Historical Productions-Hall, Jerusalem, Israel, 5-6.

Krasheninnikov, V. A., Udintsev, G. B., Mouraviov, V. I. & Hall, J. K. (1994) Geological structure of Eratosthenes Seamount, in Krasheninnikov, V. A. & Hall, J. K. (Eds.) Geological structure of the northeastern Mediterranean (Cruise 5 of the Research Vessel 'Akademik Nikolaj Strakhov'). Historical Productions-Hall, Jerusalem, Israel, 113-130.

Kress, N., Thingstad, T. F., Pitta, P., Psarra, S., Tanaka, T., Zohary, T., Groom, S., Herut, B., Mantoura, R. F. C. & Polychronaki, T. (2005) Effect of P and N addition to oligotrophic eastern Mediterranean waters influenced by near-shore waters: a microcosm experiment. *Deep-Sea Research II*, 52: 3054-3073.

Krijgsman, W., Blanc-Valleron, M.-M., Flecker, R., Hilgen, F. J., Kouwenhoven, T. J., Merle, D., Orszag-Sperber, F. & Rouchy, J.-M. (2002) The onset of the Messinian salinity crisis in the eastern Mediterranean (Pissouri basin, Cyprus). *Earth and Planetary Science Letters*, 194: 299-310.

Krivosheya, V. G., Ovchinnikov, I. M., Titov, V. B., Udodov, A. I., Aboukora, I., Bouras, C. & Abousamra, F. (1996) Water dynamics of the eastern Mediterranean between Syrian coast and the island of Cyprus in winter. *Okeanologiya (Oceanology)*, 36: 512-519.

Krivosheya, V. G., Titov, V. B., Moskalenko, L. V., Udodov, A. I., Yakubenko, V. G., Aboucora, I., Bouras, K. & Abousamra, F. (1997) Waters circulation and currents variability in the eastern Mediterranean between coasts of Syria and Cyprus in summer. *Okeanologiya (Oceanology)*, 37: 27-34.

Krom, M. D. (2005) CYCLOPS dedicated volume. *Deep-Sea Research II*, 52: 2877-2878.

Krom, M. D., Brenner, S., Israilov, L. & Krumgalz, B. (1991a) Dissolved nutrients, preformed nutrients and calculated elemental ratios in the south-east Mediterranean Sea. *Oceanologica Acta*, 14: 189-194.

Krom, M. D., Brenner, S., Kress, N., Neori, A. & Gordon, L. I. (1993) Nutrient distributions during an annual cycle across a warm-core eddy from the E Mediterranean Sea. *Deep-Sea Research I*, 40: 805-825.

Krom, M. D., Groom, S. & Zohary, T. (2003) The eastern Mediterranean, in Black, K. D. & Shimmield, G. B. (Eds.) *Biogeochemistry of marine ecosystems*. Blackwell Publishing, Oxford, 91-126.

Krom, M. D., Herut, B. & Mantoura, R. F. C. (2004) Nutrient budget for the eastern Mediterranean: Implications for phosphorus limitation. *Limnology and Oceanography*, 49: 1582-1592.

Krom, M. D., Kress, N., Brenner, S. & Gordon, L. I. (1991b) Phosphorus limitation of primary productivity in the eastern Mediterranean Sea. *Limnology and Oceanography*, 36: 424-432.

Krom, M. D., Thingstad, T. F., Brenner, S., Carbo, P., Drakopoulos, P., Fileman, T. W., Flaten, G. A. F., Groom, S., Herut, B. & Kitidis, V. (2005a) Summary and overview of the CYCLOPS P addition Lagrangian experiment in the eastern Mediterranean. *Deep-Sea Research II*, 52: 3090-3108.

Krom, M. D., Woodward, E. M. S., Herut, B., Kress, N., Carbo, P., Mantoura, R. F. C., Spyres, G., Thingstad, T. F., Wassmann, P. & Wexels Riser, C. (2005b) Nutrient cycling in the south east Levantine basin of the eastern Mediterranean: results from a phosphorus starved system. *Deep-Sea Research II*, 52: 2879-2896.

Kronides, G. C. (1978) Cyprus. *Annual Review of Mining*, 1978: 520.

Kroon, D., Alexander, I., Little, M., Lourens, L. J., Matthewson, A., Robertson, A. H. F. & Sakamoto, T. (1998) Oxygen isotope and sapropel stratigraphy in the Eastern Mediterranean during the last 3.2 million years, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I*. Ocean Drilling Program, College Station, Texas, U.S.A., 181-190.

Krylov, K. A., Kaleda, K. G. & Bragin, N. Y. (2005a) Chaotic rock complexes in south-western and central Cyprus, in Krasheninnikov, V. A., Hall, J. K., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) Geological framework of the Levant, Volume I: Cyprus and Syria. Historical Productions-Hall, Jerusalem, Israel, 127-134.

Krylov, K. A., Silantsev, S. A. & Krasheninnikov, V. A. (2005b) The tectonic structure and evolution of south-western Cyprus, in Krasheninnikov, V. A., Hall, J. K., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) Geological framework of the Levant, Volume I: Cyprus and Syria. Historical Productions-Hall, Jerusalem, Israel, 135-164.

Kuehn, R. & Hsü, K. J. (1978) Chemistry of halite and potash salt cores, DSDP sites 374 and 376, Leg 42A, Mediterranean Sea, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) *Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I*. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 613-619.

Kulakov, I. Y., Tychkov, S. A., Bushenkova, N. A. & Vasilevsky, A. N. (2003) Three-dimensional velocity structure of upper mantle beneath the Alpine-Himalayan orogen. *Geologiya i Geofizika*, 44: 566-586.

Kurnosov, V. B., Robinson, P. T., Chudaev, O. V., Kholodkevich, I. V. & Petrachenko, E. D. (1987) Secondary minerals in the CCSP drill holes CY-2 and CY-2a, Agropkipia, Cyprus, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) *Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a*. Geological Survey of Canada, Ottawa, Ontario, Canada, 69-78.

Kuznetsova, K. I. (2000) Peculiarities of foraminiferal assemblage composition and distribution in the Eastern Mediterranean Jurassic basins, in Panayides, I., Xenophontos, C. & Malpas, J. (Eds.) *Proceedings of the Third International Conference on the Geology of the Eastern Mediterranean*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 317-325.

Kypris, D. C. (1995) Diachronic changes of rainfall and the water resources in Cyprus, in Tsiourtis, N. X. (Ed.) *Water resources management under drought or water shortage conditions*. A.A. Balkema, Rotterdam, Netherlands, 11-18.

Kyrou, K., Penman, A. & Artemis, C. (2005) The first 30 years of Lefkara Dam. *Proceedings of the Institution of Civil Engineers, Geotechnical Engineering*, 158: 113-122.

Kyser, T. K., Cameron, W. E. & Nisbet, E. G. (1986) Boninite petrogenesis and alteration history - Constraints from stable isotope compositions of boninites from Cape Vogel, New Caledonia, and Cyprus. *Contributions to Mineralogy and Petrology*, 93: 222-226.

Lacombe, H. (1975) Survey of the contribution of recent research on the Mediterranean to physical oceanography. *Newsletter of the Cooperative Investigations in the Mediterranean, Monaco, Special issue*, 7: 5-25.

Lafitte, M. (1984) A comparative mineralogical study of sulfides from Electron-Paramagnetic-Res 21o North, 13o North and Cyprus deposits. *Comptes Rendus de l'Academie des Sciences, Serie II, Fascicule A: Sciences de la Terre et des Planetes*, 299: 1397-1400.

Lafitte, M. & Maury, R. (1983) The stoichiometry of sulfides and its evolution: a chemical study of pyrites, chalcopyrites and sphalerites from terrestrial and oceanic environments. *Earth and Planetary Science Letters*, 64: 145-152.

Lafitte, M. & Soler, E. (1982) Sphalerites from Cyprus give evidence of the activity of an ancient ridge. *Comptes Rendus de l'Academie des Sciences, Serie II, Fascicule A: Sciences de la Terre et des Planetes*, 295: 1003-1006.

Lagroix, F. (1999) Neo-tectonic and rock magnetic study of the Circum Troodos Sedimentary Succession, Cyprus. M.Sc. Thesis, Lakehead University, Canada.

Lagroix, F. & Borradaile, G. J. (2000) Tectonics of the circum-Troodos sedimentary cover of Cyprus, from rock magnetic and structural observations. *Journal of Structural Geology*, 22: 453-469.

Langdon, G. S. (1982) The petrology, geochemistry and petrogenesis of the Upper Pillow Lavas, Troodos Ophiolite Complex, Cyprus. M.Sc. Thesis, Memorial University of Newfoundland, Canada.

Lapierre, H. (1968a) Decouverte d'une serie volcano-sedimentaire probablement d'age cretace superieur au sud-ouest de l'ile de Chypre. Discovery of a volcanic-sedimentary series of probable upper Cretaceous age, southwest Cyprus. *Comptes Rendus Hebdomadaires des Seances de l'Academie des Sciences, Serie IV: Sciences Naturelles*, 266: 1817-1820.

Lapierre, H. (1968b) Nouvelles observations sur la serie sedimentaire de Mamonia (Chypre). New data on the Mamonia sedimentary series, Cyprus. *Comptes Rendus Hebdomadaires des Seances de l'Academie des Sciences, Serie IV: Sciences Naturelles*, 267: 32-35.

Lapierre, H. (1970) Decouverte de plusieurs phases orogeniques mesozoiques au sud de Chypre [Discovery of several Mesozoic orogenic phases in southern Cyprus]. *Comptes Rendus Hebdomadaires des Seances de l'Academie des Sciences, Serie IV: Sciences Naturelles*, 270: 1876-1878.

Lapierre, H. (1975) Les formations sedimentaires et eruptives des nappes de Mamonia et leurs relations avec le massif du Troodos (Chypre occidentale) [The sedimentary and volcanic formations of the Mamonia Nappe and their relation to the Troodos Massif, western Cyprus]. *Memoires de la Societe Geologique de France*, 54: 131.

Lapierre, H. & Afrodisis, S. (1979) Excursion N - Excursion to the Paphos area: Mamonia igneous, sedimentary and metamorphic complex of S.W. Cyprus and its relation to the Troodos Complex, in Pantazis, T. M. (Ed.) *Field excursion guidebook: International Ophiolite Symposium, Nicosia, Cyprus, 1-8 April, 1979*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 119-142.

Lapierre, H., Angelier, J., Cogne, X., Grand, T. & Mascle, G. (1988) Multiphased tectonic in the Arakapas-Fault Zone (Cyprus). *Geodynamica Acta*, 2: 197-206.

Lapierre, H. & Parrot, J.-F. (1972) Identite geologique des regions de Paphos (Chypre) et du Baer-Bassit (Syrie) [Geologic identity of Paphos (Cyprus) and of Baer-Bassit (Syria)]. *Comptes Rendus Hebdomadaires des Seances de l'Academie des Sciences, Serie IV: Sciences Naturelles*, 274: 1999-2002.

Lapierre, H. & Rocci, G. (1969a) Un bel exemple d'association congenetique laves-radiolarites-calcaires; la formation triasique de Petra tou Romiou (Chypre) [A good example of the cogenetic lava-radiolarite-limestone association; the Triassic Petra tou Romiou formation (Cyprus)]. *Comptes Rendus Hebdomadaires des Seances de l'Academie des Sciences, Serie IV: Sciences Naturelles*, 268: 2637-2640.

Lapierre, H. & Rocci, G. (1969b) Le massif pluto-volcanique basique de Kellaki (Chypre); 1, Etude petrographique et structurale. The Kellaki basic plutonic-volcanic massif, Cyprus; 1, Petrography and structure. *Sciences de la Terre*, 12: 145-181.

Lapierre, H. & Rocci, G. (1976a) Le volcanisme du sud-ouest de Chypre et le probleme de l'ouverture des regions tethysiennes au Trias [The volcanism of southwestern Cyprus and the problem of the opening of the Tethys during the Triassic]. *Bulletin de la Société Géologique de France*, 18: 428.

Lapierre, H. & Rocci, G. (1976b) Le volcanisme alcalin du sud-ouest de Chypre et le probleme de l'ouverture des regions tethysiennes au Trias [Alkaline volcanism in southwestern Cyprus and the problem of the opening of the Tethyan regions during the Triassic]. *Tectonophysics*, 30: 299-313.

Lauer, J.-P. & Barry, P. (1979) Etude paleomagnetique des ophiolites du Troodos (Chypre) [Paleomagnetic study of Troodos ophiolites, Cyprus]. *Comptes Rendus Hebdomadaires des Seances de l'Academie des Sciences, Serie IV: Sciences Naturelles*, 289: 977-980.

Laurent, R. (1990) Parental magma and crystal fractionation modeling of the CY4 plutonic rocks, Troodos Ophiolite, Cyprus, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) *Ophiolites: oceanic crustal analogues. Proceedings of the symposium "Troodos 1987"*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 139-148.

Laurent, R. & Hebert, R. (1989) Petrological features of gabbroic and ultramafic rocks from deep drill CY-4, Cyprus, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) *Cyprus Crustal Study Project: initial report, hole CY-4*. Geological Survey of Canada, Ottawa, Ontario, Canada, 115-145.

Law, C. S., Abraham, E. R., Woodward, E. M. S., Liddicoat, M. I., Fileman, T. W., Thingstad, T. F., Kitidis, V. & Zohary, T. (2005) The fate of phosphate in an in situ Lagrangian addition experiment in the eastern Mediterranean. *Deep-Sea Research II*, 52: 2911-2927.

Lazar, B., Margaritoulis, D. & Tvrtkovic, N. (2004) Tag recoveries of the loggerhead sea turtle *Caretta caretta* in the eastern Adriatic Sea: implications for conservation. *Journal of the Marine Biological Association of the United Kingdom*, 84: 475-480.

Leborgne, S., Madariaga, R. & Farra, V. (1999) Body waveform modeling of east Mediterranean earthquakes at intermediate distances (170-300) with a Gaussian beam summation method. *Journal of Geophysical Research - Solid Earth*, 104: 28813-28828.

Lee, T. P.-J. (1986) Case study of a severe weather outbreak over the Middle East region. *Meteorological Bulletin*, 32: 26-43.

Leonard, A. (1978) The geochemistry of near-shore sediments, Morphou Bay, Cyprus. Ph.D. Dissertation, Leeds University, U.K.

Lewinsohn, C. & Holthuis, L. B. (1986) The crustacea decapoda of Cyprus. *Zoologische Verhandelingen No. 230*. Rijksmuseum van Natuurlijke Historie, Leiden, The Netherlands, pp. 64.

Lilljequist, R. (1969) The geology and mineralization of the Troulli inlier. *Bulletin of the Geological Survey Department of Cyprus*, 4: 45-87.

Limonov, A. F., Woodside, J. M. & Ivanov, M. K. (1994) Mud volcanism in the Mediterranean and Black Seas and shallow structure of the Eratosthenes Seamount. Initial results of the geological and geophysical investigations during the Third UNESCO-ESF 'Training-through-Research' cruise of RV *Gelendzhik* (June-July 1993). *UNESCO Reports in Marine Science 64*. United Nations Educational, Scientific and Cultural Organization, Paris, France, pp. 182.

Lipkin, Y. (1975) *Halophila stipulacea* in Cyprus and Rhodes, 1967-1970. *Aquatic Botany*, 1: 309-320.

Little, C. T. S. & Cann, J. R. (1999) Late Cretaceous hydrothermal vent communities from the Troodos Ophiolite, Cyprus. *Geology*, 27: 1027-1030.

Livadas, R. J. (1988) Contribution to the knowledge of the biology and population dynamics of hake (*Merluccius merluccius* L.), family Gadidae, in Cyprian waters. *Thalassographica*, 11: 65-77.

Livadas, R. J. (1989a) The selectivity of certain trawl cod-ends in Cyprus, in Savini, M. & Caddy, J. F. (Eds.) *GFCM - Report of the Second Technical Consultation of the General Fisheries Council for the Mediterranean on Stock*

Assessment in the Eastern Mediterranean. Athens, Greece, 28 March - 1 April 1988. FAO Fisheries Report 412. Food and Agriculture Organization of the United Nations, Rome, Italy, 180-189.

Livadas, R. J. (1989b) A study of the growth and maturity of striped mullet (*Mullus barbatus* L.) in waters of Cyprus, in Savini, M. & Caddy, J. F. (Eds.) GFCM - Report of the Second Technical Consultation of the General Fisheries Council for the Mediterranean on Stock Assessment in the Eastern Mediterranean. Athens, Greece, 28 March - 1 April 1988. FAO Fisheries Report 412. Food and Agriculture Organization of the United Nations, Rome, Italy, 44-51.

Livadas, R. J. (1989c) The growth and maturity of bogue (*Boops boops* L.) family Sparidae, in waters of Cyprus, in Savini, M. & Caddy, J. F. (Eds.) GFCM - Report of the Second Technical Consultation of the General Fisheries Council for the Mediterranean on Stock Assessment in the Eastern Mediterranean. Athens, Greece, 28 March - 1 April 1988. FAO Fisheries Report 412. Food and Agriculture Organization of the United Nations, Rome, Italy

Livadas, R. J. (1989d) A study of the biology and population dynamics of pandora (*Pagellus erythrinus* L., 1758), family Sparidae, in the seas of Cyprus, in Savini, M. & Caddy, J. F. (Eds.) GFCM - Report of the Second Technical Consultation of the General Fisheries Council for the Mediterranean on Stock Assessment in the Eastern Mediterranean. Athens, Greece, 28 March - 1 April 1988. FAO Fisheries Report 412. Food and Agriculture Organization of the United Nations, Rome, Italy, 58-75.

Logan, A., Bianchi, C. N., Morri, C. & Zibrowius, H. (2004) The present-day Mediterranean brachiopod fauna: diversity, life habits, biogeography and paleobiogeography. *Scientia Marina*, 68: 163-170.

Logan, A., Bianchi, C. N., Morri, C., Zibrowius, H. & Bitar, G. (2002) New records of Recent brachiopods from the eastern Mediterranean Sea. *Annali del Museo Civico di Storia Naturale "Giacomo Doria"*, 114: 407-418.

Loget, N. & van den Driessche, J. (2006) On the origin of the Strait of Gibraltar. *Sedimentary Geology*, 188-189: 341-356.

Lord, A. R., Panayides, I., Urquhart, E. & Xenophontos, C. (2000) A biochronostratigraphical framework for the Late Cretaceous-Recent circum-Troodos sedimentary sequence, Cyprus, in Panayides, I., Xenophontos, C. & Malpas, J. (Eds.) *Proceedings of the Third International Conference on the Geology of the Eastern Mediterranean*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 289-297.

Lort, J. M. & Gray, F. (1974) Cyprus: seismic studies at sea. *Nature*, 248: 745-747.

Loubrieu, B., Mascle, J., Chamot-Rooke, N., Foucher, J. P. & Woodside, J. (2005) A multibeam bathymetric map of the deep eastern Mediterranean Sea basin, in Hall, J. K., Krasheninnikov, V. A., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) *Geological framework of the Levant, Volume II: the Levantine Basin and Israel*. Historical Productions-Hall, Jerusalem, Israel, 180-182.

Lourens, L. J., Hilgen, F. J. & Raffi, I. (1998) Base of large Gephyrocapsa and astronomical calibration of early Pleistocene sapropels in Site 967 and Hole 969D: solving the chronology of the Vrica section (Calabria, Italy), in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I*. Ocean Drilling Program, College Station, Texas, U.S.A., 191-198.

Ludwig, N. A. (1993) Geometry and distribution of pore space in oceanic crust extrusives: constraints from the Troodos ophiolite, Cyprus. Ph.D. Dissertation, University of Hawai`i at Manoa, U.S.A.

Lundberg, B., Payiatis, G. & Argyrou, M. (1999) Notes on the diet of the Lessepsian migrant herbivorous fishes, *Siganus luridus* and *S. rivulatus*, in Cyprus. *Israel Journal of Zoology*, 45: 127-134.

Lundberg, B. R. (1969) The geology of the Anglisidhes-Lefkara area. *Bulletin of the Geological Survey Department of Cyprus*, 2: 19-39.

Lydon, J. W. (1984a) Some observations on the mineralogical and chemical zonation patterns of volcanogenic sulphide deposits of Cyprus. *Current research: part A/Recherches en cours: partie A*, 84-01A: 611-616.

Lydon, J. W. (1984b) Some observations on the morphology and ore textures of volcanogenic sulfide deposits of Cyprus. *Current research: part A/Recherches en cours: partie A*, 84-01A: 601-610.

Mace, C. (1939) Gravity measurements in Cyprus. *Geophysical Journal of The Royal Astronomical Society*, 4: 473-480.

MacLeod, C. J. (1988) Tectonic evolution of the Eastern Limassol Forest Complex, Cyprus. Ph.D. Dissertation, Open University, U.K.

MacLeod, C. J. (1990) Role of the southern Troodos transform fault in the rotation of the Cyprus Microplate; evidence from the eastern Limassol forest complex, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) *Ophiolites: oceanic crustal analogues*. *Proceedings of the symposium "Troodos 1987"*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 75-85.

MacLeod, C. J., Allerton, S., Gass, I. G. & Xenophontos, C. (1990) Structure of a fossil ridge-transform intersection in the Troodos Ophiolite. *Nature*, 348: 717-720.

MacLeod, C. J. & Murton, B. J. (1995) On the sense of slip of the southern Troodos Transform-Fault Zone, Cyprus. *Geology*, 23: 257-260.

MacLeod, C. J., Robertson, A. H. F., Allerton, S., Browning, P., Gass, I. G., Taylor, R. N., Vine, F. J. & Xenophontos, C. (1992) Comment on "Tectonic evolution of the Troodos Ophiolite within the Tethyan framework" by Y. Dilek, P. Thy, E. M. Moores, and T. W. Ramsden. *Tectonics*, 11: 910-915.

Magaritz, M. & Taylor, H. P., Jr. (1974) Oxygen and hydrogen isotope studies of serpentinization in the Troodos Ophiolite complex, Cyprus. *Earth and Planetary Science Letters*, 23: 8-14.

Maheras, P., Flocas, H. A., Anagnostopoulou, C. & Patrikas, I. (2002) On the vertical structure of composite surface cyclones in the Mediterranean region. *Theoretical and Applied Climatology*, 71: 199-217.

Maheras, P., Flocas, H. A., Patrikas, I. & Anagnostopoulou, C. (2001) A 40 year objective climatology of surface cyclones in the Mediterranean region: Spatial and temporal distribution. *International Journal of Climatology*, 21: 109-130.

Mahmoud, S., Reilinger, R., McClusky, S., Vernant, P. & Tealeb, A. (2005) GPS evidence for northward motion of the Sinai Block: Implications for E. Mediterranean tectonics. *Earth and Planetary Science Letters*, 238: 217-224.

Maillard, D. (2001) Small Island States. *Water Policy*, 3 (suppl.): S125-S127.

Major, C. O., Pirmez, C. & Goldberg, D. (1998a) High-resolution core-log integration techniques: examples from Ocean Drilling Program, in Harvey, P. K. & Lovell, M. A. (Eds.) *Core-log integration*. Geological Society Special Publication 136. Geological Society of London, London, U.K., 285-295.

Major, C. O., Ryan, W. B. F. & Jurado-Rodríguez, M. J. (1998b) Evolution of paleoenvironments of Erastothenes Seamount based on downhole logging integrated with carbonate petrology and reflection profiles, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I*. Ocean Drilling Program, College Station, Texas, U.S.A., 483-508.

Makris, J., Benabraham, Z., Behle, A., Ginzburg, A., Giese, P., Steinmetz, L., Whitmarsh, R. B. & Eleftheriou, S. (1983) Seismic refraction profiles between Cyprus and Israel and their interpretation. *Geophysical Journal of The Royal Astronomical Society*, 75: 575-591.

Makris, J., Staecker, J. & Kramvis, S. (2000) Microseismic studies and tectonic implications of Cyprus, in Panayides, I., Xenophontos, C. & Malpas, J. (Eds.) *Proceedings of the Third International Conference on the Geology of the Eastern Mediterranean*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 137-145.

Makris, J. & Wang, J. (1994) Bouguer gravity anomalies of the eastern Mediterranean Sea, in Krasheninnikov, V. A. & Hall, J. K. (Eds.) *Geological structure of the northeastern Mediterranean (Cruise 5 of the Research Vessel 'Akademik Nikolaj Strakhov')*. Historical Productions-Hall, Jerusalem, Israel, 87-98.

Makris, J., Wang, J., Odintsov, S. D. & Udintsev, G. B. (1994) The magnetic field of the eastern Mediterranean Sea, in Krasheninnikov, V. A. & Hall, J. K. (Eds.) *Geological structure of the northeastern Mediterranean (Cruise 5 of the Research Vessel 'Akademik Nikolaj Strakhov')*. Historical Productions-Hall, Jerusalem, Israel, 75-85.

Malanotte-Rizzoli, P. & Bergamasco, A. (1989) The circulation of the Eastern Mediterranean. Part I. *Oceanologica Acta*, 12: 335-351.

Maliotis, G. (1966) The Troodos Massif, Cyprus. *Journal of the University of Sheffield Geological Society*, 5: 10-19.

Maliotis, G. (1968) The Troodos igneous complex, Cyprus. *Journal of the University of Sheffield Geological Society*, 5: 99-106.

Maliotis, G. & Khan, M. A. (1977) A comparison of I.P. transient shapes over disseminated and massive sulphide sheets in the lower pillow lavas of Cyprus. *Geophysical Journal of The Royal Astronomical Society*, 49: 266-267.

Maliotis, G. & Khan, M. A. (1980) The applicability of the induced polarization method of geophysical exploration in the search for sulphide mineralization within the Troodos Ophiolite Complex of Cyprus, in Panayiotou, A. (Ed.) *Ophiolites: Proceedings of the International Ophiolite Symposium, Cyprus 1979*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 129-138.

Maliotis, G. & Khan, M. A. (1981) A comparison of IP transient shapes over disseminated and massive sulfide sheets in the lower pillow lavas of Cyprus. *Geophysical Prospecting*, 29: 906-922.

Maliotis, G. & Michaelides, A. (1979) Excursion G - The asbestos and chromite mineralizations of the Troodos plutonic complex, in Pantazis, T. M. (Ed.) *Field excursion guidebook: International Ophiolite Symposium, Nicosia, Cyprus, 1-8 April, 1979*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 51-60.

Malpas, J. (1987) The geology and geophysics of the area surrounding the CY-2 and CY-2a drill holes of the Cyprus crustal study project, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a. Geological Survey of Canada, Ottawa, Ontario, Canada, 19-28.

Malpas, J. (1990) Crustal accretionary processes in the Troodos Ophiolite, Cyprus; evidence from field mapping and deep crustal drilling, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) Ophiolites: oceanic crustal analogues. Proceedings of the symposium "Troodos 1987". Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 65-74.

Malpas, J. (2000) An earth system approach to the geology of the Eastern Mediterranean, in Panayides, I., Xenophontos, C. & Malpas, J. (Eds.) Proceedings of the Third International Conference on the Geology of the Eastern Mediterranean. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 1-8.

Malpas, J., Barnable, G. & Williams, D. (1992a) Diagrammatic Lithologic Log of Holes CY -1 and CY-1a, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY -1 and 1a. Geological Survey of Canada, Ottawa, Ontario, Canada, 284.

Malpas, J., Brace, T. & Dunsworth, S. M. (1989a) Structural and petrologic relationships of the CY-4 drill hole of the Cyprus crustal study project, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) Cyprus Crustal Study Project: initial report, hole CY-4. Geological Survey of Canada, Ottawa, Ontario, Canada, 39-67.

Malpas, J., Case, G. & Moore, P. (1989b) The geology of the area immediately surrounding the CY-4 borehole of the Cyprus crustal study project, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) Cyprus Crustal Study Project: initial report, hole CY-4. Geological Survey of Canada, Ottawa, Ontario, Canada, 31-37.

Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) (1990) Ophiolites: oceanic crustal analogues. Proceedings of the symposium "Troodos 1987". Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, pp. 733.

Malpas, J. & Robinson, P. (1997) Oceanic lithosphere - 1. The origin and evolution of oceanic lithosphere: Introduction. *Geoscience Canada*, 24: 100-107.

Malpas, J. & Robinson, P. T. (1992) Geology and Geophysics of Boreholes CY-1 and CY-1a of the Cyprus Crustal Study Project: Summary, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY -1 and 1a. Geological Survey of Canada, Ottawa, Ontario, Canada, 255-261.

Malpas, J., Robinson, P. T. & Salisbury, M. H. (1989c) Geology and geophysics of borehole CY-4 of the Cyprus crustal study project: summary, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) Cyprus Crustal Study Project: initial report, hole CY-4. Geological Survey of Canada, Ottawa, Ontario, Canada, 381-393.

Malpas, J. & Williams, D. (1992) Geology of the area Surrounding the CY-1 and CY-1a Boreholes, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY -1 and 1a. Geological Survey of Canada, Ottawa, Ontario, Canada, 29-39.

Malpas, J., Xenophontos, C. & Williams, D. (1992b) The Ayia Varvara formation of SW Cyprus: a product of complex collisional tectonics. *Tectonophysics*, 212: 193-211.

Mantis, M. (1972) Some planktonic foraminifera from the Palaeogene of south Cyprus. *Bulletin of the Geological Survey Department of Cyprus*, 5: 91-124.

Mantis, M. (1977a) Upper Eocene Radiolaria in Cyprus. *Bulletin of the Geological Survey Department of Cyprus*, 7: 75-84.

Mantis, M. (1977b) Upper Eocene Radiolaria in Cyprus. *Praktika tis Akademias Athenon*, 52: 512-523.

Marbàa, N., Santiago, R., Díaz-Almela, E., Álvarez, E. & Duarte, C. M. (2006) Seagrass (*Posidonia oceanica*) vertical growth as an early indicator of fish farm-derived stress. *Estuarine, Coastal and Shelf Science*, 67: 475-483.

Marchetti, D. B. & Accorsi, C. (1978) The paleoecology of the ostracodes of DSDP Leg 42A/Palynological studies on samples from DSDP Leg 42A, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 789-803.

Margaritoulis, D. & Rees, A. F. (2001) The loggerhead turtle, *Caretta caretta*, population nesting in Kyparissia Bay, Peloponnesus, Greece: Results of beach surveys over seventeen seasons and determination of the core nesting habitat. *Zoology in the Middle East*, 24: 75-90.

Margaritoulis, D. & Rees, A. F. (2003) Loggerhead nesting effort and conservation initiatives at the monitored beaches of Greece during 2002. *Marine Turtle Newsletter*, 102: 11-13.

- Marquez, L. L. (1998) Integrated structural and geochemical studies of oceanic fault zones across the dike-pluton boundary, Troodos ophiolite, Cyprus. Ph.D. Dissertation, Northwestern University, U.S.A.
- Marra, A. C. (2005) Pleistocene mammals of Mediterranean islands. *Quaternary International*, 129: 5-14.
- Mart, Y. (2000) Eratosthenes Seamount; key to the tectonic patterns of the SE Mediterranean, Current Research: Geological Survey of Israel - Vol. 12. Geological Survey of Israel, Jerusalem, Israel, 185-192.
- Mart, Y. & Robertson, A. H. F. (1998) Eratosthenes Seamount: an oceanographic yardstick recording the Late Mesozoic-Tertiary geological history of the Eastern Mediterranean, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program, College Station, Texas, U.S.A., 701-708.
- Mart, Y., Robertson, A. H. F. & Woodside, J. M. (1997) Cretaceous tectonic setting of Eratosthenes Seamount in the eastern Mediterranean Neotethys: initial results of ODP Leg 160. *Comptes Rendus de l'Academie des Sciences, Serie II, Fascicule A: Sciences de la Terre et des Planetes*, 324: 127-134.
- Martill, D. M. & Barker, M. J. (2006) A paper nautilus (Octopoda, Argonauta) from the Miocene Pakhna Formation of Cyprus. *Palaeontology*, 49: 1035-1041.
- Matthews, D. H., Lort, J., Vertue, T., Poster, C. K. & Gass, I. G. (1971) Seismic velocities at the Cyprus outcrop. *Nature - Physical Science*, 231: 200-201.
- Matveev, S., Portnyagin, M., Ballhaus, C., Brooker, R. & Geiger, C. A. (2005) FTIR spectrum of phenocryst olivine as an indicator of silica saturation in magmas. *Journal of Petrology*, 46: 603-614.
- Mazdab, F. K. (2001) The distribution of trace elements in iron sulfides and associated chlorine-bearing silicates. Ph.D. Dissertation, University of Arizona, U.S.A.
- Mazi, K., Koussis, A. D., Restrepo, P. J. & Koutsoyiannis, D. (2004) A groundwater-based, objective-heuristic parameter optimisation method for a precipitation-runoff model and its application to a semi-arid basin. *Journal of Hydrology*, 290: 243-258.
- Mazzocchi, M. G., Christou, E. D., Fragopoulou, N. & SiokouFrangou, I. (1997) Mesozooplankton distribution from Sicily to Cyprus (eastern Mediterranean): 1. General aspects. *Oceanologica Acta*, 20: 521-535.
- McCallum, J. E. & Robertson, A. H. F. (1990) Pulsed uplift of the Troodos Massif; evidence from the Plio-Pleistocene Mesaoria Basin, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) Ophiolites: oceanic crustal analogues. Proceedings of the symposium "Troodos 1987". Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 217-229.
- McCallum, J. E. & Robertson, A. H. F. (1995a) Sedimentology of 2 fan-delta systems in the Pliocene-Pleistocene of the Mesaoria Basin, Cyprus. *Sedimentary Geology*, 98: 215-244.
- McCallum, J. E. & Robertson, A. H. F. (1995b) Late Pliocene -Early Pleistocene Athalassa Formation, north central Cyprus - Carbonate sand bodies in a shallow seaway between 2 emerging landmasses. *Terra Nova*, 7: 265-277.
- McCallum, J. E., Scrutton, R. A., Robertson, A. H. F. & Ferrari, W. (1993) Seismostratigraphy and Neogene: recent depositional history of the south central continental margin of Cyprus. *Marine and Petroleum Geology*, 10: 426-438.
- McCulloch, M. T. & Cameron, W. E. (1983) Nd-Sr isotopic study of primitive lavas from the Troodos Ophiolite, Cyprus: evidence for a subduction-related setting. *Geology*, 11: 727-731.
- McDuff, R. E. & Gieskes, J. M. (1978) Interstitial water studies, Leg 42A, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 561-568.
- McElduff, B. (1989) Inclusions in chromite from Troodos (Cyprus) and their petrological significance. Ph.D. Dissertation, Montanuniversität Leoben, Austria.
- McElduff, B. & Stumpfl, E. F. (1990) Platinum-group minerals from the Troodos Ophiolite, Cyprus. *Mineralogy and Petrology*, 42: 211-232.
- McElduff, B. & Stumpfl, E. F. (1991) The chromite deposits of the Troodos Complex, Cyprus: evidence for the role of a fluid phase accompanying chromite formation. *Mineralium Deposita*, 26: 307-318.
- McGowan, A., Broderick, A. C., Deeming, J., Godley, B. J. & Hancock, E. G. (2001a) Dipteran infestation of loggerhead (*Caretta caretta*) and green (*Chelonia mydas*) sea turtle nests in northern Cyprus. *Journal of Natural History*, 35: 573-581.
- McGowan, A., Rowe, L. V., Broderick, A. C. & Godley, B. J. (2001b) Nest factors predisposing loggerhead sea turtle (*Caretta caretta*) clutches to infestation by dipteran larvae on northern Cyprus. *Copeia*, 2001: 808-812.

McKenzie, C., Godley, B. J., Furness, R. W. & Wells, D. E. (1999) Concentrations and patterns of organochlorine contaminants in marine turtles from Mediterranean and Atlantic waters. *Marine Environmental Research*, 47: 117-135.

McKenzie, J. & Ricchiuto, T. (1978) Stable isotopic investigation of carbonate samples related to the Messinian salinity crisis from DSDP Leg 42A, Mediterranean Sea, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 650-655.

Mehegan, J. M. (1988) Temporal, spatial and chemical evolution of the Troodos Ophiolite lavas, Cyprus: Supra-subduction zone volcanism in the Tethys Sea. Ph.D. Dissertation, Dalhousie University, Canada.

Mehegan, J. M. & Robinson, P. T. (1992) Lava Groups and Volcanic Stratigraphy of the CCSP Boreholes CY-1 and CY-1a, Troodos ophiolite, Cyprus, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY -1 and 1a. Geological Survey of Canada, Ottawa, Ontario, Canada, 177-185.

Mélières, F. (1978) Bulk X-ray mineralogy data, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 1157-1169.

Mélières, F., Chamley, H., Coumes, F. & Rouge, P. (1978) X-ray mineralogy studies, Leg 42A, Deep Sea Drilling Project, Mediterranean Sea, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 361-383.

Membery, D. A. (1981) Snow rollers. *Weather*, 36: 16-19.

Mercier, J., Vergely, P. & Delibassis, N. (1973) Comparison between deformation deduced from the analysis of recent faults and from focal mechanisms of earthquakes (an example: the Paphos region, Cyprus). *Tectonophysics*, 19: 315-332.

Merle, D., Lauriat-Rage, A., Gaudant, J., Pestrea, S., Courme-Rault, M. D., Zorn, I., Blanc-Valleron, M.-M., Rouchy, J.-M., Orszag-Sperber, F. & Krijgsman, W. (2002) The marine faunistic and floristic assemblages of the pre-evaporitic Messinian from Pissouri Cyprus, East Mediterranean): palaeoecological aspects preceding the Messinian salinity crisis. *Geodiversitas*, 24: 669-689.

Michaelides, S. C. (1981) An observational case study of retrogression and its connection with some other synoptic-scale features. *Bulletin of the Hellenic Meteorological Society*, 6: 31-43.

Michaelides, S. C. (1983) Components of large-scale kinetic energy generation during an eastern Mediterranean cyclogenesis. *Archives for Meteorology, Geophysics, and Bioclimatology, Series A: Meteorology and Geophysics*, 32: 247-256.

Michaelides, S. C. (1992) A spatial and temporal energetics analysis of a baroclinic disturbance in the Mediterranean. *Monthly Weather Review*, 120: 1224-1243.

Michaelides, S., Evripidou, P. & Kallos, G. (1999a) Monitoring and predicting Saharan desert dust events in the eastern Mediterranean. *Weather*, 54: 359-365.

Michaelides, S., Pattichis, C. S. & Kleovoulou, G. (2001) Classification of rainfall variability by using artificial neural networks. *International Journal of Climatology*, 21: 1401-1414.

Michaelides, S. C., Prezerakos, N. G. & Flocas, H. A. (1999b) Quasi-Lagrangian energetics of an intense Mediterranean cyclone. *Quarterly Journal of the Royal Meteorological Society*, 125: 139-168.

Michaelidou, M. & Decker, D. J. (2002) Challenges and opportunities facing wildlife conservation and cultural sustainability in the Paphos Forest, Cyprus: historical overview and contemporary perspective. *Zeitschrift für Jagdwissenschaft*, 48: 291-300.

Michaelidou, S. C., Akkelidou, D. & Ziegler, P. (1995) Investigating groundwater pollution from different sources with combined biological and chemical methods. *Science of the Total Environment*, 171: 51-59.

Michaelidou, S. C., Loizou, E., Piera, P. & Christodoulidou, M. (2001) Pesticide evaluation in surface waters in Cyprus within an integrated evaluation Yardstick, the Amoeba. *Fresenius Environmental Bulletin*, 10: 438-441.

Michalopoulou, H. & Jacovides, C. (1981) Instability effects in Cyprus. *Bulletin of the Hellenic Meteorological Society*: 59-67.

Michalopoulou, H. & Jacovides, C. (1987) Instability indexes for the Cyprus area. *Meteorology and Atmospheric Physics*, 37: 153-158.

- Mienis, H. K. (1978) *Theodoxus (Neritaea) anatolicus* (Recluz, 1841) on Cyprus (Mollusca, Gastropoda, Neritidae). *Fisheries Bulletin of the Department of Fisheries (Cyprus)*, 5: 113-118.
- Milnes, E. & Renard, P. (2004) The problem of salt recycling and seawater intrusion in coastal irrigated plains: an example from the Kiti aquifer (Southern Cyprus). *Journal of Hydrology*, 288: 327-343.
- Mirasgedis, S., Sarafidis, Y., Georgopoulou, E., Lalas, D. P. & Papastavros, C. (2004) Mitigation policies for energy related greenhouse gas emissions in Cyprus: the potential role of natural gas imports. *Energy Policy*, 32: 1001-1011.
- Mitchell, A. H. G. (1985) Model for the origin of the Troodos Massif, Cyprus, and other Mideast ophiolites - Comment. *Geology*, 13: 668-668.
- Montadert, L., Letouzey, J. & Mauffret, A. (1978) Messinian event; seismic evidence, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) *Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I*. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 1037-1050.
- Moores, E. M., Kellogg, L. H. & Dilek, Y. (2001) Tethyan ophiolites, mantle convection, and tectonic "historical contingency": A resolution of the "ophiolite conundrum", in Nicolas, A., Elthon, D., Moores, E. & Dilek, Y. (Eds.) *Ophiolites and Oceanic Crust: New Insights from Field Studies and the Ocean Drilling Program*. Geological Society of America, Boulder, Colorado, U.S.A., 3-12.
- Moores, E. M., Robinson, P. T., Malpas, J. & Xenophonotos, C. (1984) Model for the origin of the Troodos Massif, Cyprus, and other Mideast ophiolites. *Geology*, 12: 500-503.
- Moores, E. M., Robinson, P. T., Malpas, J. & Xenophonotos, C. (1985) Model for the origin of the Troodos Massif, Cyprus, and other Mideast ophiolites - Reply. *Geology*, 13: 669-669.
- Moores, E. M., Varga, R. J., Verosub, K. L. & Ramsden, T. (1990) Regional structure of the Troodos dyke complex, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophonotos, C. (Eds.) *Ophiolites: oceanic crustal analogues. Proceedings of the symposium "Troodos 1987"*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 27-35.
- Moores, E. M. & Vine, F. J. (1971) The Troodos massif, Cyprus, and other ophiolites as oceanic crust: evaluation and implications. *Philosophical Transactions of the Royal Society of London, Series A: Mathematical and Physical Sciences*, 268: 443-466.
- Moraitou-Apostolopoulou, M. & Kiortsis, V. (Eds.) (1985) *Mediterranean marine ecosystems*. Plenum Press, New York, New York, U.S.A., pp. 407.
- Morgan, P. (1975) Porosity determinations and the thermal conductivity of rock fragments with application to heat flow on Cyprus. *Earth and Planetary Science Letters*, 26: 253-262.
- Morhange, C., Goiran, J. P., Bourcier, M., Carbonel, P., Le Campion, J., Rouchy, J.-M. & Yon, M. (2000) Recent Holocene paleo-environmental evolution and coastline changes of Kition, Larnaca, Cyprus, Mediterranean Sea. *Marine Geology*, 170: 205-230.
- Morin, K. M. (1982) Analysis and definition of Campanian (late Cretaceous) radiolarian populations characteristic of tropical to subtropical latitudes. Ph.D. Dissertation, University of Texas at Dallas, U.S.A.
- Morris, A. (2003) The Late Cretaceous palaeolatitude of the Neotethyan spreading axis in the eastern Mediterranean region. *Tectonophysics*, 377: 157-178.
- Morris, A., Anderson, M. W. & Robertson, A. H. F. (1998) Multiple tectonic rotations and transform tectonism in an intraoceanic suture zone, SW Cyprus. *Tectonophysics*, 299: 229-253.
- Morris, A., Anderson, M. W. & Robertson, A. H. F. (2005) Comment on: "Tectonics of the Akamas and Mamonía Ophiolites, Western Cyprus: magnetic petrofabrics and paleomagnetism" by G.J. Borradaile and K. Lucas. *Journal of Structural Geology*, 27: 171-174.
- Morris, A., Anderson, M. W., Robertson, A. H. F. & Al-Riyami, K. (2002) Extreme tectonic rotations within an eastern Mediterranean ophiolite (Baer-Bassit, Syria). *Earth and Planetary Science Letters*, 202: 247-261.
- Morris, A., Creer, K. M. & Robertson, A. H. F. (1990) Paleomagnetic evidence for clockwise rotations related to dextral shear along the southern Troodos Transform Fault, Cyprus. *Earth and Planetary Science Letters*, 99: 250-262.
- Mouraviiov, V. I. (1994) Ash horizons of the Late Quaternary sediments of the Levantine Sea, in Krasheninnikov, V. A. & Hall, J. K. (Eds.) *Geological structure of the northeastern Mediterranean (Cruise 5 of the Research Vessel 'Akademik Nikolaj Strakhov')*. Historical Productions-Hall, Jerusalem, Israel, 159-161.
- Mouraviiov, V. I., Kaleda, K. G. & Boiko, N. I. (1994) Lithology of Late Quaternary sediments of the eastern Mediterranean, in Krasheninnikov, V. A. & Hall, J. K. (Eds.) *Geological structure of the northeastern Mediterranean (Cruise 5 of the Research Vessel 'Akademik Nikolaj Strakhov')*. Historical Productions-Hall, Jerusalem, Israel, 131-140.

Moussoulos, L., Maliotis, G. & Michaelides, A. (1979) Genesis of chromite ores in the Troodos Ophiolite Complex, Cyprus. *Praktika tis Akademias Athenon*, 54: 211-227.

Muenow, D. W., Garcia, M. O., Aggrey, K. E., Bednarz, U. & Schmincke, H. U. (1990) Volatiles in submarine glasses as a discriminant of tectonic origin: Application to the Troodos ophiolite. *Nature*, 343: 159-161.

Mukasa, S. B. & Ludden, J. N. (1987) Uranium-lead isotopic ages of plagiogranites from the Troodos Ophiolite, Cyprus, and their tectonic significance. *Geology*, 15: 825-828.

Müller, C. (1978a) Neogene calcareous nannofossils from the Mediterranean; Leg 42A of the Deep Sea Drilling Project, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 727-751.

Müller, J. (1978b) Carbonate content, carbonate mineralogy, and bulk mineralogy of DSDP Leg 42A samples, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 1211-1219.

Munaut, A. V. (1982) Mediterranean area, in Hughes, M. K. (Ed.) *Climate from tree rings*. Cambridge University Press, Cambridge, U.K., 151-155.

Mura, G. & Hadjistephanou, N. (1987) Prima segnalazione di *Branchinella spinosa* Milne-Edwards (Crustacea, Anostraca) a Cipro [First records of *Branchinella spinosa* Milne-Edwards (Crustacea, Anostraca) in Cyprus]. *Rivista di Idrobiologia*, 26: 111-115.

Murton, B. J. (1986) Anomalous oceanic lithosphere formed in a leaky transform fault: evidence from the western Limassol Forest Complex, Cyprus. *Journal of the Geological Society*, 143: 845-854.

Murton, B. J. (1990) Was the southern Troodos transform fault a victim of microplate rotation? in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) *Ophiolites: oceanic crustal analogues*. Proceedings of the symposium "Troodos 1987". Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 87-98.

Murton, B. J. & Gass, I. G. (1986) Western Limassol Forest Complex, Cyprus: Part of an Upper Cretaceous leaky transform fault. *Geology*, 14: 255-258.

Musco, L., Cinar, M. E. & Giangrande, A. (2005) A new species of *Sphaerosyllis* (Polychaeta, Syllidae, Exogoninae) from the coasts of Italy and Cyprus (eastern Mediterranean sea). *Italian Journal of Zoology*, 72: 161-166.

Nairn, A. E. M., Kanesh, W. H. & Stehli, F. G. (Eds.) (1977) *The ocean basins and margins: Vol. 4A The Eastern Mediterranean*. Plenum Press, New York, New York, U.S.A., pp. 503.

Neal, C. (2002) The mineralogy and chemistry of fine-grained sediments, Morphou Bay, Cyprus. *Hydrology and Earth System Sciences*, 6: 819-831.

Neal, C. & Shand, P. (2002) Spring and surface water quality of the Cyprus ophiolites. *Hydrology and Earth System Sciences*, 6: 797-817.

Netzeband, G. L., Gohl, K., Hübscher, C. P., Ben-Avraham, Z., Dehghani, G. A., Gajewski, D. & Liersch, P. (2006) The Levantine Basin - crustal structure and origin. *Tectonophysics*, 418: 167-188.

Netzeband, G. L., Hübscher, C. P. & Gajewski, D. (2006) The structural evolution of the Messinian evaporites in the Levantine Basin. *Marine Geology*, 230: 249-273.

Nicholls, R. J. & Hoozemans, F. M. J. (1996) The Mediterranean: vulnerability to coastal implications of climate change. *Ocean and Coastal Management*, 31: 105-132.

Nicolaides, K., Michaelides, S. & Karacostas, T. (2004) Spatial distribution of some dynamic parameters during the evolution of selected depressions over the area of Cyprus. *International Journal of Climatology*, 24: 1829-1844.

Nicolas, A., Elthon, D., Moores, E. & Dilek, Y. (Eds.) (2001) *Ophiolites and Oceanic Crust: New Insights from Field Studies and the Ocean Drilling Program*. Geological Society of America Special Paper 349. Geological Society of America, Boulder, Colorado, U.S.A., pp. 560.

Nijenhuis, I. A., Brumsack, H.-J. & De Lange, G. J. (1998) The trace element budget of the Eastern Mediterranean during Pliocene sapropel formation, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I*. Ocean Drilling Program, College Station, Texas, U.S.A., 199-206.

Nisbet, E. & Pearce, J. A. (1973) TiO_2 and a possible guide to past oceanic spreading rates. *Nature*, 246: 468-470.

Ohnenstetter, M., Bechon, F. & Ohnenstetter, D. (1990) Geochemistry and mineralogy of lavas from the Arakapas Fault Belt, Cyprus: Consequences for Magma Chamber Evolution. *Mineralogy and Petrology*, 41: 105-124.

Ohrenstetter, M., Dubois, M. & Charoy, B. (1985) Hydrothermalism activity in ophiolites: a case-study from late-stage plutonic differentiates of Cyprus and Oman. *Fortschritte der Mineralogie*, 63: 169-169.

Oktay, D. (2002) Design with the climate in housing environments: an analysis in northern Cyprus. *Building and Environment*, 37: 1003-1012.

Oliverio, M. & Buzzurro, G. (1994) A new Mediterranean species of the genus *Homalopoma*, with notes on the genus group (Trochoidea, Turbinidae, Colloniinae). *Bollettino Malacologico*, 30: 182-188.

Oneill, M. & Denos, M. (1996) Automated system for coarse-to-fine pyramidal area correlation stereo matching. *Image and Vision Computing*, 14: 225-236.

Oren, O. H., Ben-Yami, M. & Zismann, L. (1971) Explorations of the possible deep-water trawling grounds in the Levant Basin. *GFCM - Studies and Reviews*, 49: 41-71.

Orszag-Sperber, F. (2006) Changing perspectives in the concept of "Lago-Mare" in Mediterranean Late Miocene evolution. *Sedimentary Geology*, 188-189: 259-277.

Orszag-Sperber, F. & Rouchy, J.-M. (2000) The Messinian-Zanclean transition in the Pissouri area (Cyprus); a well documented section in the Eastern Mediterranean, in Panayides, I., Xenophontos, C. & Malpas, J. (Eds.) *Proceedings of the Third International Conference on the Geology of the Eastern Mediterranean*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 243-247.

Orszag-Sperber, F., Rouchy, J.-M., Bizon, G., Bizon, J. J., Cravatte, J. & Muller, C. (1980) La sédimentation messinienne dans le bassin de Polemi (Chypre). *Géologie Méditerranéenne*, 7: 91-102.

Orszag-Sperber, F., Rouchy, J.-M. & Blanc-Valleron, M.-M. (2000) The transition Messinian-Pliocene in eastern Mediterranean (Cyprus): The 'Lago-Mare' deposits and their significance. *Comptes Rendus de l'Academie des Sciences, Serie II, Fascicule A: Sciences de la Terre et des Planetes*, 331: 483-490.

Orszag-Sperber, F., Rouchy, J.-M. & Elion, P. (1989) The sedimentary expression of regional tectonic events during the Miocene-Pliocene transition in the southern Cyprus Basins. *Geological Magazine*, 126: 291-299.

Orszag-Sperber, F. & Rouchy, J.-M. (1988) Miocene-Pliocene transition in the southern Cyprus Basins: the sedimentary expression of regional tectonic events. *American Association of Petroleum Geologists Bulletin*, 72: 1017-1018.

Osetinsky, I. & Alpert, P. (2006) Calendaricities and multimodality in the eastern Mediterranean cyclonic activity. *Natural Hazards and Earth System Sciences*, 6: 587-596.

Osmond, D. A. & Stephen, I. (1957) The micropedology of some red soils from Cyprus. *Journal of Soil Science*, 8: 19-26.

Oudin, E. & Constantinou, G. (1984) Black smoker chimney fragments in Cyprus sulfide deposits. *Nature*, 308: 349-353.

Oudin, E., Picot, P. & Pouit, G. (1981) Comparison of sulfide deposits from the East Pacific Rise and Cyprus. *Nature*, 291: 404-407.

Over, S., Kavak, K. S., Bellier, O. & Ozden, S. (2004a) Is the Amik Basin (SE Turkey) a triple-junction area? Analyses of SPOT XS imagery and seismicity. *International Journal of Remote Sensing*, 25: 3857-3872.

Over, S., Ozden, S. & Can Unlugenc, U. (2004b) Late Cenozoic stress distribution along the Misis Range in the Anatolian, Arabian, and African plate intersection region, SE Turkey. *Tectonics*, 23: TC3008, 10.1029/2002TC001455.

Over, S., Ozden, S. & Yilmaz, H. (2004c) Late cenozoic stress evolution along the Karasu Valley, SE Turkey. *Tectonophysics*, 380: 43-68.

Over, S., Unlugenc, U. C. & Bellier, O. (2002) Quaternary stress regime change in the Hatay region (SE Turkey). *Geophysical Journal International*, 148: 649-662.

Ozay, N. (2005) A comparative study of climatically responsive house design at various periods of northern Cyprus architecture. *Building and Environment*, 40: 841-852.

Ozaydin, O., Bilecenoglu, M. & Kaya, M. (2000) Age and growth of the curled picarel *Centracanthus cirrus Rafinisque, 1810* (Osteichthyes: Centracanthidae) in northern Cyprus, eastern Mediterranean Sea. *Acta Adriatica*, 41: 35-42.

Ozdemir, A., Turkozan, O., Ilgaz, C. & Martin, R. (2004) Nest site factors and invertebrate infestation of loggerhead turtle nests. *Israel Journal of Zoology*, 50: 333-340.

Özsoy, E., Hecht, A., Ünlüata, Ü., Brenner, S., Oğuz, T., Bishop, J., Latif, M. A. & Rozentraub, Z. (1991) A review of the Levantine Basin circulation and its variability during 1985-1988. *Dynamics of Atmospheres and Oceans*, 15: 421-456.

Ozturk, B. (2002) Two new gastropod records for Cyprus: *Pagodula echinata* [Conidae] (Kiener, 1840) [Muricidae] and *Pleurotomella gibbera* Bouchet and Waren, 1980. *Israel Journal of Zoology*, 48: 244-245.

Paavo, B., Bailey-Brock, J. H. & Akesson, B. (2000) Morphology and life history of *Ophryotrocha adherens* sp nov (Polychaeta, Dorvilleidae). *Sarsia*, 85: 251-264.

Panayides, I., Xenophontos, C. & Malpas, J. (Eds.) (2000) Proceedings of the Third international conference on the Geology of the eastern Mediterranean. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, pp. 376.

Panayiotou, A. (1969) The Sha Mine. *Bulletin of the Geological Survey Department of Cyprus*, 2: 41-56.

Panayiotou, A. (1977) Geology and geochemistry of the Limassol Forest plutonic complex and the associated copper-nickel-cobalt-iron sulphide and chromite deposits, Cyprus. Ph.D. Dissertation, The University of New Brunswick, Canada.

Panayiotou, A. (1978) The mineralogy and chemistry of the podiform chromite deposits in the serpentinites of the Limassol Forest, Cyprus. *Mineralium Deposita*, 13: 259-274.

Panayiotou, A. (1979a) Excursion H - Limassol Forest plutonic complex and the associated Cu-Ni-Co-Fe sulphide deposits, in Pantazis, T. M. (Ed.) Field excursion guidebook: International Ophiolite Symposium, Nicosia, Cyprus, 1-8 April, 1979. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 61-70.

Panayiotou, A. (1979b) Excursion A - Troodos Ophiolite Complex, in Pantazis, T. M. (Ed.) Field excursion guidebook: International Ophiolite Symposium, Nicosia, Cyprus, 1-8 April, 1979. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 13-18.

Panayiotou, A. (1980a) Cu-Ni-Co-Fe sulphide mineralization, Limassol Forest, Cyprus., in Panayiotou, A. (Ed.) Ophiolites: Proceedings of the International Ophiolite Symposium, Cyprus 1979. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 102-116.

Panayiotou, A. (Ed.) (1980b) Ophiolites: Proceedings of the International Ophiolite Symposium, Cyprus 1979. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, pp. 781.

Pantazis, T. M. (1967) The geology and mineral resources of the Pharmakas- Kalavassos area. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, pp. 190.

Pantazis, T. M. (1969a) A revised bibliography of Cyprus geology. *Bulletin of the Geological Survey Department of Cyprus*, 2: 57-81.

Pantazis, T. M. (1969b) Landslides in Cyprus. *Bulletin of the Geological Survey Department of Cyprus*, 4: 1-20.

Pantazis, T. M. (1969c) The Memi Mine. *Bulletin of the Geological Survey Department of Cyprus*, 4: 37-44.

Pantazis, T. M. (1970) Mineralization conditions of the Kalavassos Mine, Cyprus. *Deltio tis Ellinikis Geologikis Etaerias*, 7: 189-208.

Pantazis, T. M. (1971) An outline of the geology and geomorphology of Cyprus. Cyprus Geographic Association, Nicosia, Cyprus, pp. 20.

Pantazis, T. M. (1972) Ai stromatografikai zonai tis Kyprou kai i tektoniki ayton exelixis en syschetismo pros tas Ellinikas Alpeis [The stratigraphic zones of Cyprus and their tectonic evolution in relation to the Hellenic Alps]. *Deltio tis Ellinikis Geologikis Etaerias*, 9: 46-65.

Pantazis, T. M. (1976a) Thermal mineral waters of Cyprus, in Augustithis, S. S. (Ed.) Proceedings of the international congress on thermal waters, geothermal energy and vulcanism of the Mediterranean area: Volume 2, Thermal waters. National Technical University, Athens, Greece, 367-386.

Pantazis, T. M. (1976b) Vulcanicity in Cyprus, Proceedings of the international congress on thermal waters, geothermal energy and vulcanism of the Mediterranean area: Volume 3, Vulcanism. National Technical University, Athens, Greece, 168-194.

Pantazis, T. M. (1977a) The metallogenesis of Cyprus. Proceedings of the VI Colloquium on the Geology of the Aegean Region, 2: 853-872.

Pantazis, T. M. (1977b) The tectonic map of Cyprus. Proceedings of the VI Colloquium on the Geology of the Aegean Region, 2: 873-877.

Pantazis, T. M. (1978a) Vulcanicity in Cyprus. *Ofioliti*, 3: 243.

Pantazis, T. M. (1978b) Reserve assessment of Cyprus copper and iron pyrites and chromites. *Journal of the International Association for Mathematical Geology*, 10: 555-564.

Pantazis, T. M. (1978c) Late Miocene sedimentation features, Cyprus. *International Congress on Sedimentology/Congres International de Sedimentologie*: 495.

Pantazis, T. M. (1978d) Cyprus evaporites, in Usher, J. L. & Supko, P. (Eds.) *Initial Reports of the Deep Sea Drilling Project, Volume 42, Part II*. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 1185-1194.

Pantazis, T. M. (1978e) Annual report for the year 1977. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, pp. 34.

Pantazis, T. M. (1979a) General features of the geology and mineralization of Cyprus, in Pantazis, T. M. (Ed.) *Field excursion guidebook: International Ophiolite Symposium, Nicosia, Cyprus, 1-8 April, 1979*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 1-12.

Pantazis, T. M. (Ed.) (1979b) *Field excursion guidebook: International Ophiolite Symposium, Nicosia, Cyprus, 1-8 April, 1979*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, pp. 142.

Pantazis, T. M. (1980a) Major oxide geochemistry and origin of the Troodos ophiolitic complex. *Bulletin de Mineralogie*, 103: 59-65.

Pantazis, T. M. (1980b) Application of non-linear mapping algorithm in petrographic classification on ophiolites, in Panayiotou, A. (Ed.) *Ophiolites: Proceedings of the International Ophiolite Symposium, Cyprus 1979*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 205-214.

Pantazis, T. M. & Cousteau, J. Y. (1977) Cyprus evaporites. *Rapports et Proces Verbaux des Reunions - Commission Internationale pour l'Exploration Scientifique de la Mer Mediterranee*, 24: 123-126.

Pantazis, T. M. & Govett, G. J. S. (1973) Interpretation of a detailed rock geochemical survey around Mathiati Mine, Cyprus. *Journal of Geochemical Exploration*, 2: 25-36.

Papadimitriou, E. E. & Karakostas, V. G. (2006) Earthquake generation in Cyprus revealed by the evolving stress field. *Tectonophysics*, 423: 61-72.

Papadopoulos, N. G., Tsokas, G. N., Tsourlos, P., Christofides, G. & Stampolidis, A. (2005) Analysis of the geomagnetic field and the Bouguer anomalies in Cyprus and their relation to the island's geology. *Ophioliti*, 30: 53-63.

Papazachos, B. C. & Papaioannou, C. A. (1999) Lithospheric boundaries and plate motions in the Cyprus area. *Tectonophysics*, 308: 193-204.

Parameswaran, N. & Borgin, K. (1980) Micro-morphological and analytical study of an ancient pinewood from Cyprus containing metallic copper. *Holzforschung*, 34: 185-190.

Pariso, J. E. & Johnson, H. P. (1989) Magnetic properties of an analog of the lower oceanic crust: magnetic logging and paleomagnetic measurements from drill hole CY-4 in the Troodos Ophiolite, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) *Cyprus Crustal Study Project: initial report, hole CY-4*. Geological Survey of Canada, Ottawa, Ontario, Canada, 279-293.

Parlak, O. (1996) Geochemistry and geochronology of the Mersin ophiolite within the eastern Mediterranean tectonic frame (southern Turkey). Ph.D. Dissertation, Université de Genève, Switzerland.

Parlak, O. & Robertson, A. (2004) The ophiolite-related Mersin Melange, southern Turkey: its role in the tectonic-sedimentary setting of Tethys in the eastern Mediterranean region. *Geological Magazine*, 141: 257-286.

Parmentier, E. M. & Spooner, E. T. C. (1978) A theoretical study of hydrothermal convection and the origin of the ophiolitic sulphide ore deposits of Cyprus. *Earth and Planetary Science Letters*, 40: 33-44.

Parrot, J.-F. & Delaune-Mayere, M. (1974) Les terres d'ombre du Bassit (nord-ouest syrien): comparaison avec les terres similaires du Troodos (Chypre) [The umber of Cape Basit (northwestern Syria): comparison with similar earths at Troodos (Cyprus)]. *Cahiers de l'ORSTOM Série Géologie*, 6: 147-160.

Pashardes, S. & Christofides, C. (1995) Statistical-analysis of wind-speed and direction in Cyprus. *Solar Energy*, 55: 405-414.

Passier, H. F. & De Lange, G. J. (1998) Sedimentary sulfur and iron chemistry in relation to the formation of Eastern Mediterranean sapropels, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I*. Ocean Drilling Program, College Station, Texas, U.S.A., 249-260.

Passier, H. F., Dekkers, M. J. & de Lange, G. J. (1998) Sediment chemistry and magnetic properties in an anomalously reducing core from the eastern Mediterranean Sea. *Chemical Geology*, 152: 287-306.

Pasternak, A., Wassmann, P. & Wexels Riser, C. (2005) Does mesozooplankton respond to episodic P inputs in the eastern Mediterranean? *Deep-Sea Research II*, 52: 2975-2989.

Payne, A. S. & Robertson, A. H. F. (1995) Neogene supra-subduction zone extension in the Polis Graben system, west Cyprus. *Journal of the Geological Society*, 152: 613-628.

Payne, A. S. & Robertson, A. H. F. (2000) Structural evolution and regional significance of the Polis graben system, western Cyprus, in Panayides, I., Xenophontos, C. & Malpas, J. (Eds.) *Proceedings of the Third International Conference on the Geology of the Eastern Mediterranean*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 45-59.

Pearce, J. A. (1975) Basalt geochemistry used to investigate past tectonic environments on Cyprus. *Tectonophysics*, 25: 41-67.

Pearce, J. A. (1980) Geochemical evidence for the genesis and eruptive setting of lavas from Tethyan ophiolites, in Panayiotou, A. (Ed.) *Ophiolites: Proceedings of the International Ophiolite Symposium, Cyprus 1979*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 261-272.

Pearce, J. A. (2003) Supra-subduction zone ophiolites; the search for modern analogues, in Dilek, Y. & Newcomb, S. (Eds.) *Ophiolite Concept and the Evolution of Geological Thought*. Geological Society of America Special Paper 373. Geological Society of America, Boulder, Colorado, U.S.A., 269-293.

Pechoux, P.-Y. (1977) La grande secheresse de 1973 a Chypre [The great 1973 drought in Cyprus]. *Revue de Geographie de Lyon*, 52: 197-213.

Perez, I. A., Garcia, M. A., Sanchez, M. L. & de Torre, B. (2005) Analysis and parameterisation of wind profiles in the low atmosphere. *Solar Energy*, 78: 809-821.

Pestrea, S. & Blanc-Valleron, M.-M. (2002) Messinian diatom assemblages of infra-gypsum diatomites in the Mediterranean (Spain, Sicily, Cyprus). *Geodiversitas*, 24: 543-583.

Peterman, Z. E., Coleman, R. G. & Hildreth, R. A. (1971) Sr87/Sr86 in mafic rocks of the Troodos Massif, Cyprus. U. S. Geological Survey Professional Papers Report P 0750-D. U. S. Geological Survey, pp. D157-D161.

Petrakis, M., Kambezidis, H. D., Lykoudis, S., Adamopoulos, A. D., Kassomenos, P., Michaelides, I. M., Kalogirou, S. A., Roditis, G., Chrysis, I. & Hadjigianni, A. (1998) Generation of a "typical meteorological year" for Nicosia, Cyprus. *Renewable Energy*, 13: 381-388.

Peybernes, B., Fondécave-Wallez, M. J. & Cugny, P. (2005) Diachronism in the sedimentary cover around the Troodos ophiolitic massif (Cyprus). *Bulletin de la Société Géologique de France*, 176: 161-169.

Piazzì, L., Meinesz, A., Verlaque, M., Akçali, B., Antolić, B., Argyrou, M., Balata, D., Ballesteros, E., Calvo, S., Cinelli, F., Cirik, S., Cossu, A., D'Archino, R., Djellouli, A. S., Javel, F., Lanfranco, E., Mifsud, C., Pala, D., Panayotidis, P., Peirano, A., Pergent, G., Petrocelli, A., Ruitton, S., Zuljevic, A. & Ceccherelli, G. (2005) Invasion of *Caulerpa racemosa* var. *cylindracea* (Caulerpales, Chlorophyta) in the Mediterranean Sea: an assessment of the spread. *Cryptogamie algologie*, 26: 189-202.

Pierre, C., Caruso, A., Blanc-Valleron, M.-M., Rouchy, J.-M. & Orszag-Sperber, F. (2006) Reconstruction of the paleoenvironmental changes around the Miocene-Pliocene boundary along a west-east transect across the Mediterranean. *Sedimentary Geology*, 188-189: 319-340.

Pierre, C. & Fontes, J. C. (1978) Isotope composition of Messinian sediments from the Mediterranean Sea as indicators of paleoenvironments and diagenesis, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) *Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I*. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 635-650.

Pierre, C., Rouchy, J.-M. & Blanc-Valleron, M.-M. (1998) Sedimentological and stable isotope changes at the Messinian/Pliocene boundary in the Eastern Mediterranean (Holes 968A, 969A, and 969B), in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I*. Ocean Drilling Program, College Station, Texas, U.S.A., 3-8.

Pilato, G. & Bertolani, R. (2004) *Macrobotus dariae* sp. n., a new species of eutardigrade (Eutardigrada, Macrobiotidae) from Cyprus. *Zootaxa*: 1-7.

Pilidou, S., Priestley, K., Jackson, J. & Maggi, A. (2004) The 1996 Cyprus earthquake: a large, deep event in the Cyprean Arc. *Geophysical Journal International*, 158: 85-97.

Pinar-Erdem, N. & İlhan, E. (1977) Outlines of the stratigraphy and tectonics of Turkey, with notes on the geology of Cyprus, in Nairn, A. E. M., Kaner, W. H. & Stehli, F. G. (Eds.) *The ocean basins and margins: Vol. 4A The Eastern Mediterranean*. Plenum Press, New York, 277-318.

Pinar, A. & Kalafat, D. (1999) Source processes and seismotectonic implications of the 1995 and 1996 Cyprus, eastern Mediterranean region, earthquakes. *Tectonophysics*, 301: 217-230.

- Pirazzoli, P. A., Laborel, J., Saliege, J. F., Erol, O., Kayan, I. & Person, A. (1991) Holocene raised shorelines on the Hatay coasts (Turkey): paleoecological and tectonic implications. *Marine Geology*, 96: 295-311.
- Pirrone, N., Costa, P. & Pacyna, J. M. (1999) Past, current and projected atmospheric emissions of trace elements in the Mediterranean region. *Water Science and Technology*, 39: 1-7.
- Pisanty, S. (1986) Fishing trials for sword fish *Xiphias gladius* off the Israeli Mediterranean coast. *Fisheries and Fishbreeding in Israel*, 19: 3-10.
- Pitta, P., Stambler, N., Tanaka, T., Zohary, T., Tselepides, A. & Rassoulzadegan, F. (2005) Biological response to P addition in the eastern Mediterranean Sea: the microbial race against time. *Deep-Sea Research II*, 52: 2961-2974.
- Poisson, A., Wernli, R., Sagular, E. K. & Temiz, H. (2003) New data concerning the age of the Aksu thrust in the south of the Aksu valley, Isparta angle (SW Turkey): consequences for the Antalya Basin and the eastern Mediterranean. *Geological Journal*, 38: 311-327.
- Polikreti, K., Maniatis, Y., Bassiakos, Y., Kourou, N. & Karageorghis, V. (2004) Provenance of archaeological limestone with EPR spectroscopy: the case of the Cypriote-type statuettes. *Journal of Archaeological Science*, 31: 1015-1028.
- Poole, A. & Robertson, A. (1998) Pleistocene fanglomerate deposition related to uplift of the Troodos Ophiolite, Cyprus, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program, College Station, Texas, U.S.A.*, 545-568.
- Poole, A. J. & Robertson, A. H. F. (1991) Quaternary uplift and sea-level change at an active plate boundary, Cyprus. *Journal of the Geological Society*, 148: 909-921.
- Poole, A. J. & Robertson, A. H. F. (2000) Quaternary marine terraces and aeolianites in coastal south and west Cyprus; implications for regional uplift and sea-level change, in Panayides, I., Xenophontos, C. & Malpas, J. (Eds.) *Proceedings of the Third International Conference on the Geology of the Eastern Mediterranean. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus*, 105-123.
- Poole, A. J., Shimmield, G. B. & Robertson, A. H. F. (1990) Late Quaternary uplift of the Troodos Ophiolite, Cyprus: Uranium-series dating of pleistocene coral. *Geology*, 18: 894-897.
- Por, F. D. (1972) Priapulida from deep bottoms near Cyprus. *Israel Journal of Zoology*, 21: 525-528.
- Porter, J. R. (1993) The Cyprus Land Information Project - a model for emerging nations. *Computers Environment and Urban Systems*, 17: 253-261.
- Portnyagin, M. V., Danyushevsky, L. V. & Kamenetsky, V. S. (1997) Coexistence of two distinct mantle sources during formation of ophiolites: a case study of primitive pillow-lavas from the lowest part of the volcanic section of the Troodos Ophiolite, Cyprus. *Contributions to Mineralogy and Petrology*, 128: 287-301.
- Portnyagin, M. V., Kamenetskii, V. S., Sobolev, A. V., Danyushevskii, L. V. & Dmitriev, L. V. (1993) A new primary magma type for Troodos Complex (Cyprus). *Doklady Akademii Nauk*, 333: 370-375.
- Portnyagin, M. V., Magakyan, R. & Schmincke, H. U. (1996) Geochemical variability of boninite magmas: Evidence from magmatic inclusions in highly magnesian olivine from lavas of southwestern Cyprus. *Petrology*, 4: 231-246.
- Portnyagin, M. V., Simakin, S. G. & Sobolev, A. V. (2002) Fluorine in primitive magmas of the Troodos Ophiolite complex, Cyprus: analytical methods and main results. *Geochemistry International*, 40: 625-632.
- Portnyagin, M. V. & Sobolev, A. V. (1993) The geochemical zoning of the Troodos Lava Complex, Cyprus. *Doklady Akademii Nauk*, 329: 352-356.
- Poster, C. K. (1973) Ultrasonic velocities in rocks from the Troodos Massif, Cyprus. *Nature - Physical Science*, 243: 2-3.
- Premoli Silva, I., Spezzaferri, S. & D'Angelantonio, A. (1998) Cretaceous foraminiferal bio-isotope stratigraphy of Hole 967E and Paleogene planktonic foraminiferal biostratigraphy of Hole 966F, Eastern Mediterranean, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program, College Station, Texas, U.S.A.*, 377-394.
- Prezerakos, N. G., Flocas, H. A. & Brikas, D. (2006) The role of the interaction between polar and subtropical jet in a case of depression rejuvenation over the eastern Mediterranean. *Meteorology and Atmospheric Physics*, 92: 139-151.
- Price, C., Michaelides, S., Pashiardis, S. & Alpert, P. (1999) Long term changes in diurnal temperature range in Cyprus. *Atmospheric Research*, 51: 85-98.
- Prichard, H. M. & Lord, R. A. (1990) Platinum and palladium in the Troodos Ophiolite Complex, Cyprus. *Canadian Mineralogist*, 28: 607-617.

Prichard, H. M. & Maliotis, G. (1998) Gold mineralization associated with low-temperature, off-axis, fluid activity in the Troodos Ophiolite, Cyprus. *Journal of the Geological Society*, 155: 223-231.

Principato, M. S., Crudeli, D., Ziveri, P., Slomp, C. P., Corselli, C., Erba, E. & de Lange, G. J. (2006) Phyto- and zooplankton paleofluxes during the deposition of sapropel S1 (eastern Mediterranean): Biogenic carbonate preservation and paleoecological implications. *Palaeogeography Palaeoclimatology Palaeoecology*, 235: 8-27.

Psarra, S., Zohary, T., Krom, M. D., Mantoura, R. F. C., Polychronaki, T., Stambler, N., Tanaka, T., Tselepidis, A. & Thingstad, T. F. (2005) Phytoplankton response to a Lagrangian phosphate addition in the Levantine Sea (eastern Mediterranean). *Deep-Sea Research II*, 52: 2944-2960.

Pujol, C. & Grazzini, C. V. (1995) Distribution patterns of live planktic foraminifers as related to regional hydrography and productive systems of the Mediterranean Sea. *Marine Micropaleontology*, 25: 187-217.

Pyatt, F. B. (2001) Copper and lead bioaccumulation by *Acacia retinoides* and *Eucalyptus torquata* in sites contaminated as a consequence of extensive ancient mining activities in Cyprus. *Ecotoxicology and Environmental Safety*, 50: 60-64.

Raber, P. A. (1989) Early copper production in the Polis region of Cyprus. *JOM - Journal of the Minerals Metals and Materials Society*, 41: 46-47.

Rabinowitz, N. & Steinberg, D. M. (1998) Aftershock decay of three recent strong earthquakes in the Levant. *Bulletin of the Seismological Society of America*, 88: 1580-1587.

Radionova, E. P. (1994) Diatoms in the Upper Cretaceous and Paleogene sediments of the Perapedhi Section (southern Cyprus), in Krasheninnikov, V. A. & Hall, J. K. (Eds.) *Geological structure of the northeastern Mediterranean (Cruise 5 of the Research Vessel 'Akademik Nikolaj Strakhov')*. Historical Productions-Hall, Jerusalem, Israel, 251-263.

Rautenschlein, M., Jenner, G. A., Hertogen, J., Hofmann, A. W., Kerrich, R., Schmincke, H. U. & White, W. M. (1985) Isotopic and trace-element composition of volcanic glasses from the Akaki Canyon, Cyprus: implications for the origin of the Troodos Ophiolite. *Earth and Planetary Science Letters*, 75: 369-383.

Ravizza, G., Blusztajn, J. & Prichard, H. M. (2001) Re-Os systematics and platinum-group element distribution in metalliferous sediments from the Troodos Ophiolite. *Earth and Planetary Science Letters*, 188: 369-381.

Ravizza, G., Sherrell, R. M., Field, M. P. & Pickett, E. A. (1999) Geochemistry of the Margi umbers, Cyprus, and the Os isotope composition of Cretaceous seawater. *Geology*, 27: 971-974.

Reed, F. R. C. (1933) Notes on the Neogene faunas of Cyprus. *Journal of Natural History*, 12: 225-244.

Reed, F. R. C. (1935a) Notes on the Neogene faunas of Cyprus, II. *Journal of Natural History*, 15: 1-31.

Reed, F. R. C. (1935b) Notes on the Neogene faunas of Cyprus, III; The Pliocene faunas. *Journal of Natural History*, 16: 489-524.

Reed, F. R. C. (1939) A Miocene limestone from Cyprus. *Geological Magazine*, 90: 310-311.

Reed, F. R. C. (1940) Some additional Pliocene fossils from Cyprus. *Journal of Natural History*, 6: 293-297.

Rees, A. F., Saad, A. & Jony, M. (2004) First record of a leatherback turtle in Syria. *Marine Turtle Newsletter*, 106: 13.

Reese, D. S. (1978) Molluscs from archaeological sites in Cyprus: "Kastros", Cape St Andreas, Cyprus, and other prebronze age Mediterranean sites. *Fisheries Bulletin of the Department of Fisheries (Cyprus)*, 5: 3-112.

Reese, D. S. (1993) Folklore and fossil bones - the pygmy mammals of Cyprus. *Terra Nova*, 5: 319-321.

Reeves, J. W. (1989) Use of soft rockfill at Evretou Dam, Cyprus: Discussion. *Geotechnique*, 39: 563-564.

Reilinger, R., McClusky, S., Vernant, P., Lawrence, S., Ergintav, S., Cakmak, R., Ozener, H., Kadirov, F., Guliev, I., Stepanyan, R., Nadariya, M., Hahubia, G., Mahmoud, S., Sakr, K., ArRajehi, A., Paradissis, D., Al-Aydrus, A., Prilepin, M., Guseva, T., Evren, E., Dmitrotsa, A., Filikov, S. V., Gomez, F., Al-Ghazzi, R. & Karam, G. (2006) GPS constraints on continental deformation in the Africa-Arabia-Eurasia continental collision zone and implications for the dynamics of plate interactions. *Journal of Geophysical Research - Solid Earth*, 111: B05411, doi:10.1029/2005JB004051.

Riad, S., Refai, E. & Ghalib, M. (1981) Bouguer anomalies and crustal structure in the eastern Mediterranean. *Tectonophysics*, 71: 253-266.

Ricchiuto, T. & McKenzie, J. (1978) Stable isotopic investigation of Messinian sulfate samples from DSDP Leg 42A, eastern Mediterranean Sea, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) *Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I*. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 657-660.

Rich, V. & Newmark, P. (1987) Soviets drill in Cyprus. *Nature*, 326: 429-429.

Richards, H. G., Cann, J. R. & Jensenius, J. (1989) Mineralogical zonation and metasomatism of the alteration pipes of Cyprus sulfide deposits. *Economic Geology and the Bulletin of the Society of Economic Geologists*, 84: 91-115.

Richardson, C. J., Cann, J. R., Richards, H. G. & Cowan, J. G. (1987) Metal-depleted root zones of the Troodos ore-forming hydrothermal systems, Cyprus. *Earth and Planetary Science Letters*, 84: 243-253.

Richter, C., Roberts, A. P., Stoner, J. S., Benning, L. D. & Chi, C. T. (1998) Magnetostratigraphy of Pliocene-Pleistocene sediments from the Eastern Mediterranean Sea, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program*, College Station, Texas, U.S.A., 61-74.

Robertson, A. (2004) Development of concepts concerning the genesis and emplacement of Tethyan ophiolites in the Eastern Mediterranean and Oman regions. *Earth-Science Reviews*, 66: 331-387.

Robertson, A., Unlugenc, O. C., Inan, N. & Tasli, K. (2004) The Misis-Andirin complex: a mid-tertiary melange related to late-stage subduction of the southern Neotethys in S Turkey. *Journal of Asian Earth Sciences*, 22: 413-453.

Robertson, A. H. F. (1975) Cyprus umbers: basalt-sediment relationships on a Mesozoic ocean ridge. *Journal of the Geological Society*, 131: 511-531.

Robertson, A. H. F. (1976a) Origins of ochres and umbers; evidence from Skouriotissa, Troodos Massif, Cyprus. *Transactions of the Institution of Mining and Metallurgy, Section B: Applied Earth Science*, 85: 245-251.

Robertson, A. H. F. (1976b) Pelagic chalks and calciturbidites from the lower Tertiary of the Troodos Massif, Cyprus. *Journal of Sedimentary Petrology*, 46: 1007-1016.

Robertson, A. H. F. (1977a) The Moni Melange, Cyprus; an olistostrome formed at a destructive plate margin. *Journal of the Geological Society*, 133: 447-466.

Robertson, A. H. F. (1977b) Tertiary uplift history of the Troodos Massif, Cyprus. *Geological Society of America Bulletin*, 88: 1763-1772.

Robertson, A. H. F. (1977c) The Kannaviou Formation, Cyprus; volcanoclastic sedimentation of a probable Late Cretaceous volcanic arc. *Journal of the Geological Society*, 134: 269-292.

Robertson, A. H. F. (1978a) Metallogenesis along a fossil oceanic fracture zone: Arakapas fault belt, Troodos Massif, Cyprus. *Earth and Planetary Science Letters*, 41: 317-329.

Robertson, A. H. F. (1978b) Diagenetic maturation of cherts from Cyprus. *International Congress on Sedimentology/Congres International de Sedimentologie*: 547-548.

Robertson, A. H. F. (1990) Tectonic evolution of Cyprus, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) *Ophiolites: oceanic crustal analogues. Proceedings of the symposium "Troodos 1987"*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 235-250.

Robertson, A. H. F. (1998a) Significance of lower Pliocene mass-flow deposits for the timing and process of collision of the Eratosthenes Seamount with the Cyprus active margin, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program*, College Station, Texas, U.S.A., 465-482.

Robertson, A. H. F. (1998b) Tectonic significance of the Eratosthenes Seamount: a continental fragment in the process of collision with a subduction zone in the eastern Mediterranean (Ocean Drilling Program Leg 160). *Tectonophysics*, 298: 63-82.

Robertson, A. H. F. (1998c) Late Miocene paleoenvironments and tectonic setting of the southern margin of Cyprus and the Eratosthenes Seamount, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program*, College Station, Texas, U.S.A., 453-464.

Robertson, A. H. F. (1998d) Lithofacies evidence for the Cretaceous-Paleogene sedimentary history of Eratosthenes Seamount, Eastern Mediterranean, in its regional tectonic context (Sites 966 and 967), in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program*, College Station, Texas, U.S.A., 403-418.

Robertson, A. H. F. (1998e) Miocene shallow-water carbonates on the Eratosthenes Seamount, easternmost Mediterranean Sea, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program*, College Station, Texas, U.S.A., 419-436.

Robertson, A. H. F. (1998f) Formation and destruction of the Eratosthenes Seamount, Eastern Mediterranean Sea, and implications for collisional processes, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program*, College Station, Texas, U.S.A., 681-700.

Robertson, A. H. F. (1998g) Mesozoic-Tertiary tectonic evolution of the easternmost Mediterranean area: integration of marine and land evidence, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program, College Station, Texas, U.S.A., 723-782.

Robertson, A. H. F. (2000) Tectonic evolution of Cyprus in its easternmost Mediterranean setting, in Panayides, I., Xenophontos, C. & Malpas, J. (Eds.) Proceedings of the Third International Conference on the Geology of the Eastern Mediterranean. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 11-44.

Robertson, A. H. F. (2002) Overview of the genesis and emplacement of Mesozoic ophiolites in the Eastern Mediterranean Tethyan region. *Lithos*, 65: 1-67.

Robertson, A. H. F. & C., X. (1997) Cyprus, in Moores, E. M. & Fairbridge, R. W. (Eds.) Encyclopedia of European and Asian regional geology. Chapman & Hall, London, U.K., 160-171.

Robertson, A. H. F., Clift, P. D., Degnan, P. J. & Jones, G. (1991) Paleogeographic and paleotectonic evolution of the eastern Mediterranean Neotethys. *Palaeogeography Palaeoclimatology Palaeoecology*, 87: 289-343.

Robertson, A. H. F., Eaton, S., Follows, E. J. & Payne, A. S. (1995a) Depositional processes and basin analysis of Messinian evaporites in Cyprus. *Terra Nova*, 7: 233-253.

Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) (1998) Proceedings of the Ocean Drilling Program Scientific Results, Volume 160 - Mediterranean I. Ocean Drilling Program, College Station, Texas, U.S.A., pp. 817.

Robertson, A. H. F. & Fleet, A. J. (1976a) The origins of rare earths in metalliferous sediments of the Troodos Massif, Cyprus. *Earth and Planetary Science Letters*, 28: 385-394.

Robertson, A. H. F. & Fleet, A. J. (1976b) The origins of rare earths in metalliferous sediments of the Troodos Massif, Cyprus; erratum [modified]. *Earth and Planetary Science Letters*, 29: 242.

Robertson, A. H. F. & Grasso, M. (1995) Overview of the Late Tertiary-Recent tectonic and palaeo-environmental development of the Mediterranean region. *Terra Nova*, 7: 114-127.

Robertson, A. H. F. & Hudson, J. D. (1973) Cyprus umbers: chemical precipitates on a Tethyan ocean ridge. *Earth and Planetary Science Letters*, 18: 93-101.

Robertson, A. H. F. & Hudson, J. D. (1974) Pelagic sediments in the Cretaceous and Tertiary history of the Troodos Massif, Cyprus. *Special Publication of the International Association of Sedimentologists*, 1: 403-436.

Robertson, A. H. F., Kidd, R. B., Ivanov, M. K., Limonov, A. F., Woodside, J. M., Galindo-Zaldivar, J. & Nieto, L. (1994) Probing continental collision in the Mediterranean Sea. *EOS, Transactions of the American Geophysical Union*, 75: 233, 239.

Robertson, A. H. F., Kidd, R. B., Ivanov, M. K., Limonov, A. F., Woodside, J. M., Galindo-Zaldivar, J. & Nieto, L. (1995b) Eratosthenes Seamount: collisional processes in the easternmost Mediterranean in relation to the Pliocene uplift of southern Cyprus. *Terra Nova*, 7: 254-264.

Robertson, A. H. F. & Woodcock, N. H. (1979) Mamonia Complex, Southwest Cyprus: evolution and emplacement of a Mesozoic continental margin. *Geological Society of America Bulletin*, 90: I 651-I 665.

Robertson, A. H. F. & Woodcock, N. H. (1980) Tectonic setting of the Troodos Massif in the East Mediterranean, in Panayiotou, A. (Ed.) *Ophiolites: Proceedings of the International Ophiolite Symposium, Cyprus 1979*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 36-49.

Robertson, A. H. F. & Woodcock, N. H. (1986) The role of the Kyrenia Range lineament, Cyprus, in the geological evolution of the eastern Mediterranean area. *Philosophical Transactions of the Royal Society of London, Series A: Mathematical and Physical Sciences*, 317: 141-177.

Robinson, A. R. & Malanotte-Rizzoli, P. (1984) Physical oceanography of the Eastern Mediterranean: an overview and research plan. *UNESCO Reports in Marine Science 30*. United Nations Educational, Scientific and Cultural Organization, Paris, France, pp. 30 (including introduction and appendices).

Robinson, A. R. & Malanotte-Rizzoli, P. (1985) Physical oceanography of the Eastern Mediterranean (POEM); a research programme. *UNESCO Reports in Marine Science 35*. United Nations Educational, Scientific and Cultural Organization, Paris, France, pp. 67.

Robinson, A. R. & Malanotte-Rizzoli, P. (1987) Physical oceanography of the Eastern Mediterranean (POEM): initial results. *UNESCO Reports in Marine Science 44*. United Nations Educational, Scientific and Cultural Organization, Paris, France, pp. 92.

Robinson, A. R. & Malanotte-Rizzoli, P. (1990) Physical oceanography of the Eastern Mediterranean (POEM): the intercalibrated POEM data set and the emerging picture of the circulation. UNESCO Reports in Marine Science 53. United Nations Educational, Scientific and Cultural Organization, Paris, France, pp. 27.

Robinson, A. R. & Malanotte-Rizzoli, P. (1991) Physical oceanography of the Eastern Mediterranean (POEM): The new phenomenology of the Eastern Mediterranean. UNESCO Reports in Marine Science 55. United Nations Educational, Scientific and Cultural Organization, Paris, France, pp. 22.

Robinson, A. R. & Malanotte-Rizzoli, P. (1992) Physical oceanography of the Eastern Mediterranean (POEM): the scientific plan for the second phase of POEM. UNESCO Reports in Marine Science 57. United Nations Educational, Scientific and Cultural Organization, Paris, France, pp. 27.

Robinson, A. R., Malanotte-Rizzoli, P., Hecht, A., Michelato, A., Roether, W., Theocharis, A., Ünlüata, Ü., Pinardi, N., Artegiani, A., Bishop, J., Brenner, S., Christianidis, S., Gacic, M., Georgopoulos, D., Golnaraghi, M., Hausmann, M., Junghaus, H.-G., Lascaratos, A., Latif, M. A., Leslie, W. G., Oğuz, T., Özsoy, E., Papageorgiou, E., Paschini, E., Rosentroub, Z., Sansone, E., Scarazzato, P., Schlitzer, R., Spezie, G.-C., Zodiatis, G., Athanassiadou, L., Gerges, M. & Osman, M. (1992a) General circulation of the eastern Mediterranean. *Earth-Science Reviews*, 32: 285-309.

Robinson, P. T. (1987) Holes CY-2 and CY-2a of the Cyprus Crustal Study Project: an outline of Objectives and Operations, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a. Geological Survey of Canada, Ottawa, Ontario, Canada, 1-17.

Robinson, P. T. (1989a) Hole CY-4 of the Cyprus crustal study project: background and objectives, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) Cyprus Crustal Study Project: initial report, hole CY-4. Geological Survey of Canada, Ottawa, Ontario, Canada, 1-4.

Robinson, P. T. (1989b) Cyprus crustal study project hole CY-4: lithologic unit summaries, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) Cyprus Crustal Study Project: initial report, hole CY-4. Geological Survey of Canada, Ottawa, Ontario, Canada, 5-29.

Robinson, P. T. (1992) Holes CY-1 and 1a of the Cyprus Crustal Study Project: Background and Objectives, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY -1 and 1a. Geological Survey of Canada, Ottawa, Ontario, Canada, 1-4.

Robinson, P. T. & Gibson, I. L. (1987a) Cyprus crustal study project, hole CY-2 lithologic unit summaries, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a. Geological Survey of Canada, Ottawa, Ontario, Canada, 39-44.

Robinson, P. T. & Gibson, I. L. (1987b) Cyprus crustal study project. Hole CY-2a lithologic unit summaries, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a. Geological Survey of Canada, Ottawa, Ontario, Canada, 45-55.

Robinson, P. T., Gibson, I. L. & Horne, L. V. B. (1992b) Cyprus Crustal Study Project Hole CY -1a: Lithologic Unit Summaries, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY -1 and 1a. Geological Survey of Canada, Ottawa, Ontario, Canada, 17-28.

Robinson, P. T., Gibson, I. L. & Horne, L. V. B. (1992c) Cyprus Crustal Study Project Hole CY-1: Lithologic Unit Summaries, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY -1 and 1a. Geological Survey of Canada, Ottawa, Ontario, Canada, 5-15.

Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) (1987) Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a. Geological Survey of Canada, Ottawa, Ontario, Canada, pp. 381.

Robinson, P. T. & Malpas, J. (1987) Geology and geophysics of the CY-2 and CY-2a boreholes, Cyprus crustal study, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a. Geological Survey of Canada, Ottawa, Ontario, Canada, 347-352.

Robinson, P. T. & Malpas, J. (1990) The Troodos Ophiolite of Cyprus: new perspectives on its origin and emplacement, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) Ophiolites: oceanic crustal analogues. Proceedings of the symposium "Troodos 1987". Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 13-26.

Robinson, P. T., Malpas, J. & Xenophontos, C. (2003) The Troodos Massif of Cyprus: Its role in the evolution of the ophiolite concept, in Dilek, Y. & Newcomb, S. (Eds.) Ophiolite Concept and the Evolution of Geological Thought. Geological Society of America Special Paper 373. Geological Society of America, Boulder, Colorado, U.S.A., 295-388.

Robinson, P. T., Melson, W. G., Ohearn, T. & Schmincke, H. U. (1983) Volcanic glass compositions of the Troodos Ophiolite, Cyprus. *Geology*, 11: 400-404.

Rocci, G. (1979) Excursion L - The Troodos sheeted complex, in Pantazis, T. M. (Ed.) Field excursion guidebook: International Ophiolite Symposium, Nicosia, Cyprus, 1-8 April, 1979. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 98-113.

Rocci, G., Baroz, F., Bebien, J., Desmet, A., Lapierre, H., Ohnenstetter, D., Ohnenstetter, M. & Parrot, J. F. (1980) The Mediterranean ophiolites and their related Mesozoic volcano-sedimentary sequences, in Panayiotou, A. (Ed.) Ophiolites: Proceedings of the International Ophiolite Symposium, Cyprus 1979. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 273-286.

Rocci, G. & Lapierre, H. (1969) Etude comparative des diverses manifestations du volcanisme preorogénique au sud de Chypre. Comparative study of various types of pre-orogenic volcanism in southern Cyprus. Schweizerische Mineralogische und Petrographische Mitteilungen/Bulletin Suisse de Mineralogie et Petrographie, 49: 31-46.

Rod, E. (1985) Model for the origin of the Troodos Massif, Cyprus, and other Mideast ophiolites: Comment. *Geology*, 13: 668-669.

Rommel, U. & Friedrichsen, H. (1984) Oxygen and hydrogen isotope studies of basalts of the Cy-Za drilling site, Troodos-Ophiolith Complex, Cyprus. *Fortschritte der Mineralogie*, 62: 198-199.

Rommel, U. & Friedrichsen, H. (1987) The alteration chemistry of CCSP hole CY-2a: a stable and radiogenic isotope study, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a. Geological Survey of Canada, Ottawa, Ontario, Canada, 169-181.

Ross, D. A. & Uchupi, E. (1977) Structure and sedimentary history of southeastern Mediterranean Sea-Nile cone area. *American Association of Petroleum Geologists Bulletin*, 61: 872-902.

Rouchy, J.-M. & Caruso, A. (2006) The Messinian salinity crisis in the Mediterranean basin: A reassessment of the data and an integrated scenario. *Sedimentary Geology*, 188-189: 35-67.

Rouchy, J.-M. & Monty, C. L. V. (1981) Stromatolites and cryptalgal laminites associated with Messinian gypsum of Cyprus, in Monty, C. L. V. (Ed.) Phanerozoic Stromatolites. Springer-Verlag, Berlin, Germany, 155-178.

Rouchy, J.-M., Orszag-Sperber, F., Bizon, G. & Bizon, J.-J. (1980) Mise en évidence d'une phase d'emersion finimessinienne dans le bassin de Pissouri (Chypre): une modalité de passage Miocène-Pliocène en Méditerranée orientale [Evidence of a late Messinian emersion phase in the Pissouri Basin (Cyprus): one aspect of the Miocene-Pliocene boundary in the eastern Mediterranean]. *Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences, Série IV: Sciences Naturelles*, 291: 729-732.

Rouchy, J.-M., Orszag-Sperber, F., Blanc-Valleron, M.-M., Pierre, C., Riviere, M., Combourieu-Nebout, N. & Panayides, I. (2001) Paleoenvironmental changes at the Messinian-Pliocene boundary in the eastern Mediterranean (southern Cyprus basins): significance of the Messinian Lago-Mare. *Sedimentary Geology*, 145: 93-117.

Rouchy, J.-M. & Pierre, C. (1979) Données sédimentologiques et isotopiques sur les gypses des séries évaporitiques messiniennes d'Espagne méridionale et de Chypre [Sedimentological and isotope data on gypsum from the Messinian evaporite series in southern Spain and Cyprus]. *Revue de Géographie Physique et de Géologie Dynamique*, 21: 267-280.

Rouchy, J.-M., Suc, J.-P., Ferrandini, J. & Ferrandini, M. (2006) The Messinian Salinity Crisis revisited. *Sedimentary Geology*, 188-189: 1-8.

Rudy, G. & Knudsen, J. (1972) Cephalopoda from the eastern Mediterranean. *Israel Journal of Zoology*, 21: 83-97.

Russell, M. J., Hall, A. J., Boyce, A. J. & Fallick, A. E. (2005) 100th anniversary special paper: on hydrothermal convection systems and the emergence of life. *Economic Geology and the Bulletin of the Society of Economic Geologists*, 100: 419-438.

Russo, A. R. (1997) Epifauna living on sublittoral seaweeds around Cyprus. *Hydrobiologia*, 344: 169-179.

Rybakov, M. & Al-Zoubi, A. (2005) Bouguer gravity map of the Levant – a new compilation, in Hall, J. K., Krasheninnikov, V. A., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) Geological framework of the Levant, Volume II: the Levantine Basin and Israel. Historical Productions-Hall, Jerusalem, Israel, 539-542.

Rybakov, M., Gardosh, M. A. & Ben-Avraham, Z. (2005) New look at the region of Eratosthenes Seamount as revealed by gravity and magnetic data, in Hall, J. K., Krasheninnikov, V. A., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) Geological framework of the Levant, Volume II: the Levantine Basin and Israel. Historical Productions-Hall, Jerusalem, Israel, 687-699.

Rybakov, M. & Segev, A. (2004) Top of the crystalline basement in the Levant. *Geochemistry Geophysics Geosystems*, 5: Q09001, DOI 10.1029/2004GC000690.

Rybakov, M. & Segev, A. (2005) Depth to crystalline basement in the Middle East with emphasis on Israel and Jordan, in Hall, J. K., Krasheninnikov, V. A., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) Geological framework of the Levant, Volume II: the Levantine Basin and Israel. Historical Productions-Hall, Jerusalem, Israel, 543-552.

Ryley, C. C. (1987) Multielement taxonomy, biostratigraphy, and paleoecology of late Triassic conodonts from the Mamonia complex, southwestern Cyprus. M.Sc. Thesis, Memorial University of Newfoundland, Canada.

Sakamoto, T., Janecek, T. & Emeis, K.-C. (1998) Continuous sedimentary sequences from the eastern Mediterranean Sea: composite depth sections, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program, College Station, Texas, U.S.A., 37-60.

Sakiti, N., Tarer, V., Jacquemin, D. & Marques, A. (1996) Presence in western Mediterranean waters of an histozoic and pathogenic myxosporean at a sea bream (*Sparus aurata* L) fish farm. *Annales des Sciences Naturelles - Zoologie et Biologie Animale*, 17: 123-127.

Salamon, A., Hofstetter, A., Garfunkel, Z. & Ron, H. (2003) Seismotectonics of the Sinai subplate - the eastern Mediterranean region. *Geophysical Journal International*, 155: 149-173.

Salas, C. & Woodside, J. (2002) *Lucinoma kazani* n. sp (Mollusca: Bivalvia): evidence of a living benthic community associated with a cold seep in the eastern Mediterranean Sea. *Deep-Sea Research I*, 49: 991-1005.

Salihoglu, I., Saydam, C., Bastuerk, O., Yilmaz, K., Goecmen, D., Hatipoglu, E. & Yilmaz, A. (1990) Transport and distribution of nutrients and chlorophyll-a by mesoscale eddies in the northeastern Mediterranean. *Marine Chemistry*, 29: 375-390.

Salisbury, M. H., Christensen, N. I., Vine, F. J., Smith, G. C. & Eleftheriou, S. (1989) Geophysical structure of the Troodos Ophiolite from downhole logging, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) Cyprus Crustal Study Project: initial report, hole CY-4. Geological Survey of Canada, Ottawa, Ontario, Canada, 331-349.

Salman, A., Katagan, T. & Benli, H. A. (1998) On the cephalopod fauna of northern Cyprus. *Israel Journal of Zoology*, 44: 47-51.

Sanfilippo, A., Caulet, J.-P. & Riedel, W. R. (1978) Radiolaria from Mediterranean sediments, DSDP Leg 42A, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 753-760.

Sanfilippo, A., Hakyemez, A. & Tekin, U. K. (2003) Biostratigraphy of Late Paleocene-Middle Eocene radiolarians and foraminifera from Cyprus. *Micropaleontology*, 49: 47-64.

Sarrou, I. & Pashalidis, I. (2003) Radon levels in Cyprus. *Journal of Environmental Radioactivity*, 68: 269-277.

Schiffman, P., Bettison, L. A. & Smith, B. M. (1990) Mineralogy and geochemistry of epidiosites from the Solea Graben, Troodos ophiolite, Cyprus, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) Ophiolites: oceanic crustal analogues. Proceedings of the symposium "Troodos 1987". Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 673-684.

Schiffman, P. & Smith, B. M. (1988) Petrology and oxygen isotope geochemistry of a fossil seawater hydrothermal system within the Solea Graben, northern Troodos ophiolite, Cyprus. *Journal of Geophysical Research - Solid Earth and Planets*, 93: 4612-4624.

Schirmer, W. (2000) Neogene submarine relief and Troodos uplift in southeastern Cyprus, in Panayides, I., Xenophontos, C. & Malpas, J. (Eds.) Proceedings of the Third International Conference on the Geology of the Eastern Mediterranean. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 125-134.

Schizas, C. N., Michaelides, S. C. & Pattichis, C. S. (1994) Forecasting Minimum Temperature with short time-length Data using Artificial Neural Networks. *Neural Network World*, 4: 219-230.

Schizas, C. N., Michaelides, S. C., Pattichis, C. S. & Livesay, R. R. (1991) Artificial neural networks in forecasting minimum temperature, in Engineers, I. o. E. (Ed.) Second International Conference on Artificial Neural Networks. Conference Publication No. 349. Institution of Electrical Engineers, London, U.K., 112-114.

Schmidt-Eisenlohr, W. F. (1977) Zypern: Über neuere geologische Untersuchungen, vor allem des Troodos. [Cyprus: recent geological investigations especially on Troodos]. *Berichte der Naturforschenden Gesellschaft zu Freiburg im Breisgau*, 67: 307-324.

Schmidtler, J. F. (1984) Report on the present situation of the amphibians and hydrophile reptiles in Cyprus. *Salamandra*, 20: 43-49.

Schmincke, H. U. & Bednarz, U. (1990) Pillow, sheet flow and breccia flow volcanoes and volcano-tectonic hydrothermal cycles in the extrusive series of the northeastern Troodos Ophiolite, Cyprus, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) Ophiolites: oceanic crustal analogues. Proceedings of the symposium "Troodos 1987". Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 185-206.

Schmincke, H. U., Rautenschlein, M., Robinson, P. T. & Mehegan, J. M. (1983) Troodos extrusive series of Cyprus: a comparison with oceanic crust. *Geology*, 11: 405-409.

Schmincke, H. U., Robinson, P. T. & Rautenschlein, M. (1982) Geochemical and vulcanological development of the extrusive crust, Troodos Ophiolite, Cyprus. *Fortschritte der Mineralogie*, 60: 191-192.

Schoenharting, G. (1987) Magnetic properties variation at the upper boundary of the Agrokipia "B" ore deposit, Troodos ophiolite, Cyprus, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) *Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a*. Geological Survey of Canada, Ottawa, Ontario, Canada, 261-265.

Schofield, G., Katselidis, K. & Hoff, S. (2001) Eastern Mediterranean "holiday hotspots" versus sea turtle "nesting hotspots". *Marine Turtle Newsletter*: 12-13.

Schouten, H. & Denham, C. R. (2001) Comparison of volcanic construction in the Troodos Ophiolite and oceanic crust using paleomagnetic inclinations from Cyprus Crustal Study Project (CCSP) CY-1 and CY-1A and Ocean Drilling Program (ODP) 504B drill cores, in Nicolas, A., Elthon, D., Moores, E. & Dilek, Y. (Eds.) *Ophiolites and Oceanic Crust: New Insights from Field Studies and the Ocean Drilling Program*. Geological Society of America, Boulder, Colorado, U.S.A., 181-194.

Schouten, H. & Kelemen, P. B. (2002) Melt viscosity, temperature and transport processes, Troodos Ophiolite, Cyprus. *Earth and Planetary Science Letters*, 201: 337-352.

Schule, W. (1993) Mammals, vegetation and the initial human settlement of the Mediterranean islands: a paleoecological approach. *Journal of Biogeography*, 20: 399-412.

Schumakov, I. S. (1977) To the characteristic of the Messinian in the east Mediterranean. *Rapports et Proces Verbaux des Reunions - Commission Internationale pour l'Exploration Scientifique de la Mer Mediterranee*, 24: 105-106.

Searle, D. L. (1969) The structural geology of the volcanic rocks south of Aradhiou and Politiko. *Bulletin of the Geological Survey Department of Cyprus*, 2: 1-18.

Searle, D. L. (1972) Mode of occurrence of the cupriferous pyrite deposits of Cyprus. *Transactions of the Institution of Mining and Metallurgy, Section B: Applied Earth Science*, 81: B189-B197.

Searle, D. L. (1973) Mode of occurrence of the cupriferous pyrite deposits of Cyprus [discussion]. *Transactions of the Institution of Mining and Metallurgy, Section B: Applied Earth Science*, 82: B68-B75.

Searle, D. L. & Panayiotou, A. (1980) Structural implications in the evolution of the Troodos Massif, Cyprus, in Panayiotou, A. (Ed.) *Ophiolites: Proceedings of the International Ophiolite Symposium, Cyprus 1979*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 50-60.

Searle, D. L. & Vokes, F. M. (1969) Layered ultrabasic lavas from Cyprus. *Geological Magazine*, 106: 515-530.

Sezai, I. & Tasdemiroglu, E. (1995) Evaluation of the meteorological data in northern Cyprus. *Energy Conversion and Management*, 36: 953-961.

Shalev, S., Kahanov, Y. & Doherty, C. (1999) Nails from a 2,400 year old shipwreck: A study of copper in a marine archaeological environment. *JOM - Journal of the Minerals Metals and Materials Society*, 51: 14-+.

Shaw, H. F. & Bush, P. R. (1978) The mineralogy and geochemistry of the recent surface sediments of the Cilicia Basin, northeast Mediterranean. *Marine Geology*, 27: 115-136.

Shay-El, Y. & Alpert, P. (1991) A diagnostic study of winter diabatic heating in the Mediterranean in relation to cyclones. *Quarterly Journal of the Royal Meteorological Society*, 117: 715-747.

Shayel, Y. & Alpert, P. (1991) A diagnostic study of winter diabatic heating In the Mediterranean in relation to cyclones. *Quarterly Journal of the Royal Meteorological Society*, 117: 715-747.

Shekarchi, E. (1976) The mineral industry of Cyprus. *Minerals Yearbook, 1973, Vol. 3*: 253-258.

Shekarchi, E. (1977) The mineral industry of Cyprus. *Minerals Yearbook, 1974, Vol. 3*: 277-281.

Shelton, A. W. & Gass, I. G. (1980) Rotation of the Cyprus Microplate, in Panayiotou, A. (Ed.) *Ophiolites: Proceedings of the International Ophiolite Symposium, Cyprus 1979*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 61-65.

Shock, E. L. (1992) Chemical environments of submarine hydrothermal systems. *Origins of Life and Evolution of the Biosphere*, 22: 67-107.

Sigl, W. (1978) Carbon and nitrogen analyses, Leg 42A samples, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) *Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I*. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 1221-1224.

Sigl, W., Chamley, H., Fabricius, F. H., d'Argoud, G. G. & Müller, J. (1978) Sedimentology and environmental conditions of sapropels, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M.

B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 445-465.

Silant'ev, S. A., Portnyagin, M. V., Basylev, B. A., Bragin, N. Y., Krylov, K. A. & Bragina, L. G. (2005a) Igneous, metamorphic and sedimentary rocks of the Mamonia Complex (structural allochthon), in Krasheninnikov, V. A., Hall, J. K., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) Geological framework of the Levant, Volume I: Cyprus and Syria. Historical Productions-Hall, Jerusalem, Israel, 55-100.

Silant'ev, S. A., Portnyagin, M. V., Bragin, N. Y., Kaleda, K. G., Krylov, K. A. & Bragina, L. G. (2005b) The Troodos Ophiolite Complex (structural para-autochthon), in Krasheninnikov, V. A., Hall, J. K., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) Geological framework of the Levant, Volume I: Cyprus and Syria. Historical Productions-Hall, Jerusalem, Israel, 7-54.

Simmons, A. H. (1988) Extinct pygmy hippopotamus and early man in Cyprus. *Nature*, 333: 554-557.

Simmons, A. H. (1992) Early hippopotamus hunters in Cyprus. *Recherche*, 23: 1318-1320.

Simmons, A. H. (1993) Early Cypriots and extinct pygmy hippopotami. *Research and Exploration*, 9: 123-125.

Simonian, K. (1979) Excursion K - Arakapas fault belt, in Pantazis, T. M. (Ed.) Field excursion guidebook: International Ophiolite Symposium, Nicosia, Cyprus, 1-8 April, 1979. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 94-97.

Simonian, K. O. & Gass, I. G. (1978) Arakapas fault belt, Cyprus; a fossil transform fault. *Geological Society of America Bulletin*, 89: 1220-1230.

Singer, D. A. (1986) Descriptive model of Cyprus massive sulfide, in Cox, D. P. & Singer, D. A. (Eds.) Mineral deposit models: U.S. Geological Survey Bulletin 1693. United States Geological Survey, Denver, Colorado, 131-133.

Siokou-Frangou, I., Christou, E. D., Fragopoulou, N. & Mazzocchi, M. G. (1997) Mesozooplankton distribution from Sicily to Cyprus (eastern Mediterranean): 2. Copepod assemblages. *Oceanologica Acta*, 20: 537-548.

Smewing, J. D. (1979) Excursion D - The Troodos pillow lava series (Aredhiou - Ayios Epiphaniou area), in Pantazis, T. M. (Ed.) Field excursion guidebook: International Ophiolite Symposium, Nicosia, Cyprus, 1-8 April, 1979. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 31-38.

Smewing, J. D. & Potts, P. J. (1976) Rare-earth abundances in basalts and metabasalts from the Troodos Massif, Cyprus. *Contributions to Mineralogy and Petrology*, 57: 245-257.

Smewing, J. D., Simonian, K. O. & Gass, I. G. (1975) Metabasalts from the Troodos Massif, Cyprus: genetic implication deduced from petrography and trace element geochemistry. *Contributions to Mineralogy and Petrology*, 51: 49-64.

Smith, B., Hutchins, M. G., Powell, J. H., Talbot, D., Trick, J. K., Gedeon, R., Amro, H., Kilani, S., Constantinou, G., Afrodisis, S. & Constantinou, C. (2000) The distribution of natural radioelements in ground waters and post-Cretaceous sediments from the southern Mediterranean margin, in Panayides, I., Xenophontos, C. & Malpas, J. (Eds.) Proceedings of the Third International Conference on the Geology of the Eastern Mediterranean. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 355-363.

Smith, C. G. (1985) Holiday weather: Greece and Cyprus. *Weather*, 40: 116-118.

Smith, G. C. & Vine, F. J. (1983) Geophysical studies of a massive sulfide ore-body in the Troodos Massif, Cyprus. *Geophysical Journal of The Royal Astronomical Society*, 73: 302-302.

Smith, G. C. & Vine, F. J. (1984) Physical property data from ICRDG Drill Hole Cy-1, Akaki Canyon, Cyprus. *Geophysical Journal of The Royal Astronomical Society*, 77: 298-298.

Smith, G. C. & Vine, F. J. (1985a) Seismic velocities in basalts from ICRDG drillholes Cy-2 and Cy-2a at Agrokipia Mines, Cyprus. *Geophysical Journal of The Royal Astronomical Society*, 81: 337-338.

Smith, G. C. & Vine, F. J. (1985b) The electrical-conductivity of basalts from ICRDG drillholes Cy-2 and Cy-2a at Agrokipia Mines, Cyprus. *Geophysical Journal of The Royal Astronomical Society*, 81: 331-332.

Smith, G. C. & Vine, F. J. (1987a) Seismic velocities in basalts from CCSP drill holes CY-2 and CY-2a at Agrokipia mines, Cyprus, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a. Geological Survey of Canada, Ottawa, Ontario, Canada, 295-306.

Smith, G. C. & Vine, F. J. (1987b) Gravity and magnetic studies of the Agrokipia sulphide orebodies, Cyprus, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a. Geological Survey of Canada, Ottawa, Ontario, Canada, 327-337.

Smith, G. C. & Vine, F. J. (1987c) Electrical conductivity of basalts from CCSP drill holes CY-2 and CY-2a at Agrokipia mines, Cyprus, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a. Geological Survey of Canada, Ottawa, Ontario, Canada, 339-346.

Smith, G. C. & Vine, F. J. (1989) The physical properties of diabases, gabbros and ultramafic rocks from C.c.s.p. drill hole CY-4 at Palekchori, Cyprus, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) Cyprus Crustal Study Project: initial report, hole CY-4. Geological Survey of Canada, Ottawa, Ontario, Canada, 295-314.

Smith, G. C. & Vine, F. J. (1992) The Physical Properties of Basalts From Ccsp Drillholes CY-1 and CY-1a, Akaki Canyon, Cyprus, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY -1 and 1a. Geological Survey of Canada, Ottawa, Ontario, Canada, 217-232.

Smith, H. J. (1994) The boron isotopic composition of oceanic crust. Ph.D. Dissertation, University of California San Diego, U.S.A.

Smith, H. J., Spivack, A. J., Staudigel, H. & Hart, S. R. (1995) The boron isotopic composition of altered oceanic crust. *Chemical Geology*, 126: 119-135.

Smith, S. G. (1977) Diapiric structures in the eastern Mediterranean Cilicia basin. *Geology*, 5: 705-707.

Smriglio, C., Mariottini, P. & Buzzurro, G. (1997) The Trivia spongicola complex, with the description of a new species (Caenogastropoda; Triviidae). *Bollettino Malacologico*, 33: 161-168.

Snoek, W., Plimer, I. R. & Reeves, S. (1999) Application of Pb isotope geochemistry to the study of the corrosion products of archaeological artefacts to constrain provenance. *Journal of Geochemical Exploration*, 66: 421-425.

Sobolev, A. V. & Batanova, V. G. (1995) Mantle lherzolites of the Troodos Ophiolite Complex, Cyprus: clinopyroxene geochemistry. *Petrology*, 3: 440-448.

Sobolev, A. V., Dmitriev, L. V., Tsameryan, O. P., Kononkova, N. N. & Robinson, P. T. (1992) A Possible Primary Melt Composition For the Ultramafic Lavas of the Margi Area, Troodos Ophiolite, Cyprus, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) Cyprus Crustal Study Project: Initial Report, Holes CY -1 and 1a. Geological Survey of Canada, Ottawa, Ontario, Canada, 203-216.

Sobolev, A. V., Migdisov, A. A. & Portnyagin, M. V. (1996) Incompatible element partitioning between clinopyroxene and basalt liquid revealed by the study of melt inclusions in minerals from Troodos lavas, Cyprus. *Petrology*, 4: 307-317.

Sobolev, A. V., Tsameryan, O. P., Dmitriev, L. V. & Kononkova, N. N. (1986) Water-containing komatiites as a new type of komatiite melts and the origin of ultrabasic lavas of the Troodos Massif (Cyprus). *Doklady Akademii Nauk*, 286: 422-425.

Sobolev, A. V., Tsameryan, O. P., Portnyagin, M. V., Kamenetsky, V. S., Danyushevsky, L. V., Dmitriev, L. V. & Joron, J. L. (1993) Ultramafic magmas of Troodos Ophiolite Massif (Cyprus Island) - geochemistry and mineralogy. *Geokhimiya*: 189-207.

Sobolev, N. V., Snyder, G. A., Taylor, L. A., Keller, R. A., Yefimova, E. S., Sobolev, V. N. & Shimizu, N. (1998) Extreme chemical diversity in the mantle during eclogitic diamond formation: Evidence from 35 garnet and 5 pyroxene inclusions in a single diamond. *International Geology Review*, 40: 567-578.

Soler, E., Bernard, A. J. & Nesteroff, W. D. (1982) Sulfidic hydrothermal activity on marine ridges: a comparison between modern (EPR, 21o N) and ancient (Cyprus) deposits. *Oceanologica Acta*, 5: 105-120.

Solomon, M. & Walshe, J. L. (1979) The formation of massive sulfide deposits on the sea floor. *Economic Geology and the Bulletin of the Society of Economic Geologists*, 74: 797-813.

Sonnenfeld, P., Hudec, P. P. & Dermitsakis, M. (1981) Provenance of Messinian clastics along the north rim of Mediterranean basins. *Rapports et Proces Verbaux des Reunions - Commission Internationale pour l'Exploration Scientifique de la Mer Mediterranee*, 27: 81.

Spezzaferri, S., Cita, M. B. & McKenzie, J. A. (1998) The Miocene/Pliocene boundary in the Eastern Mediterranean: results from Sites 967 and 969, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program, College Station, Texas, U.S.A.*, 9-28.

Spezzaferri, S. & Spiegler, D. (1998) Pliocene and Pleistocene biostratigraphy of *Bachmayerella tenuis* and *Incertae sedis*, forma A, Eastern Mediterranean, Holes 965A, 966A, 967A, and 969A, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program, College Station, Texas, U.S.A.*, 125-136.

Spivack, A. J. & Staudigel, H. (1994) Low-temperature alteration of the upper oceanic crust and the alkalinity budget of seawater. *Chemical Geology*, 115: 239-247.

Spooner, E. T. C. (1980) Cu-pyrite mineralization and seawater convection in oceanic crust: the ophiolitic ore deposits of Cyprus, in Strangway, D. W. (Ed.) *The continental crust and its mineral deposits. Special Paper no. 20. Geological Association of Canada, Toronto, Ontario, Canada*, 685-704.

Spooner, E. T. C. (1981) The ophiolitic volcanogenic sulphide ore deposits of Cyprus and Oman: consequence of sea-water convection in oceanic crust. *CIM Bulletin*, 74: 30-31.

Spooner, E. T. C., Beckinsale, R. D., Fyfe, W. S. & Smewing, J. D. (1974) O18-enriched ophiolitic metabasic rocks from E. Liguria (Italy), Pindos (Greece), and Troodos (Cyprus). *Contributions to Mineralogy and Petrology*, 47: 41-62.

Spooner, E. T. C. & Bray, C. J. (1977) Hydrothermal fluids of seawater salinity in ophiolitic sulphide ore deposits in Cyprus. *Nature*, 266: 808-812.

Spooner, E. T. C., Bray, C. J. & Chapman, H. J. (1977a) A sea water source for the hydrothermal fluid which formed the ophiolitic cupriferous pyrite ore deposits of the Troodos Massif, Cyprus. *Journal of the Geological Society*, 134: 395.

Spooner, E. T. C., Chapman, H. J. & Smewing, J. D. (1977b) Strontium isotopic contamination and oxidation during ocean floor hydrothermal metamorphism of the ophiolitic rocks of the Troodos Massif, Cyprus. *Geochimica et Cosmochimica Acta*, 41: 873-890.

Spooner, E. T. C. & Gale, N. H. (1982a) Pb isotopic composition of ophiolitic volcanogenic sulfide deposits, Troodos Complex, Cyprus. *Nature*, 296: 239-242.

Spooner, E. T. C. & Gale, N. H. (1982b) The lead and strontium isotope geochemistry of metalliferous sediments associated with upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman - Reply. *Canadian Journal of Earth Sciences/Revue Canadienne des Sciences de la Terre*, 19: 1715-1719.

Spray, J. G. & Roddick, J. C. (1981) Evidence for Upper Cretaceous transform-fault metamorphism in west Cyprus. *Earth and Planetary Science Letters*, 55: 273-291.

Staerker, T. S. (1998a) Quantitative calcareous nannofossil biostratigraphy of Pliocene and Pleistocene sediments from the Eratosthenes Seamount region in the Eastern Mediterranean, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program*, College Station, Texas, U.S.A., 83-98.

Staerker, T. S. (1998b) Data report: Biostratigraphy of Eocene and Upper Cretaceous chalks from the Eratosthenes Seamount region in the Eastern Mediterranean, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program*, College Station, Texas, U.S.A., 395-402.

Staudigel, H., Davies, G. R., Hart, S. R., Marchant, K. M. & Smith, B. M. (1995) Large-scale isotopic Sr, Nd And O isotopic anatomy of altered oceanic-crust - DSDP/ODP Sites-417/418. *Earth and Planetary Science Letters*, 130: 169-185.

Staudigel, H., Gee, J., Tauxe, L. & Varga, R. J. (1992) Shallow intrusive directions of sheeted dikes in the Troodos Ophiolite: anisotropy of magnetic susceptibility and structural data. *Geology*, 20: 841-844.

Staudigel, H., Gillis, K. & Duncan, R. (1986) K/Ar and Rb/Sr ages of celadonites from the Troodos Ophiolite, Cyprus. *Geology*, 14: 72-75.

Staudigel, H. & Gillis, K. M. (1990) The timing of hydrothermal alteration in the Troodos Ophiolite, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) *Ophiolites: oceanic crustal analogues. Proceedings of the symposium "Troodos 1987"*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 665-672.

Steinitz, H. (1952) Notes on fishes from Cyprus. *Bulletin de l'Institut Océanographique No. 1004. L'Institut Océanographique de Monaco, Monaco*, pp. 12.

Stevens, J. E. (1995) Comparison of dikes and screen units within the transition zone from extrusives to sheeted dikes of the Troodos Ophiolite, Cyprus. B.Sc. Thesis, Dalhousie University, Canada.

Stillman, C. J. (1989) Some dyke-Gabbro relationships in the Troodos Ophiolite, Cyprus, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) *Cyprus Crustal Study Project: initial report, hole CY-4. Geological Survey of Canada, Ottawa, Ontario, Canada*, 107-113.

Stiros, S. C. (2001) The AD 365 Crete earthquake and possible seismic clustering during the fourth to sixth centuries AD in the Eastern Mediterranean: a review of historical and archaeological data. *Journal of Structural Geology*, 23: 545-562.

Stoner, J. S., Richter, C. & Roberts, A. P. (1998) Data Report: High-resolution study of magnetic properties of sapropel-bearing sediments from Sites 966, 967, and 969, Eastern Mediterranean Sea, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program*, College Station, Texas, U.S.A., 75-82.

Stow, D. A. V., Braakenburg, N. E. & Xenophontos, C. (1995) The Pissouri Basin fan-delta complex, southwestern Cyprus. *Sedimentary Geology*, 98: 245-262.

Stow, D. A. V., Faugeres, J. C., Viana, A. & Gonthier, E. (1998) Fossil contourites: a critical review. *Sedimentary Geology*, 115: 3-31.

Strachan, P. H., Smith, R. C., Hamilton, D. A. B., Taylor, A. C. & Atkinson, R. J. A. (1999) Studies on the ecology and behaviour of the ghost crab, *Ocypode cursor* (L.) in northern Cyprus. *Scientia Marina*, 63: 51-60.

Stride, A. H., Belderson, R. H., Kenyon, N. H. & Robertson, A. H. F. (1977) Evolving miogeanticlines of the East Mediterranean (Hellenic, Calabrian and Cyprus outer ridges). *Philosophical Transactions of the Royal Society of London, Series A: Mathematical and Physical Sciences*, 284: 255-285.

Subbarao, K. V. & Chandrasekharam, D. (1976) Some comments on the origin of the Troodos Massif, Cyprus. *Neues Jahrbuch für Mineralogie - Monatshefte*, 1976 8: 379-387.

Sunkel, G., Bednarz, U. & Schmincke, H.-U. (1987) The basaltic andesite-andesite and the andesite-dasite series from the ICRDG drill holes CY-2 and CY-2a. II. alteration, in Robinson, P. T., Gibson, I. L. & Panayiotou, A. (Eds.) *Cyprus Crustal Study Project: Initial Report, Holes CY-2 and 2a*. Geological Survey of Canada, Ottawa, Ontario, Canada, 205-219.

Swarbrick, R. E. (1980) The Mamonia Complex of S.W. Cyprus; a Mesozoic continental margin and its relationship to the Troodos Complex, in Panayiotou, A. (Ed.) *Ophiolites: Proceedings of the International Ophiolite Symposium, Cyprus 1979*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 86-92.

Swarbrick, R. E. (1993) Sinistral strike-slip and transpressional tectonics in an ancient oceanic setting: the Mamonia Complex, southwest Cyprus. *Journal of the Geological Society*, 150: 381-392.

Swarbrick, R. E. & Naylor, M. A. (1980) The Kathikas Melange, SW Cyprus: Late Cretaceous submarine debris flows. *Sedimentology*, 27: 63-78.

Swarbrick, R. E. & Robertson, A. H. F. (1980) Revised stratigraphy of the Mesozoic rocks of southern Cyprus. *Geological Magazine*, 117: 547-563.

Tadjiki, S. & Erten, H. N. (1994) Radiochronology of sediments from the Mediterranean Sea using natural Pb-210 and fallout Cs-137. *Journal of Radioanalytical and Nuclear Chemistry*, 181: 447-459.

Tamari, M. (1943) Sulfur springs of Cyprus. *Nature*, 152: 277-278.

Tandogdu, Y. & Camgoz, O. (1999) An experimental approach for estimating evapotranspiration. *CIM Bulletin*, 92: 55-60.

Tarney, J. & Marsh, N. G. (1992) Major and Trace Element Geochemistry of Holes CY-1 and CY-4: Implications For Petrogenetic Models, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) *Cyprus Crustal Study Project: Initial Report, Holes CY -1 and 1a*. Geological Survey of Canada, Ottawa, Ontario, Canada, 133-175.

Tartaglione, N., Mariani, S., Accadia, C., Speranza, A. & Casaioli, M. (2005) Comparison of rain gauge observations with modeled precipitation over Cyprus using Contiguous Rain Area analysis. *Atmospheric Chemistry and Physics*, 5: 2147-2154.

Tauxe, L. & Staudigel, H. (2004) Strength of the geomagnetic field in the Cretaceous Normal Superchron: New data from submarine basaltic glass of the Troodos Ophiolite. *Geochemistry Geophysics Geosystems*, 5: Q02H06, doi:10.1029/2003GC000635.

Taylor, R. N. (1987) Stratigraphy, geochemistry and petrogenesis of the Troodos extrusive sequence, Cyprus. Ph.D. Dissertation, University of Southampton, U.K.

Taylor, R. N. (1990) Geochemical stratigraphy of the Troodos extrusive sequence: temporal developments of a spreading centre magma chamber, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) *Ophiolites: oceanic crustal analogues. Proceedings of the symposium "Troodos 1987"*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 173-183.

Taylor, R. N. & Nesbitt, R. W. (1988) Light rare-earth enrichment of supra subduction-zone mantle: evidence from the Troodos Ophiolite, Cyprus. *Geology*, 16: 448-451.

ten Veen, J. H. (2004) Extension of Hellenic forearc shear zones in SW Turkey: the Pliocene-Quaternary deformation of the Esen Cay basin. *Journal of Geodynamics*, 37: 181-204.

ten Veen, J. H., Woodside, J. M., Zitter, T. A. C., Dumont, J. F., Mascle, J. & Volkonskaia, A. (2004) Neotectonic evolution of the Anaximander Mountains at the junction of the Hellenic and Cyprus arcs. *Tectonophysics*, 391: 35-65.

Terezopoulos, N. G. (1987) Ground control with use of cemented hydraulic fill at Kokkinorotsos Chrome Mine, Cyprus. *Transactions of the Institution of Mining and Metallurgy, Section A: Mining Industry*, 96: A41-A46.

Thalhammer, O., Stumpf, E. F. & Panayiotou, A. (1986) Postmagmatic, hydrothermal origin of sulfide and arsenide mineralizations at Limassol Forest, Cyprus. *Mineralium Deposita*, 21: 95-105.

Thingstad, T. F. (2005) Simulating the response to phosphate additions in the oligotrophic eastern Mediterranean using an idealized four-member microbial food web model. *Deep-Sea Research II*, 52: 3074-3089.

Thingstad, T. F., Krom, M. D., Mantoura, R. F. C., Flaten, G. A. F., Groom, S., Herut, B., Kress, N., Law, C. S., Pasternak, A., Pitta, P., Psarra, S., Rassoulzadegan, F., Tanaka, T., Tselepidis, A., Wassmann, P., Woodward, E. M. S., Riser, C. W., Zodiatis, G. & Zohary, T. (2005) Nature of phosphorus limitation in the ultraoligotrophic eastern Mediterranean. *Science*, 309: 1068-1071.

Thingstad, T. F. & Mantoura, R. F. C. (2005) Titrating excess nitrogen content of phosphorous-deficient eastern Mediterranean surface water using alkaline phosphatase activity as a bio-indicator. *Limnology and Oceanography Methods*, 3: 94-100.

Thirgood, J. V. (1971) The Mediterranean forest: A study in regression and rehabilitation with special reference to the island of Cyprus. Ph.D. Dissertation, State University of New York College of Environmental Science and Forestry, U.S.A.

Thorpe, R. I. (1982) The lead and strontium isotope geochemistry of metalliferous sediments associated with upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman - Discussion. *Canadian Journal of Earth Sciences/Revue Canadienne des Sciences de la Terre*, 19: 1710-1715.

Thunell, R. C. (1978) Late Cenozoic biostratigraphy and paleoceanography of the Mediterranean Sea. Ph.D. Dissertation, University of Rhode Island, U.S.A.

Thy, P. (1987a) Petrogenetic implications of mineral crystallization trends of Troodos cumulates, Cyprus. *Geological Magazine*, 124: 1-11.

Thy, P. (1987b) Magmas and magma chamber evolution, Troodos Ophiolite, Cyprus. *Geology*, 15: 316-319.

Thy, P. (1990) Cryptic variation of a cumulate sequence from the plutonic complex of the Troodos Ophiolite, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) *Ophiolites: oceanic crustal analogues. Proceedings of the symposium "Troodos 1987"*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 165-172.

Thy, P., Brooks, C. K. & Walsh, J. N. (1985) Tectonic and petrogenetic implications of major and rare-earth element chemistry of Troodos glasses, Cyprus. *Lithos*, 18: 165-178.

Thy, P. & Esbensen, K. H. (1993) Sea-floor spreading and the ophiolitic sequences of the Troodos Complex: a principal component analysis of lava and dike compositions. *Journal of Geophysical Research - Solid Earth*, 98: 11799-11805.

Thy, P. & Moores, E. M. (1988) Crustal accretion and tectonic setting of the Troodos Ophiolite, Cyprus. *Tectonophysics*, 147: 221-245.

Thy, P., Schiffman, P. & Moores, S. M. (1989) Igneous mineral stratigraphy and chemistry of the Cyprus crustal study project drill core in the plutonic sequences of the Troodos Ophiolite, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) *Cyprus Crustal Study Project: initial report, hole CY-4*. Geological Survey of Canada, Ottawa, Ontario, Canada, 147-185.

Thy, P. & Xenophontos, C. (1991) Crystallization orders and phase chemistry of glassy lavas from the pillow sequences, Troodos Ophiolite, Cyprus. *Journal of Petrology*, 32: 403-428.

Todd, I. A. (1993) A Late Bronze Age ceramic-manufacturing center at Sanidha, Cyprus. *Research and Exploration*, 9: 387-388.

Torcu, H., Aka, Z. & Isbilir, A. (2001) An investigation on fishes of the Turkish Republic of Northern Cyprus. *Turkish Journal of Veterinary and Animal Sciences*, 25: 155-159.

Tornaritis, G. (1987) Mediterranean sea shells Cyprus. George Tornaritis, Nicosia, Cyprus, pp. 190.

Toulin, V. A. (2005) Gravity field of the northeastern part of the Mediterranean Sea (south and west of Cyprus), in Hall, J. K., Krasheninnikov, V. A., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) *Geological framework of the Levant, Volume II: the Levantine Basin and Israel*. Historical Productions-Hall, Jerusalem, Israel, 127-134.

Toulin, V. A. & Hall, J. K. (2005) Appendix F: RAS marine gravity data from the Levantine Basin, in Hall, J. K., Krasheninnikov, V. A., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) *Geological framework of the Levant, Volume II: the Levantine Basin and Israel*. Historical Productions-Hall, Jerusalem, Israel, 801-806.

Trennery, T. O. & Pocock, B. G. (1972) Mining and milling operations at Limni Mine, Cyprus. *Transactions of the Institution of Mining and Metallurgy, Section A: Mining Industry*, 81: A1-A12.

Trottier, J. & Gauthier, M. (1991) Regional tectonic setting and chemistry of base-metal deposits in the eastern Townships, Quebec. *CIM Bulletin*, 84: 70-79.

Tsameryan, O. P., Sobolev, A. V. & Zakariadze, G. S. (1991) Application of phenocrysts mineralogy data to small Caucasus Ophiolite volcanic series typification. *Geokhimiya*, 1561-1572.

Tuerkozan, O., Ilgaz, C. & Sak, S. (2001) Carapacial scute variation in Loggerhead Turtles, *Caretta caretta*. *Zoology in the Middle East*, 24: 137-142.

Turner, W. M. (1971a) The Geology of the Polis-Kathikas Area. Ph.D. Dissertation, University of New Mexico, U.S.A.

Turner, W. M. (1971b) The Calabrian Touloupos Formation of the Khrysokhou Basin of western Cyprus. *Quaternaria*, 15: 203-209.

Turner, W. M. (1971c) Quaternary Sea Levels of Western Cyprus. *Quaternaria*, 15: 197-202.

Turner, W. M. (1973) The Cyprian gravity nappe and the autochthonous basement of Cyprus, in De Jong, K. A. & Scholten, R. (Eds.) *Gravity and Tectonics*. Wiley Interscience, New York, New York, U.S.A., 287-301.

Turner, W. M. (1974) The Miocene-Pliocene boundary of western Cyprus. *Mémoires du Bureau de Recherches Géologiques et Minières*, 78: 835-840.

Tymvios, F. S., Jacovides, C. P., Michaelides, S. C. & Scouteli, C. (2005) Comparative study of Angström's and artificial neural networks' methodologies in estimating global solar radiation. *Solar Energy*, 78: 752-762.

Tzortzis, M., Svoukis, E. & Tsertos, H. (2004) A comprehensive study of natural gamma radioactivity levels and associated dose rates from surface soils in Cyprus. *Radiation Protection Dosimetry*, 109: 217-224.

Tzortzis, M. & Tsertos, H. (2004) Determination of thorium, uranium and potassium elemental concentrations in surface soils in Cyprus. *Journal of Environmental Radioactivity*, 77: 325-338.

Tzortzis, M. & Tsertos, H. (2005) Natural radioelement concentration in the Troodos Ophiolite Complex of Cyprus. *Journal of Geochemical Exploration*, 85: 47-54.

Tzortzis, M., Tsertos, H., Christofides, S. & Christodoulides, G. (2003a) Gamma-ray measurements of naturally occurring radioactive samples from Cyprus characteristic geological rocks. *Radiation Measurements*, 37: 221-229.

Tzortzis, M., Tsertos, H., Christofides, S. & Christodoulides, G. (2003b) Gamma radiation measurements and dose rates in commercially-used natural tiling rocks (granites). *Journal of Environmental Radioactivity*, 70: 223-235.

Udintsev, G. B., Zverev, A. S., Odinkov, Y. Y., Efremov, V. N., Eleftheriou, S. & Hall, J. K. (1994) Structure of the post-Messinian sedimentary cover in the eastern part of the Mediterranean Sea, in Krasheninnikov, V. A. & Hall, J. K. (Eds.) *Geological structure of the northeastern Mediterranean (Cruise 5 of the Research Vessel 'Akademik Nikolaj Strakhov')*. Historical Productions-Hall, Jerusalem, Israel, 33-73.

Upadhyay, H. D. & Neale, E. R. W. (1979) On the tectonic regimes of ophiolite genesis. *Earth and Planetary Science Letters*, 43: 93-102.

Urquhart, E. (1994) New data on the ranges of some Cretaceous Tethyan radiolaria. *Comptes Rendus de l'Academie des Sciences, Serie II, Fascicule A: Sciences de la Terre et des Planetes*, 318: 1401-1407.

Urquhart, E. (1995) Pseudoaulophacid radiolarians from the Campanian of Cyprus. *Senckenbergiana Lethaea*, 75: 23-31.

Urquhart, E. & Banner, F. T. (1994) Biostratigraphy of the supra-ophiolite sediments of the Troodos Massif, Cyprus: the Cretaceous Peraphedhi, Kannaviou, Moni and Kathikas Formations. *Geological Magazine*, 131: 499-518.

Urquhart, E. & Robertson, A. H. F. (2000) Radiolarian evidence of Late Cretaceous exotic blocks at Mangaleni, Cyprus and implications for the origin and emplacement of the related Moni Melange, in Panayides, I., Xenophontos, C. & Malpas, J. (Eds.) *Proceedings of the Third International Conference on the Geology of the Eastern Mediterranean*. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 299-307.

van der Meer, F., Vazquez-Torres, M. & van Dijk, P. M. (1997) Spectral characterization of ophiolite lithologies in the Troodos ophiolite complex of Cyprus and its potential in prospecting for massive sulphide deposits. *International Journal of Remote Sensing*, 18: 1245-1257.

van Everdingen, D. A. (1993) Geological development of and nature of fractures in the sheeted dyke complex of the Spilia-Politiko area, Troodos Ophiolite, Cyprus: Implications for permeability in oceanic crust. Ph.D. Dissertation, Memorial University of Newfoundland, Canada.

van Everdingen, D. A. (1995) Fracture characteristics of the sheeted dike complex, Troodos ophiolite, Cyprus: implications for permeability of oceanic crust. *Journal of Geophysical Research - Solid Earth*, 100: 19957-19972.

van Everdingen, D. A. & Cawood, P. A. (1995) Dyke domains in the Mitsero Graben, Troodos Ophiolite, Cyprus - an off-axis model for graben formation at a spreading center. *Journal of the Geological Society*, 152: 923-932.

Varga, R. J. (1991) Modes of extension at oceanic spreading centers: evidence from the Solea Graben, Troodos Ophiolite, Cyprus. *Journal of Structural Geology*, 13: 517-537.

Varga, R. J. (2003) The sheeted dike complex of the Troodos Ophiolite and its role in understanding mid-ocean ridge processes, in Dilek, Y. & Newcomb, S. (Eds.) *Ophiolite Concept and the Evolution of Geological Thought*. Geological Society of America Special Paper 373. Geological Society of America, Boulder, Colorado, U.S.A., 323-336.

Varga, R. J., Gee, J. S., Bettison-Varga, L., Anderson, R. S. & Johnson, C. L. (1999) Early establishment of seafloor hydrothermal systems during structural extension: paleomagnetic evidence from the Troodos Ophiolite, Cyprus. *Earth and Planetary Science Letters*, 171: 221-235.

Varga, R. J., Gee, J. S., Staudigel, H. & Tauxe, L. (1998) Dike surface lineations as magma flow indicators within the sheeted dike complex of the Troodos Ophiolite, Cyprus. *Journal of Geophysical Research - Solid Earth*, 103: 5241-5256.

Varga, R. J. & Moores, E. M. (1985) Spreading structure of the Troodos Ophiolite, Cyprus. *Geology*, 13: 846-850.

Varga, R. J. & Moores, E. M. (1990) Intermittent magmatic spreading and tectonic extension in the Troodos Ophiolite; implications for exploration for black smoker-type ore deposits, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) *Ophiolites: oceanic crustal analogues*. Proceedings of the symposium "Troodos 1987". Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 53-64.

Varnavas, S. P. (1986) An Fe-Ti-Cr placer deposit in a Cyprus beach associated with the Troodos Ophiolite Complex: implications for offshore mineral exploration. *Marine Mining*, 5: 405-434.

Varnavas, S. P. (1990) Formation of placer mineral deposits in high-energy environments: the Cyprus continental shelf. *Geo-Marine Letters*, 10: 51-58.

Varnavas, S. P., Forstner, U. & Calmano, W. (2001) Environmental assessment and human health in a highly metal polluted coastal zone associated with toxic solid waste: the need of immediate remediation, Proceedings of the 7th International Conference on Environmental Science and Technology, Ermoupolis, Syros, Greece, September 2001. 903-910.

Vasicj, N., Milovanovicj, D., Djordjevicj, P., Karamata, S., Knezhevicij, V., Milojkovicj, R. & Obradovicj, J. (1980) Prikaz internatsionalnog ofiolitskog simpozijuma na Kipru [A review of the International ophiolite symposium held in Nicosia, Cyprus]. *Zapisi Srpsko Geolosko Društvo*, 1979: 77-80.

Verlaque, M., Boudouresque, C. F., Meinesz, A. & Gravez, V. (2000) The *Caulerpa racemosa* complex (*Caulerpales*, *Ulvophyceae*) in the Mediterranean Sea. *Botanica Marina*, 43: 49-68.

Vibetti, N. J. (1987) Study of deep fluid circulation in the Troodos Ophiolite, Cyprus. Ph.D. Dissertation, The University of Western Ontario, Canada.

Vibetti, N. J. (1993) Chemical alteration trends, fluid inclusion patterns and stable-isotope compositions in the plutonic sequence of the Troodos Ophiolite, Cyprus. *Journal of African Earth Sciences*, 17: 193-202.

Vibetti, N. J., Kerrich, R. & Fyfe, W. S. (1989a) Hypersaline fluids discovered in the Troodos Ophiolite, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) *Cyprus Crustal Study Project: initial report, hole CY-4*. Geological Survey of Canada, Ottawa, Ontario, Canada, 229-234.

Vibetti, N. J., Kerrich, R. & Fyfe, W. S. (1989b) Oxygen and carbon isotope studies of hydrothermal alteration in the Troodos Ophiolite complex, Cyprus, in Gibson, I. L., Malpas, J., Robinson, P. T. & Xenophontos, C. (Eds.) *Cyprus Crustal Study Project: initial report, hole CY-4*. Geological Survey of Canada, Ottawa, Ontario, Canada, 221-228.

Vidal, M., Alvarez-Marron, J. & Klaeschen, D. (2000a) The structure of the Africa-Anatolia plate boundary in the eastern Mediterranean. *Tectonics*, 19: 723-739.

Vidal, N., Alvarez-Marron, J. & Klaeschen, D. (2000b) Internal configuration of the Levantine Basin from seismic reflection data (eastern Mediterranean). *Earth and Planetary Science Letters*, 180: 77-89.

Vidal, N., Klaeschen, D., Kopf, A., Docherty, C., Von Huene, R. & Krasheninnikov, V. A. (2000c) Seismic images at the convergence zone from south of Cyprus to the Syrian coast, eastern Mediterranean. *Tectonophysics*, 329: 157-170.

Vidal, N., Klaeschen, D., Kopf, A. J., von Huene, R. & Krasheninnikov, V. A. (2005) Seismic images from south-east of Cyprus to the Syrian coast, in Hall, J. K., Krasheninnikov, V. A., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) *Geological framework of the Levant, Volume II: the Levantine Basin and Israel*. Historical Productions-Hall, Jerusalem, Israel, 41-56.

Vigo, I., Garcia, D. & Chao, B. F. (2005) Change of sea level trend in the Mediterranean and Black seas. *Journal of Marine Research*, 63: 1085-1100.

Vine, F. J. (2003) Ophiolites, ocean crust formation, and magnetic studies: a personal view, in Dilek, Y. & Newcomb, S. (Eds.) *Ophiolite Concept and the Evolution of Geological Thought*. Geological Society of America Special Paper 373. Geological Society of America, Boulder, Colorado, U.S.A., 65-75.

Vine, F. J., Poster, C. K. & Gass, I. G. (1973) Aeromagnetic survey of Troodos Massif. *Nature - Physical Science*, 244: 34-38.

Vine, F. J. & Smith, G. C. (1983) A gravity profile across The Limassol Forest serpentinite of the Troodos Ophiolite Complex, Cyprus. *Geophysical Journal of The Royal Astronomical Society*, 73: 290-290.

Vine, F. J. & Smith, G. C. (1990) Structural and physical properties of the Troodos crustal section at ICRDG drillholes CY1, 1a and 4, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) *Ophiolites: oceanic crustal analogues*. Proceedings of the symposium "Troodos 1987". Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 113-124.

Vita-Finzi, C. (1990) ¹⁴C dating of Late Quaternary uplift in western Cyprus. *Tectonophysics*, 172: 135-140.

Vokes, F. M., Constantinou, G., Panayiotou, A. & Prestvik, T. (1990) Gabbro hosted mineralization in ophiolites; examples from Troodos, Cyprus and Leka, Norway, in Malpas, J., Moores, E. M., Panayiotou, A. & Xenophontos, C. (Eds.) *Ophiolites: oceanic crustal analogues*. Proceedings of the symposium "Troodos 1987". Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 593-603.

Wade, B. S. & Bown, P. R. (2006) Calcareous nannofossils in extreme environments: The Messinian Salinity Crisis, Polemi Basin, Cyprus. *Palaeogeography Palaeoclimatology Palaeoecology*, 233: 271-286.

Wales-Smith, B. G. (1983) Inexpensive device for measuring net dewfall. *Weather*, 38: 54-56.

Wales-Smith, B. G. (1984a) Physical modeling of surface windflow over Cyprus. *Meteorological Magazine*, 113: 152-164.

Wales-Smith, B. G. (1984b) Diurnal and seasonal trough-induced surface pressure-gradients and winds over Cyprus. *Meteorological Magazine*, 113: 199-207.

Walker, G. P. L. (1992) Morphometric study of pillow-size spectrum among pillow lavas. *Bulletin of Volcanology*, 54: 459-474.

Walls, C. C. & Hall, J. M. (1998) Interpretation of aeromagnetic anomalies in terms of hydrothermal alteration in Cretaceous normal polarity superchron extrusives of the Troodos, Cyprus, ophiolite. *Journal of Geophysical Research - Solid Earth*, 103: 30311-30321.

Wang, J. B., Deng, J. N., Zhang, J. H. & Qin, K. Z. (1999) Massive sulphide deposits related to the volcano-passive continental margin in the Altay region. *Acta Geologica Sinica - English Edition*, 73: 253-263.

Ward, L. C. (1988a) Rift tectonics of the Polis Extensional Graben, NW Cyprus, and associated traps. *American Association of Petroleum Geologists Bulletin*, 72: 1030-1030.

Ward, L. C. (1988b) Onshore-offshore coastal lithofacies of Polis Basin, NW Cyprus. *American Association of Petroleum Geologists Bulletin*, 72: 1030-1030.

Ward, L. C. (1988c) Lithofacies and sandbody shape of sandstones in the Paphos-Polis Basin, western Cyprus. *American Association of Petroleum Geologists Bulletin*, 72: 1030-1030.

Warning, B. & Brumsack, H. J. (2000) Trace metal signatures of eastern Mediterranean sapropels. *Palaeogeography Palaeoclimatology Palaeoecology*, 158: 293-309.

Wdowinski, S., Ben-Avraham, Z., Arvidsson, R. & Ekstrom, G. (2006) Seismotectonics of the Cyprian Arc. *Geophysical Journal International*, 164: 176-181.

Webster, S. (1995a) The application of TEM to Cyprus-type massive sulfide exploration in Cyprus: discussion. *Geophysics*, 60: 1584-1584.

Webster, S. (1995b) The application of TEM to Cyprus-type massive sulfide exploration in Cyprus: response. *Geophysics*, 60: 1584-1584.

Wedel, P. & Stevens, R. L. (1990) Groundwater recharge and storage by damming a small ephemeral stream, in Paepe, R., Fairbridge, R. W. & Jelgersma, S. (Eds.) *Greenhouse effect, sea level and drought*. NATO Advanced Science Institutes Series C: Mathematical and Physical Sciences Volume 325. Kluwer Academic Publishers, Dordrecht, Netherlands, 541-551.

Wehausen, R. & Brumsack, H.-J. (1998) The formation of Pliocene Mediterranean sapropels: constraints from high-resolution major and minor element studies, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.)

- Wehausen, R. & Brumsack, H. J. (1999) Cyclic variations in the chemical composition of eastern Mediterranean Pliocene sediments: a key for understanding sapropel formation. *Marine Geology*, 153: 161-176.
- Wehausen, R. & Brumsack, H. J. (2000) Chemical cycles in Pliocene sapropel-bearing and sapropel-barren eastern Mediterranean sediments. *Palaeogeography Palaeoclimatology Palaeoecology*, 158: 325-352.
- Weiler, Y. (1969) The Miocene Kythrea Flysch Basin in Cyprus. *Giornale di Geologia*, 35: 213-229.
- Weiler, Y. (1970) Mode of occurrence of pelites in the Kythrea flysch basin (Cyprus). *Journal of Sedimentary Petrology*, 40: 1255-1261.
- Wells, D. M. (1998) Rare earth element systematics in ancient and modern hydrothermal systems. Ph.D. Dissertation, University of Southampton, U.K.
- Westaway, R. (1999) Comment on "A new intracontinental transcurrent structure: the Central Anatolian Fault Zone, Turkey" by A. Kocyigit and A. Beyhan. *Tectonophysics*, 314: 469-479.
- Whiting, B. M. (1998) Subsidence record of early-stage continental collision, Eratosthenes platform (Sites 966 and 967), in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program*, College Station, Texas, U.S.A., 509-516.
- Williams, O. P. & Reader, R. A. (1991) Design and construction of Kalavassos Dam, Cyprus. *Proceedings of the Institution of Civil Engineers, Part 1: Design and Construction*, 90: 975-992.
- Williams, O. P., Reader, R. A., Ogden, D. L. S., Newberry, J., Carlyle, W. J., McKenna, J. M., Ray, W., Knight, D. J., Knill, J. L. & Kennard, M. F. (1994) Design and construction of Kalavassos Dam, Cyprus. *Proceedings of the Institution of Civil Engineers, Water and Maritime Engineering*, 106: 392-398.
- Williams, W. D. (1993) Conservation of salt lakes. *Hydrobiologia*, 267: 291-306.
- Wilson, N. (1985) Temperature, thermal-conductivity, and heat-flow in The Troodos Massif, Cyprus. *Geophysical Journal of The Royal Astronomical Society*, 81: 330-330.
- Wilson, R. A. M. (1959a) The geology of the Xeros-Troodos area. Geological Survey Department Memoir Number 2. Geological Survey Department, Nicosia, Cyprus, pp. 208.
- Wilson, R. A. M. (1959b) Ultrabasic pillow lavas from Cyprus. *Geological Magazine*, 96: 257-259.
- Wolff, D. (1966) Untersuchungen zur genesis der kieslagerstaetten in Cypem [Investigations on the genesis of the pyrite deposits in Cyprus] *Clausthaler Hefte zur Lagerstaettenkunde und Geochemie der Mineralischen Rohstoffe*, Vol. 4. Bornträger, Berlin-Stuttgart, Federal Republic of Germany, pp. 47.
- Wood, D. A. (1979) Dynamic partial melting; its application to the petrogeneses of basalts erupted in Iceland, the Faeroe Islands, the Isle of Skye (Scotland) and the Troodos Massif (Cyprus). *Geochimica et Cosmochimica Acta*, 43: 1031-1046.
- Woodside, J. M. (1975) Seismic refraction survey in the Eastern Mediterranean Sea. *Rapports et Proces Verbaux des Reunions - Commission Internationale pour l'Exploration Scientifique de la Mer Mediterranee*, 23: 217-218.
- Woodside, J. M., Kenter, J. A. M. & Köhnen, A. (1998) Acoustic properties from logs and discrete measurements (Sites 966 and 967) on Eratosthenes Seamount: controls and ground truth, in Robertson, A. H. F., Emeis, K.-C., Richter, C. & Camerlenghi, A. (Eds.) *Proceedings of the Ocean Drilling Program Scientific Results Volume 160 - Mediterranean I. Ocean Drilling Program*, College Station, Texas, U.S.A., 535-544.
- Woodside, J. M., Mascle, J., Zitter, T. A. C., Limonov, A. F., Ergun, M. & Volkonskaia, A. (2002) The Florence Rise, the western bend of the Cyprus Arc. *Marine Geology*, 185: 177-194.
- Wright, R. C. (1978a) Neogene benthic foraminifers from DSDP Leg 42A, Mediterranean Sea, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) *Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 709-726.*
- Wright, R. C. (1978b) Neogene paleobathymetry of the Mediterranean based on benthic foraminifers from DSDP Leg 42A, in Hsü, K. J., Montadert, L., Garrison, R. E., Fabricius, F. H., Kidd, R. B., Müller, C., Cita, M. B., Bizon, G., Wright, R. C., Erickson, A. J., Bernoulli, D. & Mélières, F. (Eds.) *Initial Reports of the Deep Sea Drilling Project, Volume 42, Part I. U.S. Government Printing Office, Washington, District of Columbia, U.S.A., 837-846.*
- Wurzler, S., Rosenfeld, D. & Rudich, Y. (2001) Some effects of mineral dust particles on cloud microphysics: numerical investigation of a dust storm situation. *Journal of Aerosol Science*, 32 (suppl. 1): S929-S930.

Xenophontos, C. (1979a) Excursion F - The Troodos plutonic complex, in Pantazis, T. M. (Ed.) Field excursion guidebook: International Ophiolite Symposium, Nicosia, Cyprus, 1-8 April, 1979. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 42-50.

Xenophontos, C. (1979b) Excursion E - Pillow lavas and "plagiogranite", in Pantazis, T. M. (Ed.) Field excursion guidebook: International Ophiolite Symposium, Nicosia, Cyprus, 1-8 April, 1979. Ministry of Agriculture and Natural Resources Geological Survey Department, Republic of Cyprus, Nicosia, Cyprus, 39-41.

Xu, C. Y. & Singh, V. P. (2005) Evaluation of three complementary relationship evapotranspiration models by water balance approach to estimate actual regional evapotranspiration in different climatic regions. *Journal of Hydrology*, 308: 105-121.

Yang, J.-S. (1991) Constructional and alteration features and their relationships to sulfide deposits in the upper part of the Troodos ophiolite, Cyprus. Ph.D. Dissertation, Dalhousie University, Canada.

Yetis, C., Kelling, G., Gokcen, S. L. & Baroz, F. (1995) A revised stratigraphic framework for later Cenozoic sequences in the northeastern Mediterranean region. *Geologische Rundschau*, 84: 794-812.

Yigit, O. (2006) Gold in Turkey: a missing link in Tethyan metallogeny. *Ore Geology Reviews*, 28: 147-179.

Yukselen, M. A. (2002) Characterization of heavy metal contaminated soils in northern Cyprus. *Environmental Geology*, 42: 597-603.

Yukselen, M. A. & Alpaslan, B. (2001) Leaching of metals from soil contaminated by mining activities. *Journal of Hazardous Materials*, 87: 289-300.

Yukselen, M. A. & Gokyay, O. (2006) Leachability of metals from soil contaminated by mining activities. *Environmental Engineering Science*, 23: 125-132.

Yurtmen, S., Guillou, H., Westaway, R., Rowbotham, G. & Tatar, O. (2002) Rate of strike-slip motion on the Amanos Fault (Karasu Valley, southern Turkey) constrained by K-Ar dating and geochemical analysis of Quaternary basalts. *Tectonophysics*, 344: 207-246.

Yurur, M. T. & Chorowicz, J. (1998) Recent volcanism, tectonics and plate kinematics near the junction of the African, Arabian and Anatolian plates in the eastern Mediterranean. *Journal of Volcanology and Geothermal Research*, 85: 1-15.

Zeuner, F. E. (1958) Animal remains from a late Bronze Age sanctuary on Cyprus, and the problem of the domestication of fallow deer. *Journal of the Palaeontological Society of India*, 3: 131-135.

Zhang, X. B., Aguilar, E., Sensoy, S., Melkonyan, H., Tagiyeva, U., Ahmed, N., Kutaladze, N., Rahimzadeh, F., Taghipour, A., Hantosh, T. H., Albert, P., Semawi, M., Ali, M. K., Al-Shabibi, M. H. S., Al-Oulan, Z., Zafari, T., Khelet, I. A., Hamoud, S., Sagir, R., Demircan, M., Eken, M., Adiguzel, M., Alexander, L., Peterson, T. C. & Wallis, T. (2005) Trends in Middle East climate extreme indices from 1950 to 2003. *Journal of Geophysical Research - Atmospheres*, 110: D22104, doi:10.1029/2005JD006181.

Zhou, M. F., Malpas, J., Robinson, P. T., Sun, M. & Li, J. W. (2001) Crystallization of podiform chromitites from silicate magmas and the formation of nodular textures. *Resource Geology*, 51: 1-6.

Zhou, M. F. & Robinson, P. T. (1997) Origin and tectonic environment of podiform chromite deposits. *Economic Geology and the Bulletin of the Society of Economic Geologists*, 92: 259-262.

Zibrowius, H. (1991) *Chaetaster longipes* (Echinodermata, Asteroidea): distribution in the Mediterranean and the Atlantic. *Mesogee*, 51: 75-81.

Zitter, T. A. C., van der Gaast, S. J. & Woodside, J. M. (2001) New information concerning clay mineral provenance in mud volcanoes. *Rapports et Proces Verbaux des Reunions - Commission Internationale pour l'Exploration Scientifique de la Mer Mediterranee*, 36: 46.

Zitter, T. A. C., Woodside, J. M. & Mascle, J. (2003) The Anaximander Mountains: a clue to the tectonics of southwest Anatolia. *Geological Journal*, 38: 375-394.

Zodiatis, G., Drakopoulos, P. & Gertman, I. (2004) Modified Atlantic water in the SE Levantine Basin (1995-2003). *Rapports et Proces Verbaux des Reunions - Commission Internationale pour l'Exploration Scientifique de la Mer Mediterranee*, 37: 156.

Zodiatis, G., Drakopoulos, P., Brenner, S. & Groom, S. (2005) Variability of the Cyprus warm core Eddy during the CYCLOPS project. *Deep-Sea Research II*, 52: 2897-2910.

Zodiatis, G., Lardner, R., Georgiou, G., Demirov, E., Manzella, G. & Pinardi, N. (2003) An operational European global ocean observing system for the Eastern Mediterranean Levantine Basin: The Cyprus Coastal Ocean Forecasting and Observing System. *Marine Technology Society Journal*, 37: 115-123.

- Zodiatis, G., Lardner, R., Georgiou, G., Demirov, E., Manzella, G. & Pinardi, N. (2004) A sub-regional coastal forecasting and observing system in the Levantine Basin. *Rapports et Proces Verbaux des Reunions - Commission Internationale pour l'Exploration Scientifique de la Mer Mediterranee*, 37: 155.
- Zodiatis, G., Lardner, R., Georgiou, G., Demirov, E., Pinardi, N. & Manzella, G. (2003) The Cyprus Coastal Ocean Forecasting and Observing System - CYCOFOS is a key component in the growing network of European Ocean Observing Systems. *Sea Technology*, 44: 10-15.
- Zodiatis, G., Lardner, R., Lascaratos, A., Georgiou, G., Korres, G. & Syrimis, M. (2001) Mediterranean Forecasting System: submodel for the Cyprus and north-east Levantine Basins. *Rapports et Proces Verbaux des Reunions - Commission Internationale pour l'Exploration Scientifique de la Mer Mediterranee*, 36: 90.
- Zodiatis, G., Lardner, R., Lascaratos, A., Georgiou, G., Korres, G. & Syrimis, M. (2003) High resolution nested model for the Cyprus, NE Levantine Basin, eastern Mediterranean Sea: implementation and climatological runs. *Annales Geophysicae*, 21: 221-236 Part 2.
- Zodiatis, G., Manca, B. & Balopoulos, E. (2001) Synoptic, seasonal and interannual variability of the warm core eddy south of Cyprus, SE Levantine Basin. *Rapports et Proces Verbaux des Reunions - Commission Internationale pour l'Exploration Scientifique de la Mer Mediterranee*, 36: 89.
- Zodiatis, G., Theodorou, A. & Demetropoulos, A. (1998) Hydrography and circulation south of Cyprus in late summer 1995 and in spring 1996. *Oceanologica Acta*, 21: 447-458.
- Zohary, T., Brenner, S., Krom, M. D., Angel, D. L., Kress, N., Li, W. K. W., Neori, A. & Yacobi, Y. Z. (1998) Buildup of microbial biomass during deep winter mixing in a Mediterranean warm-core eddy. *Marine Ecology Progress Series*, 167: 47-57.
- Zohary, T., Herut, B., Krom, M. D., Mantoura, R. F. C., Pitta, P., Psarra, S., Rassoulzadegan, F., Stambler, N., Tanaka, T., Thingstad, T. F. & Woodward, E. M. S. (2005) P-limited bacteria but N and P co-limited phytoplankton in the eastern Mediterranean: a microcosm experiment. *Deep-Sea Research II*, 52: 3011-3023.
- Zohary, T. & Robarts, R. D. (1992) Bacterial numbers, bacterial production, and heterotrophic nanoplankton abundance in a warm core eddy in the eastern Mediterranean. *Marine Ecology Progress Series*, 84: 133-137.
- Zohdy, H. (1986) Some side effects of a Cyprus cyclone, PSMP - Report of the Steering Group Meeting on Mediterranean Cyclones Study Project, Palma, Majorca, 25-29 November 1985 (PSMP Report No. 20). World Meteorological Organization, Geneva, Switzerland, 91-99.
- Zomenis, S. L. (1972) Stratigraphy and hydrogeology of the Neogene rocks in the northern foothills of the Troodos Massif, Cyprus. *Bulletin of the Geological Survey Department of Cyprus*, 5: 22-90.
- Zuleger, E. (1992) Geochemical investigation of boron and its isotope in a marine environment: determination of isotopes with a thermal ionic mass spectrometer. Ph.D. Dissertation, Justus-Liebig-Universität Giessen, Germany.
- Zverev, S. M. (2002) Structural features of the sedimentary cover and the basement in the frontal zone of the Cyprean Arc (eastern Mediterranean). *Okeanologiya (Oceanology)*, 42: 396-408.
- Zverev, S. M. (2003) Results of DSS studies on a marine profile along the eastern coast of Cyprus (the eastern Mediterranean). *Izvestiya, Physics of the Solid Earth (Fizika Zemli)*, 39: 488-503.
- Zverev, S. M. (2005) Peculiarities of sediments and basement structure in the frontal zone of the Cyprean Arc (based on seismic refraction data), in Hall, J. K., Krasheninnikov, V. A., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) *Geological framework of the Levant, Volume II: the Levantine Basin and Israel*. Historical Productions-Hall, Jerusalem, Israel, 113-126.
- Zverev, S. M. & Ilinsky, D. A. (2005) The deep structure of Eratosthenes Seamount from seismic refraction data, in Hall, J. K., Krasheninnikov, V. A., Hirsch, F., Benjamini, C. & Flexer, A. (Eds.) *Geological framework of the Levant, Volume II: the Levantine Basin and Israel*. Historical Productions-Hall, Jerusalem, Israel, 73-112.